



# ATAS International, Inc.

Sustainable Building Envelope Technology



Standing seam, batten style, plank and barn board with mix and match capabilities



UNLIMITED DIVERSITY

# MULTI-PURPOSE™

# Diversify with **Multi-purpose™** panels

The Multi-Purpose panels with the Wind-Lok application have a smooth but sleek appearance with a concealed clipless fastening system.



MPN



MPW



MPH



MPV



MPS

## Features

### APPLICATION

- Typical applications include walls, fascias, mansards, equipment screens, and some limited roofing with a minimum slope of 4:12
- Concealed, clipless fastening system
- Ease of installation
- May be applied horizontally and vertically
- MPV - A slight "V" is formed into the plank or barn board for a variance of style

### LONGEVITY

- Resistant to high wind, torrential rain, heavy snow and ice loads
- Fire resistant - will not burn or support combustion
- May be an insurance advantage
- Will not warp, crack, rot or peel
- 30 Year Limited Warranty
- High quality and time proven painting and pretreatment technologies
- PVDF Coating System

### PERFORMANCE STANDARDS

- Tested in accordance with UL 790/ASTM E 108, UL 580, ASTM E 283, ASTM E 331, AAMA 501.1, UL 2218, ASTM E 84 Flame Spread
- Easily integrated into drainage plane wall construction for energy performance



# Specifications

Multi-Purpose™ SKU: MPN, MPW, MPH, MPV, MPS

## Gauge

.032, .040 aluminum; 24, 22\* ga. metallic coated steel

## Width

8", 12", 16"

## Length

Cut to customer specifications with a minimum of 2'-0", maximum to transportation limitations and/or product and project design considerations

## Panel Height

1 1/4", 3/8" (MPS)

## Texture

Embossed, Smooth

## Finish

Kynar 500® PVDF or Hylar 5000® PVDF

## Colors

31 standard colors

## Anodized

Clear, Dark Bronze

## Accessories


A complete line of trims available in matching colors, gauge, and finish or as specified

\*Subject to minimum quantities and lead time. Inquire for availability

## Multi-purpose™ Design Advantages



Multi-purpose panels have a positive panel-to-panel interlock and can be combined with Corra-Lok and Metafor panels for the ability to create interesting patterns and breaks. The fasteners are hidden by the consecutive panel.




### Wind-Lok™


Integral lock and seam design guards against wind-driven rain and wind uplift. Positive locking feature makes it virtually impossible for panels to disengage.






MPN





MPW




MPH



MPV



MPS



STANDARD COLORS



Black (02) SRI: -1



Hartford Green (27) SRI: 23



Regal Blue (18) SRI: 23

PREMIUM FINISH



Clear Anodized (70) SRI: 92

PREMIUM FINISH



Silversmith (28) SRI: 51



Classic Bronze (01) SRI: 2



Forest Green (11) SRI: 29



Siam Blue (14) SRI: 35



Dark Bronze Anodized (71) SRI: 6



Antique Patina (24) SRI: 25



Medium Bronze (03) SRI: 33



Hemlock Green (30) SRI: 30



Slate Blue (21) SRI: 31



Boysenberry (25) SRI: 27



Brite Red (17) SRI: 39



Chocolate Brown (04) SRI: 25



Patna Green (12) SRI: 47



Rocky Grey (16) SRI: 29



Redwood (07) SRI: 18



Champagne (31) SRI: 62



Sierra Tan (09) SRI: 37



Teal (19) SRI: 26



Charcoal Grey (62) SRI: 27



Mission Red (08) SRI: 33



Coppertone (23) SRI: 57



Sandstone (06) SRI: 66



Slate Grey (20) SRI: 39



Dove Grey (13) SRI: 58



Rawhide (15) SRI: 64



Titanium (TT) SRI: 59



Concord Cream (05) SRI: 78



Ascot White (10) SRI: 96



Rene White (76) SRI: 85



Acrylic Coated Galvalume® (97) SRI: 58




Visit us online



Try our product visualizer



Get product info.



Download CAD Details



Browse photos



View tech. data



# THE ATAS DIFFERENCE



**Multi-Purpose roll former**

- Stationary machine
- Controlled environment
- 20 forming stations
- Precision leveling

ATAS's professional staff is able to assist in the design or provide shop drawings for your project. Final choice of materials and installation is the responsibility of the owner, architect and/or the owner's agent. ATAS International, Inc. cannot be held responsible for the ultimate selection or the installation of those materials. Due to slight stress in metal materials and substrates to which metal panels are applied, installed panels may exhibit a perceived waviness in the flat areas of the panel. Commonly the period and amplitude of the waviness is dependent upon the continuous flat width of the panel. This condition is beyond the control of ATAS and consequently this perceived waviness or "oil canning" of the product is not a valid reason for rejection of materials. (Refer to ASTM E 1514, ASTM E 1637 and Metal Construction Association Technical Bulletin 1060 for further clarification). ATAS reserves the right to modify, eliminate and/or change its products without prior notification. ATAS cannot be held responsible for errors in line drawings and typesetting. Inquire for availability. Colors are as close to the actual colors as modern printing allows. Exact color chips on request; this is a requirement for all premium colors. If you have requirements or preference for colors or finishes other than shown, contact ATAS. Color availability varies by material, gauge and profile. ATAS is not responsible for colors selected from this chart. Contact ATAS for more information.

## ATAS International, Inc.

Allentown, PA • Mesa, AZ • Maryville, TN

800.468.1441 | [www.atas.com](http://www.atas.com) | [info@atas.com](mailto:info@atas.com)

© 2015 ATAS International, Inc.

Contact ATAS for more information. ATAS reserves the right to modify, eliminate and/or change its products without prior notification.

LRD0115 LAT204



Multi-purpose™ is a trademark of ATAS International, Inc. Kynar 500® PVDF is a registered trademark of Arkema. Hylar 5000® PVDF is a registered trademark of Solvay Plastics.