












PCS900 Clip






PCB900 Clip



					PC Clip Detail				
					DWG. NO.			DR	DATE
								DMR	10/3/2016
					MATERIAL			APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP				SH. SIZE	SCALE
								B	X:X




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210



Eave Trim

- PCA111 - 3:12 to 4:12 Slope
D1=1"
- PCA112 - 4:12 to 8:12 Slope
D1=1 1/2"
- PCA113 - 8:12 to 12:12 Slope
D1=2"




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE		
PC Seam Curved Eave Detail		
DWG. NO.	DR	DATE
	DMR	5/3/2019
MATERIAL	APP	DATE
	SH. SIZE	SCALE
	B	X:X


1	6/4/2019	Updated Clip Information	AJZ	KRK
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP

Note: * denotes color side.



Note: * denotes color side.

						TITLE		PC Curved Gable Detail	
						DWG. NO.		DR	DATE
								KRK	9/18/2014
								APP	DATE
								SH. SIZE	SCALE
								B	X:X






Note: * denotes color side.

PCA980-Counterflashing

SFC999-Curved Sidewall Trim


PCA962-Utility Cleat

TITLE				PC Curved Sidewall Detail			
DWG. NO.		DR		DATE		DATE	
1		6/4/2019		Updated Clip Information		AJZ KRK	
REV. NO.		DATE		DESCRIPTION OF REVISION		BY APP	
MATERIAL		SH. SIZE		SCALE		X:X	



Eave Trim

- PCA111 - 3:12 to 4:12 Slope
D1=1"
- PCA112 - 4:12 to 8:12 Slope
D1=1 1/2"
- PCA113 - 8:12 to 12:12 Slope
D1=2"






ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210


TITLE		
PC Eave Detail		
DWG. NO.	DR KRK	DATE 9/16/2014
MATERIAL	APP	DATE
SH. SIZE	B	SCALE X:X

1	6/4/2019	Updated Clip Information	AJZ	KRK
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP


Note: * denotes color side.




Butyl Tape Detail



Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"




Gable Starter Cleat
PCA211 - 1" Seam and 1" Batten
D1=1 5/16" / D2=3 7/16"
PCA214 - 2" Batten
D1=2 5/16" / D2=4 7/16"






Gable Trim Cap
PCA210 - 1" Seam and 1" Batten
D1=3 1/2" / D2=4"
PCA212 - 2" Batten
D1=4 1/2" / D2=5 1/2"

Note: * denotes color side.


					TITLE PC Ending Gable Detail				
					DWG. NO.			DR KRK	DATE 9/16/2014
1	6/4/2019	Updated Clip Information		AJZ	KRK	MATERIAL			APP DATE
REV. NO.	DATE	DESCRIPTION OF REVISION		BY	APP	SH. SIZE B			SCALE X:X



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210




Butyl Tape Detail




Z Closure


PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"





PCA980-Counterflashing



PCA410-Sidewall Trim

		ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE			
PC Ending Sidewall Detail			
DWG. NO.		DR KRK	DATE 9/16/2014
MATERIAL		APP	DATE
		SH. SIZE B	SCALE X:X


Note: * denotes color side.



Pre Notched Z Closure (Seam)

Note: * denotes color side.



Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.




Z Closure

PCA910 - 1" Seam and 1" Batten
D1=1 1/8"

PCA912 - 2" Batten
D1=2 1/8"




PCA980-Counterflashing



Headwall Trim


PCA500 - 1" Seam and 1" Batten
D1=4" / D2=4"

PCAXXX - 2" Batten
D1=5 3/4" / D2=4"



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE					PC Headwall Detail			
1	6/4/2019	Updated Clip Information	AJZ	KRK	DWG. NO.	DR	KRK	DATE
1	6/29/18	Updated Substrate and Trims	MBP		MATERIAL	APP		DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	SH. SIZE	B	SCALE	X:X





Note: * denotes color side.
Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.


Hip Cap
PCA315-3:12 to 6:12 Slope
D1=6"
PCA316-6:12 to 9:12 Slope
D1=7"
PCA317-9:12 to 12:12 Slope
D1=8"

Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1= 2 1/8"

TITLE				PC Hip Detail			
DWG. NO.		DR		DATE		9/16/2014	
1		6/4/2019		Updated Clip Information		AJZ KRK	
REV. NO.		DATE		DESCRIPTION OF REVISION		BY APP	
MATERIAL		SH. SIZE		SCALE		X:X	



Pre Notched Z Closure (Seam)




Z Closure

PCA910 - 1" Seam and 1" Batten

D1=1 1/8"

PCA912 - 2" Batten

D1=2 1/8"



PCA301-3:12 to 6:12 Slope

D1=6"

PCA302-6:12 to 9:12 Slope


D1=7"

PCA303-9:12 to 12:12 Slope

D1=8"

Note: * denotes color side.




Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

TITLE			PC Ridge Detail		
DWG. NO.			DR	KRK	DATE
MATERIAL			APP		DATE
SH. SIZE			B	SCALE	X:X

REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP
1	6/4/2019	Updated Clip Information	AJZ	KRK




Pre Notched Z Closure (Seam)




Z Closure

- PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
- PCA912 - 2" Batten
D1=2 1/8"



Shed Ridge Starter Cleat

- PCA341-3:12 to 6:12 Slope
D1=3 7/16"
- PCA348-6:12 to 9:12 Slope
D1=3 11/16"
- PCA349-9:12 to 12:12 Slope
D1=3 15/16"




Shed Ridge Cap


- PCA342-3:12 to 6:12 Slope
D1=7" / D2=3 9/16"
- PCA344-6:12 to 9:12 Slope
D1=8" / D2=3 13/16"
- PCA346-9:12 to 12:12 Slope
D1=9" / D2=4 1/16"

Note: * denotes color change.




Note: Neoprene Closures are not required if Factory Pre Notched Z Closures are utilized.

		ATAS INTERNATIONAL, INC Allentown PA 610-395-8445 Mesa AZ 480-558-7210	
TITLE PC Shed Ridge Detail			
KRK	DWG. NO.	DR KRK	DATE 9/17/2014
	MATERIAL	APP	DATE
APP		SH. SIZE B	SCALE X:X

PC Batten



PC Seam




PC Seam Clip


PCS900 - 24ga Metallic Coated Steel

PCS903 - 26ga Stainless Steel




PCB900 - PC Batten Clip




PCS114 - Snap-On PC Seam



PCB001 - Snap-On 1" PC Seam






PCB002 - Snap-On 2" PC Batten




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210


TITLE			PC Snap-On Seam Deatil		
DWG. NO.			DR	KRK	DATE 5/21/2014
MATERIAL			APP		DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP	SH. SIZE B SCALE X:X




Butyl Tape Detail



Z Closure
PCA910 - 1" Seam and 1" Batten
D1=1 1/8"
PCA912 - 2" Batten
D1=2 1/8"




Gable Starter Cleat
PCA211 - 1" Seam and 1" Batten
D1=1 5/16" / D2=3 7/16"
PCA214 - 2" Batten
D1=2 5/16" / D2=4 7/16"



Gable Trim Cap
PCA210 - 1" Seam and 1" Batten
D1=3 1/2" / D2=4"
PCA212 - 2" Batten
D1=4 1/2" / D2=5 1/2"





Note: * denotes color side.

					PC Starting Gable Detail			
					DWG. NO.		DR	DATE
							KRK	9/17/2014
1	6/4/2019	Updated Clip Information	AJZ	KRK	MATERIAL		APP	DATE
REV. NO.	DATE	DESCRIPTION OF REVISION	BY	APP			SH. SIZE	SCALE
							B	X:X




Note: * denotes color side.


TITLE				PC Starting Sidewall Detail			
DWG. NO.				DR		DATE	
				APP		DATE	
MATERIAL				SH. SIZE		SCALE	
				B		X:X	



PCA800-Valley Trim






PCA975-Joggle Cleat




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

Note: * denotes color side.


TITLE				PC Valley Detail		
DWG. NO.		DR		KRK	DATE	9/17/2014
REV. NO.		DATE		APP	DATE	
DESCRIPTION OF REVISION		BY		APP	SH. SIZE	SCALE
1	6/5/2019	Updated Clip Information		AJZ	KRK	
					B	X:X



PCA980-Counterflashing



Vented Z Closure
PCA911 - 1" Seam and 1" Batten
 D1=1 1/8"
PCA913 - 2" Batten
 D1=2 1/8"




PCA510-Vented Headwall Trim



Note: * denotes color side.

Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.


REV. NO.		DATE	DESCRIPTION OF REVISION	BY	APP	TITLE		
2	6/5/2019		Updated Clip Information	AJZ	KRK	PC Vented Headwall Detail		
1	7/2/18		Updated Substrate and Titles	MBP		DWG. NO.		
						MATERIAL		
						SH. SIZE		
						SCALE		


ATAS INTERNATIONAL, INC
 Allentown PA
 610-395-8445
 Mesa AZ
 480-558-7210


DR **KRK** DATE **9/17/2014**
 APP **KRK** DATE
 SH. SIZE **B** SCALE **X:X**



Pre Notched Vented Z Closure (Seam)




Vented Z Closure
PCA911 - 1" Seam and 1" Batten
D1=1 1/8"
PCA913 - 2" Batten
D1=2 1/8"






Vented Ridge Cap
PCA322-3:12 to 6:12 Slope
D1=7 1/4"
PCA324-6:12 to 9:12 Slope
D1=8 1/4"
PCA326-9:12 to 12:12 Slope
D1=9 1/4"

Note: * denotes color side.
Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.

						TITLE		PC Vented Ridge Detail	
						DWG. NO.		DR	DATE
								KRK	9/18/2014
								APP	DATE
						MATERIAL		SH. SIZE	SCALE
								B	X:X
REV. NO.	DATE	DESCRIPTION OF REVISION		BY	APP				
1	6/5/2019	Updated Clip Information		AJZ	KRK				




ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210



Vented Shed Ridge Cap

- PCA362**-3:12 to 6:12 Slope
D1=8 1/4" / D2=4 15/16"
PCA364-6:12 to 9:12 Slope
D1=9 1/4" / D2=5 3/16"
PCA366-9:12 to 12:12 Slope
D1=10 1/4" / D2=5 7/16"



ATAS INTERNATIONAL, INC
Allentown PA
610-395-8445
Mesa AZ
480-558-7210

PC Vented Shed Ridge Detail

Vented Shed Ridge Starter Cleat

- PCA361**-3:12 to 6:12 Slope
D1=4 13/16"
PCA368-6:12 to 9:12 Slope
D1=5 1/16"
PCA369-9:12 to 12:12 Slope
D1=5 5/16"

Vented Z Closure

- PCA911** - 1" Seam and 1" Batten
D1=1 1/8"
PCA913 - 2" Batten
D1=2 1/8"

Pre Notched Vented Z Closure (Seam)

Note: * denotes color side.

Note: Neoprene Closures are not required if Factory Pre Notched Vented Z Closures are utilized.

REV. NO.		DATE	DESCRIPTION OF REVISION	BY	APP	DWG. NO.		DR	KRK	DATE
2		6/5/2019	Updated Clip Information	AJZ	KRK			APP		9/18/2014
1		7/2/18	Updated Substrate and Titles	MBP				SH. SIZE	B	SCALE
										X:X