

# PRODUCT INFORMATION SHEET

## Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

Conforms to HazCom 2012/United States

IMPORTANT INFORMATION: Textile Fiberglass is an "article", not a chemical, as defined in 29 CFR 1910.1200©. It does not require a Safety Data Sheet under OSHA's Hazard Communication Standard. As a service to our customers, however, Backer Rod Mfg. Inc. has produced this Product Information Sheet.

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**Product name** : Ultra Block®

**Product code** : Not available

**Other means of identification** : Not available

**Product code** : Not available

**Product type** : Solid

**Identified uses** : Fiberglass blanket for the construction industry

**Suppliers details** : Backer Rod Mfg. Inc.  
4244 N Broadway  
Denver, CO 80216  
Tel: 800-595-2950  
Fax 303-308-0363  
[www.backerrod.com](http://www.backerrod.com)

### SECTION 2 - HAZARDOUS IDENTIFICATION

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this product information sheet contains valuable information critical to the safe handling and proper use of this product. This product information sheet should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified

**GHS label elements**

**Signal word** : No signal word

**Hazardous statements** : No known significant effects or critical hazards

**Precautionary statements**

**Prevention** : Not applicable

**Response** : Not applicable

**Storage** : Not applicable

**Disposal** : Not applicable

**Hazards not otherwise classified (HNOC)** : None known

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

**Substance / mixture** : Mixture  
**Other means of identification** : Not available  
**CAS number / other identifiers**

Ingredient name	CAS number	%
Glass, oxide, chemicals	65997-17-3	60 - 70
Vermiculite Ore	N/A	25 - 30
Phenol, polymer with formaldehyde, reaction products with hexamethylenetetramine (cured)	68585-23-9	10 - 30
Black Mat Facing	N/A	1 - 2

"Phenolic Novalac Resin / Hexamine" is thermoset into our insulation during our glass manufacturing process. Berkeley Analytical lab testing, for Formaldehyde Emissions, concluded that our final product was free of formaldehyde. The formaldehyde emission test was performed following the guidance of ASTM Standard Guide D 5116. Sampling and analysis for low molecular weight aldehydes were performed following ASTM Standard Method D 5197.

**Any concentration shown as a range is to protect confidentiality or is due to batch variation.**

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

**Occupational exposure limits, if available, are listed in section 8.**

## SECTION 4 - FIRST AID MEASURES

### Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eye lids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Do not rub or scratch eyes. Dust particles may cause eye to be scratched.
  
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Drink water to clear throat, and blow nose to remove dust. A saline spray in the nose may help clear any fibers. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
  
- Skin contact** : Wash gently with soap and cool or room temperature water to remove dust and fibers. Get medical attention if symptoms occur.
  
- Ingestion** : Rinse mouth out with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. This material is not meant to be ingested. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms / effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Dusts and fibers from this product may cause temporary mechanical irritation to the eyes.

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 4 - FIRST AID MEASURES cont.

- Inhalation** : Dusts and fibers from this product may cause temporary mechanical irritation to the nose, throat and respiratory track.
- Skin contact** : Dusts and fibers from this product may cause temporary mechanical irritation and redness to the skin.
- Ingestion** : Ingestion of this product is unlikely; however, may cause gastrointestinal irritation.

### Over-exposure signs / symptoms

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment
- Protection of first-aiders** : No special protection is required

See toxicological information (Section 11)

## SECTION 5 - FIRE-FIGHTING MEASURES

### Extinguishing Media

- Suitable extinguishing media** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam
- Unsuitable extinguishing media** : None known.
- Specific hazards arising from the chemical** : No specific fire or explosion hazard.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
  - Carbon dioxide
  - Carbon monoxide
  - Ammonia
  - Water
- Special protection actions for fire-fighters** : Fire fighters should avoid inhaling any combustion products.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel"

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 6 - ACCIDENTAL RELEASE MEASURES cont.

**Environmental precautions** : Pick up large pieces and dispose as listed in Section 13 of this PIS.

### Methods and materials for containment and cleaning up

**Spill** : Pick up large pieces. Vacuum dusts and loose fibers. If sweeping is necessary, use dust suppressant such as water. Do not dry sweep dust. Never use compressed air for clean-up. Dispose of via a licensed waste disposal contractor. Note: see Section 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

### Precautions for safe handling

**Protective measures** : Put on appropriate personal protective equipment (see Section 8).

**Advise on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See Section 8 for additional information on hygiene measures.

**Storage** : Storage should be in accordance with packaging directions, if any. Material should be stored in a dry place and kept in its original packaging until use.

**Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep in original packaging until ready for use.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

**Occupational exposure limits** : The Occupational Safety and Health Administration (OSHA) have not adopted specific exposure standards for fiber glass. Fiber glass is treated as a nuisance dust and is regulated by OSHA as a particulate not otherwise regulated (total dust) shown in CFR 1910.10000 Table Z-3

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne dust.

**Environmental exposure controls** : Pick up solid pieces and dispose of as listed in Section 13.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the work station.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dust. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. In dusty environments chemical goggles should be worn to protect against mechanical abrasion.

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION cont.

### Skin protection

- Hand protection** : Cotton or leather gloves should be worn to protect against mechanical abrasion
- Body protection** : Wear a cap, a loose fitting long sleeved shirt and long pants to protect skin from mechanical irritation. Exposed skin areas should be washed with soap and water after handling or working with fiber glass.
- Other skin protection** : Clothing should be washed separately from other clothes, and the washer should be rinsed thoroughly (run empty for a wash cycle). This will help reduce the chances of fiber glass being transferred to other clothing.
- Respiratory protection** : A NIOSH approved N-95 series disposable respirator should be used if ventilation is unavailable, or is inadequate for keeping dust and fiber levels below applicable exposure limits referenced in Section 8 of this Product Information Sheet.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

- Physical State** : Solid. [Fibrous glass blanket.]
- Color** : Black.
- Odor** : Organic. [Slight]
- Odor threshold** : Not available.
- pH** : Not applicable.
- Melting point** : Not available.
- Boiling point** : Not applicable.
- Flash point** : Not applicable.
- Evaporation rate** : Not applicable.
- Flammability (solid, gas)** : Non-flammable.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not applicable.
- Vapor density** : Not applicable.
- Relative density** : Not applicable.
- Solubility** : Slight.
- Partition coefficient: octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not applicable.
- Volatility** : Not available.
- VOC (w/w)** : 0 % (w/w)

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	: No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	: The product is stable under most conditions.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: None.
<b>Incompatible materials</b>	: None.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Acute toxicity

There is no data available.

#### Irritation / Corrosion

Dust from this product is a mechanical irritant; which means that it may cause irritation or scratchiness of the throat and/ or itching and redness of the eyes and skin.

#### Sensitization

There is no data available.

#### Carcinogenicity

##### Classification

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Glass, oxide, chemicals	-	3	-	A4	-	-

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### Aspiration hazard

There is no data available.

**Information on the likely routes of exposure** : Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

<b>Eye contact</b>	: Dusts and fibers from this product may cause temporary mechanical irritation to the eyes.
<b>Inhalation</b>	: Dusts and fibers from this product may cause temporary mechanical irritation to the nose, throat and respiratory track.
<b>Skin contact</b>	: Dusts and fibers from this product may cause temporary mechanical irritation and redness to the skin.
<b>Ingestion</b>	: Ingestion of this product is unlikely; however, ingestion may cause gastrointestinal irritation.

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 11 - TOXICOLOGICAL INFORMATION cont.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.

#### Long term effects

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.

### Potential chronic health effects

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

There is no data available.

## SECTION 12 - ECOLOGICAL INFORMATION

### Toxicity

There is no data available.

### Persistence and degradability

There is no data available.

### Bioaccumulative potential

There is no data available.

### Mobility in soil

Soil/water partition coefficient (K <sub>oc</sub> )	: There is no data available.
---	-------------------------------

Other adverse effects	: No known significant effects or critical hazards.
-----------------------	---

# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 12 - DISPOSAL CONSIDERATIONS

**Disposal methods** : This product is not to be expected a hazardous waste when it is disposed of according to the U.S. Environmental Protection Agency (EPA). Disposal of this product, solutions and any by-products should comply with the requirements of the environmental protection and waste disposal legislation and any regional local authority requirements.

## SECTION 14 - TRANSPORTATION INFORMATION

	DOT	IMDG	IATA
<b>UN number</b>	Not regulated.	Not regulated.	Not regulated.
<b>UN proper shipping name</b>	-	-	-
<b>Transport hazard class(es)</b>	-	-	-
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	No.	No.	No.
<b>Additional information</b>	-	-	-

**Special precautions for user** : These products are not classified as dangerous goods according to international transport regulations.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available

## SECTION 15 - REGULATORY INFORMATION

**U.S. Federal regulations** : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
**United States inventory (TSCA 8b):** all components are listed exempted.

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Not listed.

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**SARA 302/304**

**Composition/information on ingredients**

No products were found.

**SARA 304 RQ** : Not applicable.



# Ultra Block® Mechanical Expansion and Construction Joint Firestopping Systems

## SECTION 15 - REGULATORY INFORMATION cont.

### SARA 311/312

**Classification** : Not applicable.

### SARA 313

No products were found.

### State regulations

**Massachusetts** : The following components are listed: Glass, oxide, chemicals

**New York** : None of the components are listed.

**New Jersey** : None of the components are listed.

**Pennsylvania** : None of the components are listed.

### California Prop. 65

No products were found.

## SECTION 16 - OTHER INFORMATION

### History

**Date of issue mm/dd/yyyy** : 08/01/2018

**Version** : 1

**Prepared by** : Backer Rod Mfg. Inc.

### Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and labeling of chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International convention for the Prevention of Pollution From Ships, 1973 as modified by the protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.