



STANDARD BIL-GUARD® 2.0 GATE POSITION AND RIGHT HAND GATE SWING FOR A ROOF SCUTTLE WITH: FRAME OPENING WIDTH LESS THAN OR EQUAL TO 48" FRAME OPENING LENGTH LESS THAN OR EQUAL TO 48"




STANDARD BIL-GUARD® 2.0 GATE POSITION AND LEFT HAND GATE SWING FOR A ROOF SCUTTLE WITH: FRAME OPENING WIDTH LESS THAN OR EQUAL TO 48" FRAME OPENING LENGTH GREATER THAN 48"



STANDARD BIL-GUARD® 2.0 GATE POSITION AND RIGHT HAND GATE SWING FOR A ROOF SCUTTLE WITH: FRAME OPENING WIDTH GREATER THAN 48" FRAME OPENING LENGTH GREATER THAN 48"

THIS DRAWING IS THE PROPERTY OF THE BILCO COMPANY AND INCORPORATES INFORMATION METHOR IS PROPRIETARY. PUBLICATION AND/OR PUBLIC DISTIBILITION IN WHOLE OR IN PART IS EXPRESSLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF THE BILCO COMPANY. THE INFORMATION CONTAINED HEREIN REBAINS THE PROPERTY OF THE BILCO COMPANY.



BIL-GUARD®2.0 SINGLE LEAF ROOF SCUTTLE INFORMATION

GATE LOCATION STD A B C

GATE SWING* STD LEFT RIGHT
CURB TYPE STD CAP FLASHING FEC

CURB TYPE STD CAP FLASHING FE

NSULATION SIZE 1" 2" 3"

SPECIFICA TIONS

- 1. 1 1/4" SCHEDULE 40 PIPE IN 6061 T6 ALUMINUM ALLOY RAILS
- 2. SELF CLOSING GATE
- 3. ALUMINUM POST SUPPORTS
- 4. CORNER BRACKETS
- 5. STAINLESS STEEL SPRING HINGES
- 6. CAST ALUMINUM GATE LATCH W/ STAINLESS STEEL PIN

NOTES:

- 1. TOP OF RAIL TO BE SET 42" ABOVE THE ROOF SURFACE OR DECK
- 2. STANDARD GATE POSITIONS SHOWN
- 3. ALL FASTENERS ARE STAINLESS STEEL
- 4. ALL PARTS AND FASTENERS ARE INCLUDED IN PACKAGE. CAPFLASHING MUST BE STRUCTURALLY SOUND TO SUPPORT ASSEMBLY
- 5. POWDER COAT FINISH IN RAL 1018, SAFETY YELLOW

ROOF SCUTTLE NOT INCLUDED

ROOF SCOTTLE NOT INCLUDED
<u>CUSTOMER</u> :
<u>P.O. NO</u> :
<u>JOB</u> :
TAG:
SALES REP:
APPROVED BY:
<u>DATE</u> :
Manufacturers of Doors for Special Services
THE BILCO COMPANY New Haven, Connecticut 06505
BIL-GUARD®2.0 - HATCH RAIL SYSTEM FOR
SPECIAL SINGLE LEAF ROOF SCUTTLE

ROOF SCUTTLE

SIZE

WIDTH x LENGTH

QTY TYPE WIDTH X LENGTH

RL2 X HINGE SIDE

WEB SITE: www.bilco.com