

BAM GRAY Revision Number 2 Revision Date 05-Mar-2019 Supersedes Date: 09-Mar-2018

## 1. Identification

#### 1.1. Product Identifier

Product Name BAM GRAY

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available. Uses advised against No information available

#### 1.3. Details of the supplier of the safety data sheet

### **Responsible Party**

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

## 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

#### 2.2. Label Elements

### **EMERGENCY OVERVIEW**

# Danger

### Hazard statements

Causes serious eye damage May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure

BAM GRAY Revision Number 2 Revision Date 05-Mar-2019
Supersedes Date: 09-Mar-2018



Appearance Powder

Physical State Solid

**Odor** No information available

# **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Unknown acute toxicity

62 % of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	30 - 60
Cement, alumina, chemicals	65997-16-2	10 - 30
Limestone	1317-65-3	7 - 13
Calcium sulfate	7778-18-9	3 - 7

**BAM GRAY Revision Number** 2 **Revision Number** 2 **Revision Number** 2 **Revision Number** 2

Cement, portland, chemicals	65997-15-1	3 - 7
-----------------------------	------------	-------

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General advice** If medical advice is needed, have product container or label at hand.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact** Brush off loose particles from skin. Wash off immediately with soap and plenty of water

while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by skin contact. In the case of skin irritation or allergic

reactions see a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this

container or label. Rinse mouth.

**Self-protection of the first aider**Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

# Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

# Unsuitable extinguishing media

None known.

# 5.2. Special hazards arising from the substance or mixture

### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.

**Hazardous Combustion** 

**Products** 

Carbon oxides.

Revision Date 05-Mar-2019
Revision Number 2
Supersedes Date: 09-Mar-2018

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and

eye/face protection. Avoid creating dust. Ensure adequate ventilation, especially in confined

areas

**For emergency responders** Sweep up to prevent slipping hazard.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent dust cloud. Cover powder spill with plastic sheet or tarp to minimize spreading.

Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.

Methods for cleaning up

Use personal protective equipment as required. Sweep up and shovel into suitable

containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid generation of dust. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep the packing dry and well sealed to prevent

contamination and absorption of humidity. Protect from direct contact with water or

excessive moisture.

**Incompatible materials**None known based on information supplied.

7.3. Specific end use(s)

BAM GRAYRevision Date05-Mar-2019Revision Number2Supersedes Date:09-Mar-2018

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable	TWA: 50 µg/m³ TWA: 50	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	_
		TWA: 0.05 mg/m <sup>3</sup>	construction work,	
		respirable dust	agricultural operations, and	
		·	exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
			TWA respirable fraction	
Cement, alumina, chemicals	10 mg/m³(total; 5	-	-	-
65997-16-2	mg/m³(resp)			
Limestone	-	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m³ respirable	STEL: 20 mg/m <sup>3</sup>
		dust	fraction	_
Calcium sulfate	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
7778-18-9	particulate matter	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m³ respirable	_
		dust	fraction	
Cement, portland, chemicals	TWA: 1 mg/m³ particulate	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
65997-15-1	matter containing no	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 5 mg/m³ respirable	STEL: 20 mg/m <sup>3</sup>
	asbestos and <1%	TWA: 5 mg/m <sup>3</sup> respirable	fraction	
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	particulate matter		Crystalline silica	

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
14808-60-7				
Limestone	TWA: 10 mg/m <sup>3</sup>	-	TWA: 7 mg/m <sup>3</sup>	-
1317-65-3				
Calcium sulfate	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>
7778-18-9	_			
Cement, portland, chemicals	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8.8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
65997-15-1	_		_	_

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Eye/face protection**Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Revision Date 05-Mar-2019
Revision Number 2
Supersedes Date: 09-Mar-2018

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid
Appearance Powder
Color Gray

Odor Odor Threshold No information available No information available

Property Values Remarks • Method

pH No information available

Melting point / freezing point
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability (solid, gas)

No data available
No data available
No information available
No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information availableWater SolubilityNo information available

**Solubility in Other Solvents** 

Partition coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available

**Dynamic Viscosity** No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening PointNo information availableMolecular WeightNo information availableSolvent content (%)No information available

**Solid content (%)** 100 **Density** 1.158 g/cm<sup>3</sup>

VOC (volatile organic compound) 0 g/L /

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

BAM GRAY

Revision Number 2

Revision Number 2

Revision Number 2

Supersedes Date: 09-Mar-2018

None under normal use conditions.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing.

## 10.4. Conditions to avoid

Protect from moisture.

#### 10.5. Incompatible materials

None known based on information supplied.

#### 10.6. Hazardous decomposition products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

Product Information No data available

InhalationInhalation of dust in high concentration may cause irritation of respiratory system.Eye contactAvoid contact with eyes. Corrosive to eyes. Dust contact with the eyes can lead to

mechanical irritation.

**Skin contact** May cause sensitization by skin contact.

**Ingestion** No data available.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>20000 mg/kg	-	-
Cement, alumina, chemicals 65997-16-2	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rat	-
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Calcium sulfate 7778-18-9	> 3000 mg/kg (Rat)	-	CL50 >2.61 mg/L (4h) Rat
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms
Skin corrosion/irritation
Serious eye damage/eye irritation
Irritation
Corrosivity
No information available.
Causes severe eye damage.
No information available.
No information available.

**Sensitization** May cause sensitization by skin contact.

Germ cell mutagenicityNo information available.Reproductive toxicityNo information available.Developmental ToxicityNo information available.TeratogenicityNo information available.

**BAM GRAY Revision Number** 2 **Revision Number** 2 **Revision Number** 2 **Revision Date** 05-Mar-2019 **Supersedes Date**: 09-Mar-2018

**STOT - single exposure** No information available.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target Organ Effects Eyes, Lungs, Skin, Respiratory system.

**Aspiration hazard** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
			Wilcioorganisms	
Cement, alumina, chemicals	EC50 (72h)Algae	LC50 (96h) Fish		EC50 (48h) Daphnia magna
65997-16-2	(Pseudokirchneriella	(Onchorhyncus mykiss)		=6.6mg/L (OECD 202)
	subcapitata) >5.6mg/L	>100 mg/L (OECD 203)		
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L Fish		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus subspicatus)	(Oncorhynchus mykiss)		Daphnia Magna
Calcium sulfate	CL50 (72h) >100 mg/L Algae	LC50: >1970mg/L (96h,		CE50 (48h) >100 mg/L
7778-18-9		Pimephales promelas)		Waterflea (Daphnia magna)
		LC50: =2980mg/L (96h,		
		Lepomis macrochirus)		

## 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

# 12.4. Mobility in soil

No information available.

#### Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Revision Date 05-Mar-2019
Revision Number 2
Supersedes Date: 09-Mar-2018

**Disposal of Wastes**It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

## Section 15: REGULATORY INFORMATION

#### **Global Inventories**

TSCA	Listed
DSL	Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### **United States of America**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

# **Europe**

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

Revision Number 2 Supersedes Date: 09-Mar-2018

\_\_\_\_\_\_

Revision Date 05-Mar-2019

## Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

**BAM GRAY** 

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 05-Mar-2019

**Revision note** SDS sections updated, 1, 15.

Training Advice No information available

Further information No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**