

In accordance with OSHA 29 CFR 1910.1200

BAM WHITE Revision Number 2 Revision date 06-Mar-2025 Supersedes date 30-Aug-2018

1. Identification

1.1. Product identifier

Product Name BAM WHITE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

Causes serious eye damage May cause an allergic skin reaction May cause cancer

US - EN Page 1 / 12

BAM WHITE Revision Number 2 Revision date 06-Mar-2025 Supersedes date 30-Aug-2018

Causes damage to organs through prolonged or repeated exposure



Appearance Powder Physical state Solid Odor No information available

Precautionary Statements - Prevention

Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Material becomes extremely slippery when wet. Repeated exposure may cause skin dryness or cracking. Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	30 - 60
Cement, alumina, chemicals	65997-16-2	10 - 30
Limestone	1317-65-3	5 - <10

US - EN Page 2 / 12

BAM WHITERevision date 06-Mar-2025

Revision Number 2

Supersedes date 30-Aug-2018

Calcium sulfate dihydrate	10101-41-4	5 - <10
Cement, portland, chemicals	65997-15-1	3 - <7

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Take a copy of the

Safety Data Sheet when going for medical treatment.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. Brush off loose particles from skin. May cause

sensitization by skin contact. Remove material from skin immediately. Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In the case of

skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. If swallowed, call a poison control center or physician immediately.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Prolonged contact may cause redness and

irritation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Dust irritates eyes and air passages. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet

cement even when wearing trousers.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

5. Fire-Fighting Measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

US - EN Page 3 / 12

BAM WHITERevision Number 2

Revision Number 2

Revision Number 2

Revision Number 2

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact. Thermal

decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Sulfur oxides. Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid generation of dust. Ensure adequate

ventilation. Do not get in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud. Cover powder spill with plastic sheet or tarp to minimize spreading. Do

not touch or walk through spilled material.

Methods for cleaning up

Use personal protective equipment as required. Avoid generation of dust. Cover powder

spill with plastic sheet or tarp to minimize spreading and keep powder dry. Pick up and

transfer to properly labeled containers. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after

handling. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

US - EN Page 4 / 12

BAM WHITERevision date06-Mar-2025Revision Number2Supersedes date30-Aug-2018

Storage Conditions Keep out of the reach of children. Keep the packing dry and well sealed to prevent

contamination and absorption of humidity. Protect from moisture.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

ACGIH TLV	OSHA PEL	NIOSH
TWA: 0.025 mg/m³ respirable		IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable
particulate matter		dust
	TWA respirable fraction	
	: (10)/(%SiO2 + 2) mg/m ³	
	TWA respirable fraction	
10 mg/m³(total; 5 mg/m³(resp)	-	-
-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
		TWA: 5 mg/m³ respirable dust
	ı` ,	
TWΔ: 10 mg/m³ inhalable	- respirable fraction	_
particulate matter		_
TWA: 1 mg/m ³ particulate	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
matter containing no asbestos		TWA: 10 mg/m³ total dust
		TWA: 5 mg/m³ respirable dust
respirable particulate matter	I	
	, , ,	
	TWA: 0.025 mg/m³ respirable particulate matter 10 mg/m³(total; 5 mg/m³(resp) - TWA: 10 mg/m³ inhalable particulate matter TWA: 1 mg/m³ particulate	TWA: 0.025 mg/m³ respirable particulate matter TWA: 50 μg/m³ (vacated) TWA: 0.1 mg/m³ respirable dust (250)/(%SiO2 + 5) mppcf TWA respirable fraction (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction 10 mg/m³(total; 5 mg/m³(resp) TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction TWA: 10 mg/m³ inhalable particulate matter TWA: 1 mg/m³ particulate matter containing no asbestos and <1% crystalline silica,

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Quartz	TWA-CMP: 0.05 mg/m ³ ;	TWA: 0.025 mg/m ³	TWA-LPP:	TWA: 0.025mg/m ³
14808-60-7	respirable fraction		0.08 mg/m³;respirable	
			fraction	
Limestone	TWA-CMP: 10 mg/m ³ ;	-	TWA-LPP: 7 mg/m ³ ;free	-
1317-65-3			of Asbestos with <1%	
			free Crystalline Silica	
			TWA-LPP:	
			5 mg/m³;respirable	
			fraction	

US - EN Page 5 / 12

Revision Number 2 **Revision date** 06-Mar-2025 **Supersedes date** 30-Aug-2018

Calcium sulfate dihydrate 10101-41-4	-	TWA: 10 mg/m ³	-	TWA: 10mg/m ³
Cement, portland, chemicals 65997-15-1	TWA-CMP: 10 mg/m ³ ;	TWA: 1 mg/m ³	TWA-LPP: 8.8 mg/m³;free of Asbestos with <1% free Crystalline Silica	TWA: 1mg/m³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Quartz	TWA: 0.025mg/m ³	TWA: 0.05mg/m ³	0.025 mg/m ³ TWA	TWA: 0.025 mg/m ³
14808-60-7			(respirable particulate	-
			matter)	
Calcium sulfate dihydrate	TWA: 10mg/m ³	-	10 mg/m ³ TWA	-
10101-41-4			(inhalable particulate	
			matter, listed under	
			Calcium sulfate)	
Cement, portland, chemicals	TWA: 1mg/m ³	TWA: 10mg/m ³	1 mg/m³ TWA	TWA: 10 mg/m ³
65997-15-1			(particulate matter	
			containing no asbestos	
			and <1% crystalline	
			silica, respirable	
			particulate matter)	

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Avoid contact with eyes.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protectionUse appropriate respiratory protection. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is

recommended.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

US - EN Page 6 / 12

Revision Number 2 Revision date 06-Mar-2025 Supersedes date 30-Aug-2018

Physical state Solid
Appearance Powder
Color White

Odor No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pН No data available None known pH (as aqueous solution) No data available None known Melting point / freezing point No data available Not applicable Initial boiling point and boiling rangeNo data available Not applicable No data available Not applicable Flash point No data available None known **Evaporation rate** Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility

No data available Cement based

products react and solidify in contact

with water

No data available Solubility(ies) None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available Not applicable **Dynamic viscosity** No data available Not applicable

9.2. Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSolvent content (%)No information available

Solid content (%) 100

Softening point Not applicable

Molecular weight No information available

VOC content 0 g/L Liquid Density 1.16 g/cm³

Bulk density

No information available

No information available

10. Stability and Reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

US - EN Page 7 / 12

BAM WHITERevision Number 2

Revision Number 2

Revision Number 2

Revision Number 2

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact May cause irritation. May cause sensitization by skin contact. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. Causes mild skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may

cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	=6450 mg/kg (Rattus)	-	-
14808-60-7			
Cement, alumina, chemicals 65997-16-2	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rattus	•
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	•
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

US - EN Page 8 / 12

Revision Number 2 Revision date 06-Mar-2025 Supersedes date 30-Aug-2018

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Cement, alumina,	EC50 (72h)Algae	LC50 (96h)	-	EC50 (48h) Daphnia
chemicals	(Pseudokirchneriella	(Onchorhyncus mykiss)		magna =6.6mg/L (OECD
65997-16-2	subcapitata) >5.6mg/L	>100 mg/L (OECD 203)		202)
Limestone	CE50 (72h) >200mg/L	CL50 (96h)>10000mg/L	-	CE50 (48h) >1000 mg/L

US - EN Page 9 / 12

BAM WHITE Revision Number 2 Revision date 06-Mar-2025 Supersedes date 30-Aug-2018

1317-65-3 Algae (Desmondesmus (Oncorhynchus mykiss) Daphnia Magna subspicatus)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone	0.9
1317-65-3	

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOTNot regulated

Not regulated

<u>IMDG</u> Not regulated

15. Regulatory Information

International Inventories

TSCA	Complies
DSL	Complies

Legend:

US - EN Page 10 / 12

BAM WHITERevision Number 2

Revision Number 2

Revision Number 2

Revision Number 2

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 06-Mar-2025

Revision NoteNo information available.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

US - EN Page 11 / 12

BAM WHITERevision date06-Mar-2025Revision Number2Supersedes date30-Aug-2018

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 12 / 12