

BIGTILESTONE Big Tile & Stone Series Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Big Tile & Stone Series BIGTILESTONE

Product(s) Covered G00914-DR1 G00962-DR1

**Product Name** 

**Product Code** 

BOS MOR 50# BIG TILE&STONE WH BOS MOR 50# BIG TILE&STONE GR

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Uses Advised Against No information available. No information available

### 1.3. Details of the Supplier of the Safety Data Sheet

### Company Name

Bostik, Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

### 1.4. Emergency Telephone Number

**Emergency Telephone** 

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

### Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Acute toxicity - Oral	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

### 2.2. Label Elements

### **EMERGENCY OVERVIEW**

DANGER

Hazard statements

### BIGTILESTONE Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

Harmful if swallowed Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer May cause respiratory irritation Causes damage to organs through prolonged or repeated exposure



Appearance No information available Physical State Solid

Odor No information available

### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards Not Otherwise Classified (HNOC)

Not applicable

### **Unknown Toxicity**

2.06% of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

## BIGTILESTONE

Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Quartz	14808-60-7	40 - 70
Cement, portland, chemicals	65997-15-1	10 - 30
Limestone	1317-65-3	1 - 5
Gypsum (Ca(SO4).2H2O)	13397-24-5	1 - 5
Aluminum oxide	1344-28-1	0.1 - 1
*The event percentage (concentration) of composition has been withheld as a trade accret		

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### Section 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

General Advice	If medical advice is needed, have product container or label at hand.	
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin Contact	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Rinse mouth. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.	
Self-protection of the First Aider	Use personal protective equipment as required.	
4.2. Most Important Symptoms and Effects, Both Acute and Delayed		
Symptoms	No information available.	
4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed		
Note to physicians	May cause sensitization of susceptible persons. Treat symptomatically.	
4.4. Reference to Other Sections		
Reference to Other Sections	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION	

### Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

### Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

### Unsuitable Extinguishing Media

None known.

### 5.2. Special Hazards Arising from the Substance or Mixture

### BIGTILESTONE Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion	Carbon oxides.
Products	

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

### 5.3. Advice for Firefighters

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.
For Emergency Responders	Sweep up to prevent slipping hazard.
6.2. Environmental Precautions	
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
6.3. Methods and Material for Conta	inment and Cleaning up
Methods for Containment	Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.
Methods for Cleaning up	Use personal protective equipment as required. Sweep up and shovel into suitable containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Reference to Other Sections	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 7: HANDLING AND STORAGE

### Section 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

Advice on Safe Handling	Wash contaminated clothing before reuse. Handle in accordance with good industrial		
	hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes.		

Section 13: DISPOSAL CONSIDERATIONS

### 7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

### BIGTILESTONE **Big Tile & Stone Series**

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

**Incompatible Materials** None known based on information supplied.

7.3. Specific End Use(s)

**Other Information** 

No information available.

7.4. References to Other Sections

**Reference to Other Sections** 

Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable	: (30)/(%SiO2 + 2) mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	respirable fraction	dust	TWA total dust	
		TWA: 0.05 mg/m <sup>3</sup> respirable dust	: (250)/(%SiO2 + 5) mppcf TWA respirable fraction	
		respirable dust	: $(10)/(\%SiO2 + 2) mg/m^3$	
			TWA respirable fraction	
Cement, portland, chemicals	TWA: 1 mg/m <sup>3</sup> particulate	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
65997-15-1	matter containing no	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 5 mg/m <sup>3</sup> respirable	STEL: 20 mg/m <sup>3</sup>
	asbestos and <1%	TWA: 5 mg/m <sup>3</sup> respirable	fraction	
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	fraction		Crystalline silica	
Limestone	-	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	STEL: 20 mg/m <sup>3</sup>
		dust	fraction	
Gypsum (Ca(SO4).2H2O)	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
13397-24-5	fraction	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	
		dust	fraction	
Aluminum oxide	TWA: 1 mg/m <sup>3</sup> respirable	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
1344-28-1	fraction		TWA: 5 mg/m <sup>3</sup> respirable	_
			fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	-
Gypsum (Ca(SO4).2H2O) 13397-24-5	-	-	TWA: 8 mg/m <sup>3</sup>	-
Aluminum oxide 1344-28-1	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>

8.2. Exposure Controls

**Engineering Controls** 

Showers Eyewash stations Ventilation systems.

Personal protective equipment [PPE] Tight sealing safety goggles. Face protection shield. Wear safety glasses with side shields

**Eye/Face Protection** 

BIG	TILESTONE	
Big	Tile & Stone Series	s

### Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

	(or goggles).
Skin and Body Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of guality and various manufacturers.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved
	respiratory protection should be worn. Positive-pressure supplied air respirators may be
	required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Gonoral Hygiono Consideratio	ons When using do not eat, drink or smoke. Regular cleaning of equipment, work area and
	clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical	and Chemical Properties
Physical State	Solid
Color	Multiple Colors
Odor	No information available
Odor Threshold	No information available
Property_	Values
pH	No information available
Melting Point/Freezing Point	No information available
Boiling Point	No information available
Flash Point	> 93.3 °C / > 200 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	No information available
Water Solubility	No information available
Solubility in Other Solvents	
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Kinematic Viscosity	No information available
Dynamic Viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available
9.2. Other Information	
Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	100
Descelles	

## Section 10: STABILITY AND REACTIVITY

2.68 g/cm<sup>3</sup>

No information available

### 10.1. Reactivity

Density VOC

None under normal use conditions.

### 10.2. Chemical Stability

Remarks • Method

### BIGTILESTONE Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

Stable under recommended storage conditions. **10.3. Possibility of Hazardous Reactions** 

None under normal processing. **10.4. Conditions to Avoid** 

Extremes of temperature and direct sunlight. **10.5. Incompatible Materials** 

None known based on information supplied. **10.6. Hazardous Decomposition Products** 

None known based on information supplied.

### Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on Toxicological Effects

Product Information	No Data Available
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rat)	-	-
14808-60-7			
Limestone	>5000 mg/kg (rat)	-	-
1317-65-3			
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
1344-28-1			

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms	No information available.
Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Chronic Toxicity	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration Hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7				
Aluminum oxide	-	-	Reasonably Anticipated	Х

### BIGTILESTONE Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

#### 1344-28-1

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

### Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L Fish		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus subspicatus)	(Oncorhynchus mykiss)		Daphnia Magna

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

### 12.5 Other adverse effects

No information available

### Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

### Section 14: TRANSPORTATION INFORMATION

DOT	Not regulated

Not regulated

### BIGTILESTONE Big Tile & Stone Series

Revision Date 20-Apr-2016 Supersedes Date: No information available Version 1

IMDG

Not regulated

### Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL - Canadian Domestic Substances List
Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2A - Very toxic materials E - Corrosive material



### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Quartz	14808-60-7
Titanium dioxide	13463-67-7

### Europe

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

### BIGTILESTONE Big Tile & Stone Series

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION					
<u>HMIS</u>	Health Hazards 1	Flammability 1	Physical Hazards 0	Personal Protection X	
Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet No information available					
Key Literature References and Sources for Data No information available					
Prepared By	Product Sa	Product Safety & Regulatory Affairs			
Revision Date	20-Apr-201	20-Apr-2016			
Revision Note	Not applica	Not applicable.			
Training Advice	No informat	No information available			
Additional information	No informat	tion available			

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet