

In accordance with OSHA 29 CFR 1910.1200

CLIMB Revision Number 2 Revision date 15-Jul-2024 Supersedes date 17-Sep-2018

1. Identification	
1.1. Product identifier	
Product Name	CLIMB
Other means of identification Other information	Not applicable
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use Restrictions on use	Adhesives and/or sealants No information available
1.3. Details of the supplier of the sa	fety data sheet
Responsible Party Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Phone: +1 (414) 774-2250 (Internatio	
E-mail	msds@bostik.com
<u>1.4. Emergency telephone number</u> Emergency Telephone	CHEMTREC (Chemical Transportation Emergency Center) Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.) Rocky Mountain Poison Center: 1-866-767-5089
2. Hazard(s) identification	
2.1. Classification of the substance	or mixture
Serious eye damage/eye irritation Skin sensitization Reproductive toxicity	Category 2A Category 1 Category 1B
Hazards not otherwise classified (H Not applicable	NOC)
2.2. Label elements	EMERGENCY OVERVIEW


Danger

EWIERGENCTOVERVIEV

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction May damage fertility or the unborn child

CLIMB Revision Number 2



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	30 - 60
Limestone	1317-65-3	5 - <10
Stearic acid	57-11-4	1 - <5
Trimethoxyvinylsilane	2768-02-7	1 - <5
Titanium dioxide	13463-67-7	0.1 - <1
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	0.1 - <1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - <1
Glycidoxypropyltrimethoxysilane	2530-83-8	0.1 - <1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1 - <1

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures	
4.1. Description of first aid measu	res
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
Skin contact	May cause an allergic skin reaction. May cause sensitization by skin contact. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Small amounts of toxic methanol are released by hydrolysis. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a physician immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	None known.
Effects of Exposure	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to physicians	May cause sensitization by skin contact. May cause sensitization in susceptible persons. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.
5. Fire-Fighting Measures	
5.1. Extinguishing media	
Suitable Extinguishing Media Large Fire	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Full water iet

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

CLIMB Revision Number 2

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary. **precautions for fire-fighters**

6. Accidental	Release	Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get ir eyes, on skin, or on clothing.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
6.2. Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. Avoid release to the environment. See Section 12 for additional Ecological Information.	
6.3. Methods and material for conta	ainment and cleaning up	
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Use personal protective equipment as required. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Clean contaminated surface thoroughly.	
Reference to other sections	See section 8 for more information. See section 13 for more information.	

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Recommended storage temperature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

CLIMB Revision Number 2

7.3 References to other sections

Reference to other sections	Section 10: STABILITY AND REACTIVITY
	Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Carbonic acid, calcium salt (1:1)	-	-	TWA: 10 mg/m ³ total dust
471-34-1			TWA: 5 mg/m ³ respirable dust
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Stearic acid	TWA: 10 mg/m ³ inhalable	-	-
57-11-4	particulate matter		
	TWA: 3 mg/m ³ respirable		
	particulate matter		
Titanium dioxide	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
	TWA: 2.5 mg/m ³ finescale	dust	TWA: 0.3 mg/m ³ CIB 63
	respirable particulate matter		ultrafine, including engineered
			nanoscale
Tin,	TWA: 0.1 mg/m³ Sn	TWA: 0.1 mg/m³ Sn	IDLH: 25 mg/m ³ Sn
dibutylbis(2,4-pentanedionato-O	STEL: 0.2 mg/m ³ Sn	(vacated) TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m ³ except
,O')-, (OC-6-11)-	Sk*	(vacated) S*	Cyhexatin Sn
22673-19-4			

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Limestone	TWA: 10 mg/m ³	-	LPP: 7 mg/m ³	-
1317-65-3	-		LPP: 5 mg/m ³	
Stearic acid	-	TWA: 10 mg/m ³	-	TWA: 10mg/m ³
57-11-4				TWA: 3mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	-	TWA: 0.2mg/m ³
13463-67-7		TWA: 2.5 mg/m ³		TWA: 2.5mg/m ³
Tin,	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	LPP: 0.09 mg/m ³	STEL: 0.2mg/m ³
dibutylbis(2,4-pentanedionato-O	STEL: 0.2 mg/m ³	STEL: 0.2 mg/m ³	Sk*	TWA: 0.1mg/m ³
,O')-, (OC-6-11)-	Sk*			_
22673-19-4				

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10mg/m ³	-	TWA: 10 mg/m ³
Stearic acid	-	-	10 mg/m³ TWA	-

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
57-11-4			(inhalable particulate matter, listed under Stearates); 3 mg/m ³ TWA (respirable particulate matter, listed under Stearates)	
Titanium dioxide 13463-67-7	TWA: 10mg/m ³	TWA: 10mg/m ³	0.2 mg/m ³ TWA (nanoscale, respirable particulate matter); 2.5 mg/m ³ TWA (finescale, respirable particulate matter)	TWA: 10 mg/m ³
Tin, dibutylbis(2,4-pentanedionato-O ,O')-, (OC-6-11)- 22673-19-4	STEL: 0.2mg/m ³	STEL: 0.2mg/m ³ TWA: 0.1mg/m ³	0.2 mg/m³ STEL (as Sn) 0.1 mg/m³ TWA (as Sn)	

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	STEL: 250 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	Sk*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	
		(vacated) S*	

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Methyl alcohol	TWA: 200 ppm	TWA: 156 ppm	LPP: 175 ppm	STEL: 250ppm
67-56-1	STEL: 250 ppm	TWA: 200 mg/m ³	LPP: 229 mg/m ³	TWA: 200ppm
	Sk*	STEL: 250 ppm	LPT: 250 ppm	
		Skin	LPT: 328 mg/m ³	
			Sk*	

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Methyl alcohol	STEL: 250ppm	STEL: 250ppm	250 ppm STEL	Skin
67-56-1	TWA: 200ppm STEL: 328mg/m ³ TWA: 200ppm		200 ppm TWA	STEL: 250 ppm TWA: 200 ppm
		TWA: 262mg/m ³		

8.2. Exposure controls

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Paste White	
Odor	Fruity	
Odor threshold	No information available	
Property_	Values_	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang		None known
Flash point	> 93 °C / 200 °F	
Evaporation rate	No data available	None known
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Reacts with water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
9.2. Other information Explosive properties	No information available	
Oxidizing properties	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Softening point	No information available	
Molecular weight	No information available	
-		

VOC content Liquid Density Bulk density	30 g/L 1.450 g/cm ³ No information available	No information available				
10. Stability and reactivity						
10.1. Reactivity						
Reactivity	Product cures with moisture.					
10.2. Chemical stability						
Chemical stability	Stable under normal conditions.					
10.3. Possibility of hazardous reacti	10.3. Possibility of hazardous reactions					
Possibility of hazardous reactions	None under normal processing.					
10.4. Conditions to avoid						
Conditions to avoid	Protect from moisture. Exposure to air Keep away from open flames, hot surfa	or moisture over prolonged periods. Do not freeze. aces and sources of ignition.				
10.5. Incompatible materials						
Incompatible materials	None known based on information sup	plied.				
10.6. Hazardous decomposition pro	ducts					
Hazardous decomposition products	Small amounts of methanol (CAS 67-5 curing	6-1) are formed by hydrolysis and released upon				

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>5000 mg/kgATEmix (dermal)145,194.90 mg/kgATEmix (inhalation-gas)>20000 ppm

ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapor)	451.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Stearic acid 57-11-4	>5000 mg/Kg (Oryctolagus cuniculus)	> 5 g/kg (Oryctolagus cuniculus)	-
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	LD50 (Rattus) > 2000 mg/ kg (2,97 ml/kg) (OECD 401)	LD50 (Oryctolagus cuniculus) > 2000 mg/kg 11,3 ml/kg) OECD 402	-
Tin, dibutylbis(2,4-pentanedionato-O ,O')-, (OC-6-11)- 22673-19-4	LD50 = 1864 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC50 4hr: 16.8 mg/l (Rattus) (OECD TG 403)
Glycidoxypropyltrimethoxysilane 2530-83-8	=8025 mg/kg (Rattus)	= 4250 mg/kg (Oryctolagus cuniculus)	>5.3 mg/L (Rattus) 4 h
Bis(2,2,6,6-tetramethyl-4-piperid yl) sebacate 52829-07-9	LD50 (Rattus)> 2000 mg/kg OECD 423	LD50 (Rattus) > 3 170 mg/kg OECD 402	=500 mg/m³ (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause skin irritation.

Trimethoxyvinvlsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal		24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute	Rabbit	Dermal			Non-irritant
Dermal Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute	Rabbit	Dermal			Non-irritant
Dermal Irritation/Corrosion					

Method Species Exposure route Effective dose Exposure time Results OECD Test No. 405: Acute Rabbit eye 24 hours Non-irritant Eye Irritation/Corrosion eye 24 hours Non-irritant

Titanium dioxide (13463-67-7)

Method	S	pecies	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: A	Acute R	abbit	Eye			Non-irritant
Eye Irritation/Corrosion	n					

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute	Rabbit	еуе		72 hours	irritant
Eye Irritation/Corrosion					

Glycidoxypropyltrimethoxysilane (2530-83-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute	Rabbit	Eye			Eye Damage
Eye Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute	Rabbit	eye			Eye Damage
Eye Irritation/Corrosion					

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation	in vitro	Not mutagenic
Test		

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)

Method	Species	Results
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt	in vitro	Mutagenic
genes		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition of use. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	Х
13463-67-7				

Carcinogenicity

CLIMB Revision Number 2

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Occupational Safety and Health Administration of the US Department of Labor X - Present

Reproductive toxicity

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)

Method	Species	Results
OECD Test No. 414: Prenatal Development	Rat	Read-across. Reproductive toxicant.
Toxicity Study	Oral	NOAEL: 1 mg/kg bw/day
	in vivo	
OECD Test No. 421:	Rat	Read-across Reproductive toxicant
Reproduction/Developmental Toxicity Screening	Oral	NOAEL 1.9-2.3 mg/kg bw/day
Test	in vivo	

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Prenatal Development	Rat, Rabbit	Reproductive toxicant
Toxicity Study		

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation					
Toxicity: 90-day Study					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)Aspiration hazardBased on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	-	EC50 48H Daphnia >1000 mg/l
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L (Oncorhynchus mykiss)	-	CE50 (48h) >1000 mg/L Daphnia Magna
Stearic acid 57-11-4	EC50 >1016 mg/l 72Hr microbial growth inhibition	LC50 >1000 mg/l , 48 Hour	-	-
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	-	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202
Tin, dibutylbis(2,4-pentanedio nato-O,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l	-	EC50 0.0036 mg/l 48Hr (Daphnia magna)
Glycidoxypropyltrimethox ysilane 2530-83-8	EC50 (96hr): 350 mg/l Pseudokirchneriella subcapitata	LC50 (96h) = 55 mg/L (Cyprinus carpio) OECD 203	-	EC50 (48h) =473 mg/L Daphnia magna
Bis(2,2,6,6-tetramethyl-4- piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone	0.9
1317-65-3	
Stearic acid	8
57-11-4	
Trimethoxyvinylsilane	1.1
2768-02-7	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
52829-07-9	

12.4. Mobility in soil

Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.

14. Transport information

Note:	The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.
DOT UN number or ID number UN proper shipping name	UN3082 Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate)
Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
DOT Marine Pollutant	I
Marine pollutant	Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl)
Description Emergency Response Guide	sebacate UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate), 9, III, Marine pollutant 171
Number	
<u>IATA</u>	UN3082
UN number or ID number	Environmentally hazardous substance, liquid, n.o.s. (Tin,
UN proper shipping name	dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-)
Transport hazard class(es)	III
Packing group	A97, A158, A197, A215
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin,
Description	dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III
IMDG	UN3082
UN number or ID number	Environmentally hazardous substance, liquid, n.o.s. (Tin,
UN proper shipping name	dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-)
Transport hazard class(es)	9
Packing group	III
US - EN	Page 13 / 15

CLIMB Revision Number 2 Revision date 15-Jul-2024 Supersedes date 17-Sep-2018

EmS-No.	F-A, S-F
Special Provisions	274, 335, 969
Marine pollutant	Р
IMDG Marine Pollutant Name	Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Tin,
	dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-), 9, III, Marine pollutant

15. Regulatory information

International Inventories

TSCA	Complies	
DSL	Complies	
Legend:		

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section TWA Ceiling	8: EXPOSURE CONTROLS/PERSONA TWA (time-weighted average) Maximum limit value	AL PROTECTION STEL Sk*	STEL (Short Term Exposure Limit) Skin designation
Prepared By	Product Stewardship and Regulatory Affairs.		
Revision date	15-Jul-2024		
Revision Note	SDS sections upda	ated. 2. 3. 7.	

<u>Disclaimer</u>

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject

CLIMB Revision Number 2 Revision date 15-Jul-2024 Supersedes date 17-Sep-2018

to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet