

In accordance with OSHA 29 CFR 1910.1200

D-2001(TM) ULTRA PREMIUM Revision Number 2

Revision date 11-Mar-2022 Supersedes Date: 24-Jun-2016

1. Identification

1.1. Product identifier

Product Name D-2001(TM) ULTRA PREMIUM

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec (Transport/Environmental): 1-800-424-9300

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical state Liquid Odor No information available

US - EN Page 1/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% |
|---------------|------------|----------|
| Limestone | 1317-65-3 | 40 - 70 |
| Quartz | 14808-60-7 | 1 - <5 |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

Revision date 11-Mar-2022

persists.

Skin contact Wash off immediately with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If

symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

US - EN Page 2/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products

Carbon oxides. Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision date 11-Mar-2022

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Stop leak if

you can do it without risk. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Soak up with inert absorbent material (e.g.

sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable

containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage temperature Do not freeze. Keep at temperatures between 41 and 95 °F / 5 and 35 °C.

US - EN Page 3/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

Revision date 11-Mar-2022

occur from exposure to this product.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---------------|-----------------------------|--------------------------------------|------------------------------|
| Limestone | - | TWA: 15 mg/m³ total dust | TWA: 10 mg/m³ total dust |
| 1317-65-3 | | TWA: 5 mg/m³ respirable | TWA: 5 mg/m³ respirable dust |
| | | fraction | |
| | | (vacated) TWA: 15 mg/m³ total | |
| | | dust | |
| | | (vacated) TWA: 5 mg/m ³ | |
| | | respirable fraction | |
| Quartz | TWA: 0.025 mg/m³ respirable | TWA: 50 μg/m³ | IDLH: 50 mg/m³ respirable |
| 14808-60-7 | particulate matter | TWA: 50 µg/m³ excludes | dust |
| | | construction work, agricultural | TWA: 0.05 mg/m³ respirable |
| | | operations, and exposures that | dust |
| | | result from the processing of | |
| | | sorptive clays | |
| | | (vacated) TWA: 0.1 mg/m ³ | |
| | | respirable dust | |
| | | : (250)/(%SiO2 + 5) mppcf | |
| | | TWA respirable fraction | |
| | | : (10)/(%SiO2 + 2) mg/m ³ | |
| | | TWA respirable fraction | |

| Chemical name | Argentina | Brazil | Chile | Colombia |
|----------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|
| Limestone | TWA: 10 mg/m ³ | - | LPP: 7 mg/m ³ | - |
| 1317-65-3 | - | | LPP: 5 mg/m ³ | |
| Quartz 14808-60-7 | TWA: 0.05 mg/m ³ | TWA: 0.025 mg/m ³ | LPP: 0.08 mg/m ³ | TWA: 0.025mg/m ³ |

| Chemical name | Costa Rica | Peru | Uruguay | Venezuela |
|----------------------|-----------------------------|----------------------------|---|------------------------------|
| Quartz 14808-60-7 | TWA: 0.025mg/m ³ | TWA: 0.05mg/m ³ | 0.025 mg/m³ TWA (respirable particulate matter) | TWA: 0.025 mg/m ³ |

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

US - EN Page 4/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision date 11-Mar-2022

provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Regular cleaning of equipment, work area and clothing

is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color White

Odor No information available
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 8.4

pH (as aqueous solution)

No data available

None known

range

Flash point > 93.3 °C / 200 °F

Evaporation rate No data available None known

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known No data available Water solubility None known No data available Solubility(ies) None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available Dynamic viscosity None known

9.2. Other information

Explosive properties No information available

US - EN Page 5/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Oxidizing properties No information available Solvent content (%) No information available

Solid content (%) 77.0

Softening Point No information available Molecular weight No information available

VOC Content (%) < 30 g/L

Density 1.35 - 1.60 g/ml **Bulk density** No information available

No information available

Revision date 11-Mar-2022

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contactBased on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

US - EN Page 6/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------|----------------------|-------------|-----------------|
| Limestone 1317-65-3 | >5000 mg/kg (Rattus) | - | - |
| Quartz 14808-60-7 | >20000 mg/kg | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be

available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Revision date 11-Mar-2022

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Quartz | A2 | Group 1 | Known | X |
| 14808-60-7 | | , | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Quartz (14808-60-7)

| Method | Species | Results |
|--|----------------|--------------|
| IARC (International Agency for Research on | Human evidence | Carcinogenic |
| Cancer) | | |

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

US - EN Page 7/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Revision date 11-Mar-2022

12. Ecological information

12.1. Toxicity

Ecotoxicity

| | Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---|---------------|----------------------|-----------------------|----------------|-----------------------|
| | | | | microorganisms | |
| Г | Limestone | CE50 (72h) >200mg/L | CL50 (96h)>10000mg/L | - | CE50 (48h) >1000 mg/L |
| | 1317-65-3 | Algae (Desmondesmus | (Oncorhynchus mykiss) | | Daphnia Magna |
| | | subspicatus) | | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|---------------|-----------------------|
| Limestone | 0.9 |
| 1317-65-3 | |

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing

DOT Not regulated

<u>IATA</u> Not regulated

US - EN Page 8/10

D-2001(TM) ULTRA PREMIUM

Revision Number 2 Supersedes Date: 24-Jun-2016

Revision date 11-Mar-2022

IMDG Not regulated

15. Regulatory information

International Inventories

| TSCA | Listed |
|------|------------|
| DSL | Not Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 11-Mar-2022

Revision Note SDS sections updated. 1. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 15. 16.

US - EN Page 9/10

D-2001(TM) ULTRA PREMIUM Revision Number 2

Revision date 11-Mar-2022

Supersedes Date: 24-Jun-2016

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 10 / 10