

GLASS TILE MORTAR Revision Number 2 Revision date 04-Sep-2019 Supersedes Date: 01-Feb-2016

1. Identification

1.1. Product Identifier

Product Name GLASS TILE MORTAR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use
Uses advised against
No information available.
No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

Danger

Hazard statements

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause cancer

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure

GLASS TILE MORTAR Revision Number 2

Revision date 04-Sep-2019

Supersedes Date: 01-Feb-2016



Appearance Powder

Physical State Solid

Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity

62 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	30 - 60

GLASS TILE MORTAR

Revision Number 2

Revision date 04-Sep-2019

Supersedes Date: 01-Feb-2016

Cement, portland, chemicals	65997-15-1	15 - 40
Calcium oxide	1305-78-8	1 - 5
Limestone	1317-65-3	1 - 5
Glass, oxide, chemicals	65997-17-3	1 - 5
Cellulose	9004-34-6	0.1 - 1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15

minutes. May cause sensitization by skin contact. In the case of skin irritation or allergic

reactions see a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. If swallowed, seek medical advice immediately and show this container or label.

Self-protection of the first aiderUse personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Product dust may be irritating to eyes, skin and respiratory system. Irritating to skin. Causes

serious eye damage. May cause respiratory tract irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.

GLASS TILE MORTARRevision date04-Sep-2019Revision Number2Supersedes Date:01-Feb-2016

Hazardous combustion products Carbon oxides.

Explosion Data

Sensitivity to mechanical impact Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/protective clothing and eye/face protection. Avoid creating dust.

Ensure adequate ventilation, especially in confined areas. Do not get in eyes, on skin, or on

clothing. Wash thoroughly after handling.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud. Cover powder spill with plastic sheet or tarp to minimize spreading and

keep powder dry.

Methods for cleaning up

Use personal protective equipment as required. Sweep up and shovel into suitable

containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid generation of dust. Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin and eyes. Wash thoroughly

after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption of

humidity.

Incompatible materialsNone known based on information supplied.

Page 4/10

GLASS TILE MORTAR Revision Number 2

Revision date 04-Sep-2019 **Supersedes Date**: 01-Feb-2016

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines .

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m ³ respirabl	e TWA: 50 μg/m³ TWA: 50	TWA: 0.025 mg/m ³
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	
		TWA: 0.05 mg/m ³	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	
Coment nortland shamisals	TMA: 1 mg/m3 norticulate	IDLH: 5000 mg/m ³		TWA: 1 mg/m ³
Cement, portland, chemicals 65997-15-1	TWA: 1 mg/m³ particulate matter containing no	TWA: 10 mg/m ³ total dus	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable	TVVA: T mg/m ²
03997-13-1	asbestos and <1%	TWA: 10 mg/m ³ respirabl		
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	particulate matter	ador	Crystalline silica	
Calcium oxide	TWA: 2 mg/m ³	IDLH: 25 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1305-78-8	3	TWA: 2 mg/m ³		l
Limestone	No data available	TWA: 10 mg/m ³ total dua	t TWA: 15 mg/m³ total dust	-
1317-65-3		TWA: 5 mg/m ³ respirable	e TWA: 5 mg/m³ respirable	
		dust	fraction	
Glass, oxide, chemicals	TWA: 1 fiber/cm3	-	-	TWA: 1 fiber/cm3
65997-17-3	respirable fibers: length >5			TWA: 5 mg/m ³
	μm, aspect ratio >=3:1, as			
	determined by the			
	membrane filter method at			
	400-450X magnification			
	[4-mm objective], using			
	phase-contrast illumination TWA: 5 mg/m ³ inhalable			
	particulate matter			
Cellulose	TWA: 10 mg/m ³	TWA: 10 mg/m ³ total dua	st TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ TWA: 1
9004-34-6	1 vv/ (. 10 mg/m	TWA: 5 mg/m³ respirable		mg/m³
		dust TWA: 1 mg/m ³	fraction	9,

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m ³	-	TWA: 8.8 mg/m ³	TWA: 10 mg/m ³
Calcium oxide 1305-78-8	TWA: 2 mg/m ³	-	TWA: 1.75 mg/m ³	TWA: 2 mg/m ³
Limestone 1317-65-3	TWA: 10 mg/m ³	-	TWA: 7 mg/m ³	-
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm3 TWA: 5 mg/m ³	-	-	-

GLASS TILE MORTAR Revision date 04-Sep-2019 **Revision Number** 2 Supersedes Date: 01-Feb-2016

Cellulose TWA: 10 mg/m³ TWA: 8.8 mg/m³ TWA: 10 mg/m³ 9004-34-6

8.2. Exposure controls

Engineering controls Showers

> **Evewash stations** Ventilation systems.

Personal protective equipment [PPE]

Respiratory protection

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only Skin and body protection

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid breathing (dust, vapor, mist, gas). Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Powder Color White Odor Odorless **Odor threshold** Not applicable

Remarks • Method **Property** Values

No data available

No information available рΗ No data available Melting point / freezing point

Boiling point / boiling range Flash point > 93.3 °C / > 200 °F **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits No information available Vapor pressure

No information available Vapor density Relative density No information available

Cement based products react and Water solubility

solidify in contact with water

Solubility in Other Solvents

Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available

Dynamic viscosity No information available

GLASS TILE MORTAR

Revision Number 2

Revision date 04-Sep-2019

Supersedes Date: 01-Feb-2016

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening PointNo information availableMolecular weightNo information availableSolvent content (%)No information available

Solid content (%) 100

Density 1.400 g/cm³

VOC Content (%)

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationMay cause irritation of respiratory tract.Eye contactCorrosive to eyes. Avoid contact with eyes.

Skin contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>20000 mg/kg	-	-
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-
Calcium oxide 1305-78-8	>2000 mg/kg (Rattus)	LD50 > 2500 mg/kg (Oryctolagus cuniculus)	-
Limestone	>5000 mg/kg (Rattus)	-	-

GLASS TILE MORTAR

Revision Number 2

Revision date 04-Sep-2019

Supersedes Date: 01-Feb-2016

1317-65-3			
Glass, oxide, chemicals	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rattus) 4-Hr
65997-17-3			
Cellulose	>5 g/kg (Rattus)	> 2 g/kg (Oryctolagus cuniculus) >	>5800 mg/m³ (Rattus) 4 h
9004-34-6		2000 mg/kg (Oryctolagus	
		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available.

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Irritation Causes severe eye damage. No information available.

Corrosivity Causes severe eye damage. No information available.

Sensitization May cause sensitization by skin contact.

Germ cell mutagenicity
Reproductive toxicity
Developmental toxicity
Teratogenicity
STOT - single exposure

No information available.
No information available.
No information available.
May cause respiratory irritation.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure if inhaled.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target organ effects Eyes, Lungs, Skin, Respiratory system.

Aspiration hazard No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Glass, oxide, chemicals 65997-17-3	-	Group 3	-	-
Cellulose 9004-34-6	-	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Calcium oxide	EC50 (Pseudokirchneriella	LC50 96 h = 50.6 mg/L	EC50 (Bacteria): 229,2 mg/l	EC50 (48h) = 49.1
1305-78-8	subcapitata (green algae)):	(Oncorhynchus mykiss)	Exposure time: 3 h	mg/l(Daphnia magna) OECD
	106,02 mg/l		Test Type: static test	202
	End point: Growth rate		Method: OECD Test	
	Exposure time: 72 h		Guideline 209	
	Test Type: static test		GLP: yes	

GLASS TILE MORTAR

Revision Number 2

Revision date 04-Sep-2019

Supersedes Date: 01-Feb-2016

	Method: OECD Test Guideline 201 GLP: yes		
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L	CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus	(Oncorhynchus mykiss)	Daphnia Magna
	subspicatus)		-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOTNot regulatedIATANot regulatedIMDGNot regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Revision Number 2 Supersedes Date: 01-Feb-2016

Revision date 04-Sep-2019

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

GLASS TILE MORTAR

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Sep-2019

Revision note SDS sections updated, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet