

In accordance with OSHA 29 CFR 1910.1200

BOSTIK LOCK A100 COVE ADHESIVE Revision Number 1

Revision date 09-Aug-2021 Supersedes Date: Not applicable

1. Identification

1.1. Product identifier

Product Name BOSTIK LOCK A100 COVE ADHESIVE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free)

Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec (Transport/Environmental): 1-800-424-9300

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical state Liquid Odor No information available

US - EN Page 1/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Revision date 09-Aug-2021

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	15 - 40
Limestone	1317-65-3	7 - <13
Tetrapotassium pyrophosphate	7320-34-5	1 - <5
Quartz	14808-60-7	0.1 - <1
Zinc pyrithione	13463-41-7	<0.1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Call a physician if symptoms occur).

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of

skin irritation or allergic reactions see a physician.

Ingestion If swallowed, call a poison control center or physician immediately. Rinse mouth thoroughly

with water. Never give anything by mouth to an unconscious person. Do not induce

vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

US - EN Page 2/10

Do not scatter spilled material with high pressure water streams.

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

Unsuitable extinguishing media

chemical

No information available.

Hazardous combustion products Carbon dioxide (CO2). Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision date 09-Aug-2021

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. Wash

thoroughly after handling.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and

wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

US - EN Page 3/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Revision date 09-Aug-2021

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m ³ respirable
14808-60-7	particulate matter	TWA: 50 µg/m³ excludes	dust
		construction work, agricultural	TWA: 0.05 mg/m³ respirable
		operations, and exposures that	dust
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 0.1 mg/m ³	
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	

Chemical name	Argentina	Brazil	Chile	Colombia
Kaolin	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 13 mg/m ³	TWA: 2mg/m ³
1332-58-7	_	_	TWA: 4.5 mg/m ³	-
Limestone	TWA: 10 mg/m ³	-	TWA: 7 mg/m ³	-
1317-65-3	_			
Quartz	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.08 mg/m ³	TWA: 0.025mg/m ³
14808-60-7	-	-	-	-

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Kaolin	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m³ TWA	TWA: 2 mg/m ³

US - EN Page 4/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
1332-58-7			(particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	
Quartz 14808-60-7	TWA: 0.025mg/m ³	TWA: 0.05mg/m ³	0.025 mg/m³ TWA (respirable particulate matter)	TWA: 0.025 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Revision date 09-Aug-2021

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is

recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePaste

ColorNo information availableOdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.0 - 11.4

pH (as aqueous solution)

No data available

None known

Melting point / freezing point

No data available

None known

No data available

None known

No data available

None known

US - EN Page 5/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

range

Flash pointNo data availableNone knownEvaporation rateNo data availableNone known

Flammability Not applicable for liquids .

Flammability Limit in Air
Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Relative vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity None known No data available

9.2. Other information

Explosive properties

Oxidizing properties

No information available
No information available
No information available

Solid content (%) 52-54

Softening Point No information available Molecular weight No information available

VOC Content (%)
Density 1.34 g/cm³

Bulk density No information available

No information available

None known

Revision date 09-Aug-2021

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

US - EN Page 6/10

Revision date 09-Aug-2021

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

11. Toxicological information

11.1. Information on toxicological effects

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			
Limestone	>5000 mg/kg (Rattus)	-	-
1317-65-3			
Tetrapotassium pyrophosphate	-	> 4640 mg/kg (Oryctolagus	-
7320-34-5		cuniculus)	
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7			
Zinc pyrithione	=177 mg/kg (Rattus)	>2000 mg/kg (Oryctolagus	4h = 1.03 mg/L (Rattus) 4 h
13463-41-7		cuniculus)	
		(EPA OPP 81-2)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicityBased on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. As Quartz (14808-60-7) is

inextricably bound in the polymer matrix, it is not expected to be available as an airborne

hazard (dust, mist, or spray) under normal condition of uses.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

П	Chemical name	ACGIH	IARC	NTP	OSHA
_					

US - EN Page 7/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Revision date 09-Aug-2021

Quartz	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effectsNo information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l	-	EC 50 (48h) > 1000 mg/l (Daphnia magna)
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L (Oncorhynchus mykiss)	-	CE50 (48h) >1000 mg/L Daphnia Magna
Tetrapotassium pyrophosphate 7320-34-5	-	LC50: >100mg/L (96h, Oncorhynchus mykiss)	-	EC50: >100mg/L (48h, Dappnia magna)
Zinc pyrithione 13463-41-7	EC50 (72hr) 0.0013 mg/l (Skeletonema costatum) (ISO 10253) 0.051 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	EC50(96hr) 0.0104 mg/l (Brachydanio rerio) (OECD 203)	-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

US - EN Page 8/10

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Component Information

Chemical name	Partition coefficient
Limestone 1317-65-3	0.9
Zinc pyrithione 13463-41-7	1.21

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Revision date 09-Aug-2021

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing

DOTNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

US - EN Page 9/10

Revision date 09-Aug-2021

BOSTIK LOCK A100 COVE ADHESIVE

Revision Number 1 Supersedes Date: 09-Aug-2021

Chemical nameCAS No.SARA 313 - Threshold Values %Zinc pyrithione13463-41-71.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 09-Aug-2021

Revision note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 10/10