

PORCELAINMATE Porcelain-Mate Series

Revision Date 19-May-2016 Supersedes Date: No information available

Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name Porcelain-Mate Series Product Code PORCELAINMATE

Product(s) Covered See section 16 for more information

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use
Uses Advised Against
No information available.
No information available

#### 1.3. Details of the Supplier of the Safety Data Sheet

## **Company Name**

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

## 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

## 2.1. Classification of the Substance or Mixture

Acute toxicity - Oral	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1

#### 2.2. Label Elements

## **EMERGENCY OVERVIEW**

#### **DANGER**

#### Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye damage May cause an allergic skin reaction

PORCELAINMATE
Porcelain-Mate Series

Revision Date 19-May-2016 Supersedes Date: No information available

Version 1

May cause cancer

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure



Appearance No information available

Physical State Solid

Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Hazards Not Otherwise Classified (HNOC)**

Not applicable

#### **Unknown Toxicity**

2% of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

PORCELAINMATE Revision Date 19-May-2016
Porcelain-Mate Series Supersedes Date: No information available

Version 1

#### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Quartz	14808-60-7	40 - 70
Cement, portland, chemicals	65997-15-1	10 - 30
Limestone	1317-65-3	1 - 5
Gypsum (Ca(SO4).2H2O)	13397-24-5	1 - 5
Calcium formate	544-17-2	1 - 5
Aluminum oxide	1344-28-1	0.1 - 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

General Advice If symptoms persist, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin Contact** Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15

minutes. If skin irritation persists, call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this

container or label. Rinse mouth.

**Self-protection of the First Aider** Use personal protective equipment as required.

## 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** No information available.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** May cause sensitization of susceptible persons. Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

#### **Suitable Extinguishing Media**

Use extinguishing agent suitable for type of surrounding fire.

### **Unsuitable Extinguishing Media**

None known.

#### 5.2. Special Hazards Arising from the Substance or Mixture

PORCELAINMATE Revision Date 19-May-2016
Porcelain-Mate Series Supersedes Date: No information available

Version 1

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Hazardous Combustion** 

Carbon oxides.

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

**Protective Equipment and Precautions for Firefighters** 

Wear self contained breathing apparatus for fire fighting if necessary.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective

gloves/protective clothing and eye/face protection.

For Emergency Responders Sweep up to prevent slipping hazard.

6.2. Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Methods for Cleaning up

Use personal protective equipment as required. Sweep up and shovel into suitable

containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Wash contaminated clothing before reuse. Handle in accordance with good industrial

hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption of

humidity.

Incompatible Materials None known based on information supplied.

PORCELAINMATE Revision Date 19-May-2016
Porcelain-Mate Series Supersedes Date: No information available

Version 1

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m³ respirable	: (30)/(%SiO2 + 2) mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	respirable fraction	dust	TWA total dust	
		TWA: 0.05 mg/m <sup>3</sup>	: (250)/(%SiO2 + 5) mppcf	
		respirable dust	TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
			TWA respirable fraction	
Cement, portland, chemicals	TWA: 1 mg/m³ particulate	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
65997-15-1	matter containing no	TWA: 10 mg/m³ total dust	TWA: 5 mg/m³ respirable	STEL: 20 mg/m <sup>3</sup>
	asbestos and <1%	TWA: 5 mg/m³ respirable	fraction	
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	fraction		Crystalline silica	
Limestone	-	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	STEL: 20 mg/m <sup>3</sup>
		dust	fraction	
Gypsum (Ca(SO4).2H2O)	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
13397-24-5	fraction	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	
		dust	fraction	
Aluminum oxide	TWA: 1 mg/m³ respirable	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
1344-28-1	fraction		TWA: 5 mg/m³ respirable	
			fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	-
Gypsum (Ca(SO4).2H2O) 13397-24-5	-	-	TWA: 8 mg/m <sup>3</sup>	-
Aluminum oxide 1344-28-1	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>

## 8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Eye/Face Protection**Tight sealing safety goggles. Face protection shield. Wear safety glasses with side shields

or goggles).

**Skin and Body Protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

PORCELAINMATE Porcelain-Mate Series

Revision Date 19-May-2016 Supersedes Date: No information available

Version 1

depend on the material, but also on further marks of quality and various manufacturers.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly

after handling. Keep away from food, drink and animal feeding stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid

Color Multiple Colors

Odor No information available Odor Threshold No information available

Property Values Remarks • Method

pH No information available
Melting Point/Freezing Point
Boiling Point
Flash Point
Flash Point
Evaporation Rate
Flammability (solid, gas)
No information available
No information available
No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility

No information available

**Solubility in Other Solvents** 

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available

Dynamic ViscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)

No information available
No information available
No information available

Solid Content (%) 100 Density 2.77 g/cm³

**VOC** No information available

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

None under normal use conditions.

## 10.2. Chemical Stability

PORCELAINMATE Revision Date 19-May-2016
Porcelain-Mate Series Supersedes Date: No information available

Version 1

Stable under recommended storage conditions.

### 10.3. Possibility of Hazardous Reactions

None under normal processing.

#### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

#### 10.5. Incompatible Materials

None known based on information supplied.

#### 10.6. Hazardous Decomposition Products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg ( Rat )	-	-
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Calcium formate 544-17-2	= 2650 mg/kg (Rat)	-	-
Aluminum oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Symptoms** No information available. Skin Corrosion/Irritation No information available. No information available. Serious Eye Damage/Eye Irritation Irritation No information available. No information available. Corrosivity No information available. Sensitization **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity** No information available. **Developmental Toxicity** No information available. No information available. **Teratogenicity** 

STOT - Single Exposure
STOT - Repeated Exposure
No information available.
No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

**Aspiration Hazard** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PORCELAINMATE Porcelain-Mate Series

Revision Date 19-May-2016

Supersedes Date: No information available

Version 1

\_\_\_\_\_

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				
Aluminum oxide	-	-	Reasonably Anticipated	X
1344-28-1				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L Fish		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			
Calcium formate		LC50 96 h >= 1000 mg/L		
544-17-2		(Brachydanio rerio static)		

#### 12.2. Persistence and Degradability

No information available.

#### 12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

## 12.5 Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORTATION INFORMATION

PORCELAINMATE Porcelain-Mate Series

Revision Date 19-May-2016

Supersedes Date: No information available

Version 1

\_\_\_\_\_

<u>DOT</u> Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

## Section 15: REGULATORY INFORMATION

#### **Global Inventories**

TSCA	Listed
DSL	Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

D2A - Very toxic materials E - Corrosive material



#### **United States of America**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

## **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Quartz	14808-60-7
Titanium dioxide	13463-67-7

#### Europe

PORCELAINMATE Porcelain-Mate Series

Revision Date 19-May-2016 Supersedes Date: No information available

Version 1

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

## Product(s) Covered

G00769-8C1 BOS MOR 50# PORCELAIN MATE WH G00969-8C1 BOS MOR 50# PORCELAIN MATE GR

HMIS Health Hazards 2\* Flammability 1 Physical Hazards 0 Personal Protection X

#### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 19-May-2016

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**