

#### MASTIC PROFESSIONAL GRADE

Revision Number 2

#### Revision date 17-Jan-2020 Supersedes Date: 11-May-2016

Odor Sweet

#### 1. Identification

#### 1.1. Product Identifier

**Product Name** 

MASTIC PROFESSIONAL GRADE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	
Uses advised against	

No information available. No information available

#### 1.3. Details of the supplier of the safety data sheet

#### **Responsible Party**

Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075

E-mail msds@bostik.com

#### 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

#### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

#### 2.2. Label Elements

#### EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Liquid

Precautionary Statements - Prevention Not applicable

Precautionary Statements - Response Not applicable

Precautionary Statements - Storage Not applicable

**Precautionary Statements - Disposal** 

#### MASTIC PROFESSIONAL GRADE

Revision Number 2

Not applicable

#### Hazards not otherwise classified (HNOC) Not applicable

#### 2.3. Other Information

No information available.

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Limestone	1317-65-3	40 - 70
Quartz	14808-60-7	1 - 5
Cellulose	9004-34-6	0.1 - 1

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.	
Self-protection of the first aider	Use personal protective equipment as required.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
4.4. Reference to Other Sections		
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION	

### Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

#### MASTIC PROFESSIONAL GRADE

**Revision Number** 2

#### Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data Sensitivity to mechanical impact Sensitivity to static discharge

None. None.

#### 5.3. Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with eyes and skin.
6.2. Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not reuse container.

#### MASTIC PROFESSIONAL GRADE

7.2. Conditions for safe storage, including any incompatibilitiesStorage ConditionsKeep containers tightly closed in a cool, well-ventilated place. Keep from freezing.Incompatible materialsNo information available.7.3. Specific end use(s)No information available.Other informationNo information available.7.4. References to Other SectionsSection 13: DISPOSAL CONSIDERATIONS

## Section 10: STABILITY AND REACTIVITY

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Exposure Guidelines

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone	No data available	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	-
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	
		dust	fraction	
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable	TWA: 50 µg/m <sup>3</sup> TWA: 50	TWA: 0.025 mg/m <sup>3</sup>
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	
		TWA: 0.05 mg/m <sup>3</sup>	construction work,	
		respirable dust	agricultural operations, and	
		-	exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
			TWA respirable fraction	
Cellulose	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> total dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> TWA: 1
9004-34-6	-	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	mg/m <sup>3</sup>
		dust TWA: 1 mg/m <sup>3</sup>	fraction	

Chemical name	Argentina	Brazil	Chile	Venezuela
Limestone	TWA: 10 mg/m <sup>3</sup>	-	TWA: 7 mg/m <sup>3</sup>	-
1317-65-3	_		-	
Quartz	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
14808-60-7	_		-	-
Cellulose	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 8.8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
9004-34-6	_		-	_

#### 8.2. Exposure controls

**Engineering controls** 

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas. Use explosion-proof ventilating equipment.

#### Personal protective equipment [PPE]

Eye/face protection Skin and body protection Tight sealing safety goggles.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

#### MASTIC PROFESSIONAL GRADE **Revision Number** 2

Revision date 17-Jan-2020 Supersedes Date: 11-May-2016

Respiratory protection	depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be
	required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothin is recommended.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical a	
Physical state	Liquid
Color	White
Odor	Sweet
Odor threshold	No information available
Property_	Values
pH	8.4
Melting point / freezing point	No data available
Boiling point / boiling range	No data available
Flash point	> 93.3 °C / > 200 °F
Evaporation rate	No information available
Flammability (solid, gas)	Not applicable for liquids .
Flammability Limit in Air	
Upper flammability or explosive	No information available
limits	
Lower flammability or explosive	No information available
limits	
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	No information available
Solubility in Other Solvents	
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
-	
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
9.2. Other information	
Softening Point	No information available
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	76
Density	1.646 g/cm³
VOC Content (%)	< 40 g/L

Remarks • Method

### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### MASTIC PROFESSIONAL GRADE

Revision Number 2

None under normal use conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

#### Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Quartz 14808-60-7	>20000 mg/kg	-	-
Cellulose 9004-34-6	>5 g/kg (Rattus)	> 2 g/kg (Oryctolagus cuniculus) > 2000 mg/kg (Oryctolagus cuniculus)	>5800 mg/m³ (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Skin corrosion/irritation Serious eye damage/eye irritation Irritation Corrosivity Sensitization Germ cell mutagenicity Reproductive toxicity Developmental toxicity Teratogenicity STOT - single exposure STOT - repeated exposure Chronic Toxicity	No information available. No information available.

### MASTIC PROFESSIONAL GRADE

**Revision Number** 2

#### Revision date 17-Jan-2020 Supersedes Date: 11-May-2016

Aspiration hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed
	As Quartz (14808-60-7) is inextricably bound in the poly

The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7				
Cellulose	-	Group 1	Known	Х
9004-34-6				

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

### Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus subspicatus)	(Oncorhynchus mykiss)		Daphnia Magna

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### Other adverse effects

No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Disposal of Wastes	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations
Contaminated packaging	Dispose of in accordance with federal, state and local regulations

#### MASTIC PROFESSIONAL GRADE Revision Number 2

#### Section 14: TRANSPORT INFORMATION

Note:	Keep from freezing	
DOT	Not regulated	
IATA	Not regulated	
IMDG	Not regulated	

#### Section 15: REGULATORY INFORMATION Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

#### United States of America

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

#### <u>Europe</u>

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

#### SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

#### Key Literature References and Sources for Data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	17-Jan-2020
Revision note	SDS sections updated, 1, 3, 4, 6, 7, 8, 9, 11, 15, 16. Page 8/9

MASTIC PROFESSIONAL GRADE

### Training Advice No information available

**Further information** 

No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet