



Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Single Flex FS 913 White
Product Code G00913
Product(s) Covered See section 16 for more information

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use No information available.
Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

1.4. Emergency Telephone Number

Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Acute toxicity - Oral	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

Harmful if swallowed
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
Causes damage to organs through prolonged or repeated exposure

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2



Appearance No information available **Physical State** Solid **Odor** No information available

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see first aid measures on this label)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown acute toxicity

66% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
---------------	---------	----------

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

Quartz	14808-60-7	30 - 60
Cement, alumina, chemicals	65997-16-2	10 - 30
Cement, portland, chemicals	65997-15-1	5 - 10
Limestone	1317-65-3	1 - 5
Calcium sulfate	7778-18-9	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Brush off loose particles from skin. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician. May cause sensitization by skin contact.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.
Self-protection of the First Aider	Use personal protective equipment as required.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms	No information available.
----------	---------------------------

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians	May cause sensitization of susceptible persons. Treat symptomatically.
--------------------	--

4.4. Reference to Other Sections

Reference to Other Sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION
-----------------------------	--

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media
Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media
None known.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical
Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Carbon oxides.

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

Products

Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear protective gloves/protective clothing and eye/face protection. Do not get in eyes, on skin, or on clothing. Avoid creating dust. Ensure adequate ventilation, especially in confined areas.
----------------------	--

For Emergency Responders	Sweep up to prevent slipping hazard.
--------------------------	--------------------------------------

6.2. Environmental Precautions

Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
---------------------------	---

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment	Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.
-------------------------	--

Methods for Cleaning up	Use personal protective equipment as required. Sweep up and shovel into suitable containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.
-------------------------	---

6.4. Reference to other sections

Reference to Other Sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS
-----------------------------	--

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.
-------------------------	--

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
--------------------	---

Incompatible Materials	None known based on information supplied.
------------------------	---

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS
Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust	TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	TWA: 0.1 mg/m ³
Cement, alumina, chemicals 65997-16-2	10 mg/m ³ (total; 5 mg/m ³ (resp)	-	-	-
Cement, portland, chemicals 65997-15-1	TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Limestone 1317-65-3	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Calcium sulfate 7778-18-9	TWA: 10 mg/m ³ inhalable particulate matter	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m ³	-	TWA: 8 mg/m ³	TWA: 10 mg/m ³
Limestone 1317-65-3	TWA: 10 mg/m ³	-	TWA: 8 mg/m ³	-
Calcium sulfate 7778-18-9	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³

8.2. Exposure Controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Personal protective equipment [PPE]

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Face protection shield.
Skin and Body Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	Solid
Color	White
Odor	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	No information available	
Flash Point	> 93.3 °C / > 200 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	

Water Solubility	No information available
Solubility in Other Solvents	
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available

Kinematic Viscosity	No information available
Dynamic Viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	100
Density	2.650 g/cm ³
VOC	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Protect from moisture.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product Information	No Data Available
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	= 500 mg/kg (Rat)	-	-
Cement, alumina, chemicals 65997-16-2	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rat	-
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Calcium sulfate 7778-18-9	> 3000 mg/kg (Rat)	-	CL50 >2.61 mg/L (4h) Rat

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms	No information available.
Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - Single Exposure	No information available.

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

STOT - Repeated Exposure Chronic Toxicity No information available.
Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

Aspiration Hazard No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)
Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Cement, alumina, chemicals 65997-16-2	EC50 (72h)Algae (Pseudokirchneriella subcapitata) >5.6mg/L	LC50 (96h) Fish (Onchorhynchus mykiss) >100 mg/L (OECD 203)		EC50 (48h) Daphnia magna =6.6mg/L (OECD 202)
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50 96 h > 1970 mg/L (Pimephales promelas static) LC50 96 h = 2980 mg/L (Lepomis macrochirus static)		CE50 (48h) >100 mg/L Waterflea (Daphnia magna)

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

13.1. Waste Treatment Methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials



United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

California Proposition 65

Safety Data Sheet

G00913
Single Flex FS 913 White

Revision Date 16-May-2017
Supersedes Date: 23-May-2012
Version 2

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No.
Quartz	14808-60-7
Lithium carbonate	554-13-2

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Product(s) Covered

G00913-33A SINGLE-FLEX FS wht Bg50LB/P48

HMIS Health Hazards 2* Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 16-May-2017

Revision Note Not applicable.

Training Advice No information available

Additional information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet