

In accordance with OSHA 29 CFR 1910.1200

SINGLEAPP(TM)
Revision Number 2

Revision date 14-Aug-2023 Supersedes Date: 25-Aug-2016

1. Identification

1.1. Product identifier

Product Name SINGLEAPP(TM)

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 11320 W. Watertown Plank Road

Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Manufacturer

11320 W. Watertown Plank Road

Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free)

Phone: +1 (414) 774-2250 (International)

Bostik Inc.

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May damage fertility or the unborn child

US - EN Page 1/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016



Appearance Paste Physical state Liquid Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

21 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Limestone	1317-65-3	30 - 60
Propylene carbonate	108-32-7	1 - <5
Carbon black	1333-86-4	0.1 - <1
Methylenediphenyl diisocyanate	26447-40-5	0.1 - <1
Benzenesulfonyl isocyanate, 4-methyl-	4083-64-1	0.1 - <1
Dibutyltin dilaurate	77-58-7	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

US - EN Page 2/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

4. First-aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. May cause sensitization by skin contact. May cause an allergic skin reaction. In

the case of skin irritation or allergic reactions see a physician.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Large Fire

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

chemical

1 Todas is a contained a constitue. It way cause constitue is a management and start con

Hazardous combustion products Carbon oxides. Carbon dioxide (CO2).

Explosion data

Sensitivity to mechanical impact None.

US - EN Page 3/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Evacuate personnel to safe areas. Do not

touch or walk through spilled material. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. See section 8 for more

information.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent product from entering drains. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal. Do not scatter spilled material with high pressure

water streams.

Methods for cleaning upUse personal protective equipment as required. Dam up. Soak up with inert absorbent

material. Pick up and transfer to properly labeled containers. Clean contaminated surface

thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take

off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Store locked up. Keep out of the reach of children.

Recommended storage temperature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

US - EN Page 4/12

SINGLEAPP(TM)
Revision Number 2
Revision Number 2
Revision date 14-Aug-2023
Supersedes Date: 25-Aug-2016

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Carbon black	TWA: 3 mg/m³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH
Methylenediphenyl diisocyanate	-	Ceiling: 0.02 ppm	-
26447-40-5		Ceiling: 0.2 mg/m ³	
Dibutyltin dilaurate	STEL: 0.2 mg/m ³ Sn	TWA: 0.1 mg/m ³ Sn	IDLH: 25 mg/m ³ Sn
77-58-7	TWA: 0.1 mg/m³ Sn	(vacated) TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m ³ except
	S*	(vacated) S*	Cyhexatin Sn

Chemical name	Argentina	Brazil	Chile	Colombia
Limestone	TWA: 10 mg/m ³	-	LPP: 7 mg/m ³	-
1317-65-3			LPP: 5 mg/m ³	
Carbon black	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-	TWA: 3mg/m ³
1333-86-4				
Methylenediphenyl diisocyanate	TWA: 0.005 ppm	-	LPP: 0.004 ppm	-
26447-40-5			LPP: 0.045 mg/m ³	
Dibutyltin dilaurate	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	LPP: 0.09 mg/m ³	STEL: 0.2mg/m ³
77-58-7	Skin	STEL: 0.2 mg/m ³	S*	TWA: 0.1mg/m ³
	STEL: 0.2 mg/m ³			

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Carbon black 1333-86-4	TWA: 3mg/m ³	TWA: 3.5mg/m ³	3 mg/m³ TWA (inhalable particulate matter)	TWA: 3.5 mg/m ³
Methylenediphenyl diisocyanate 26447-40-5	TWA: 0.005ppm	-	-	-
Dibutyltin dilaurate 77-58-7	TWA: 0.1mg/m ³ STEL: 0.2mg/m ³	STEL: 0.2mg/m ³ TWA: 0.1mg/m ³	0.2 mg/m³ STEL (as Sn) 0.1 mg/m³ TWA (as Sn)	

8.2. Exposure controls

US - EN Page 5 / 12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of

equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Paste Color Brown

OdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone known

Flash point > 93.3 °C / 200 °F

Evaporation rateNo data availableNone knownFlammabilityNot applicable for liquidsNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone knownRelative densityNo data availableNone knownWater solubilityNo data availableNone known

US - EN Page 6/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

Solubility(ies) No data available None known No data available Partition coefficient None known No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known No data available None known Kinematic viscosity Dynamic viscosity No data available None known

9.2. Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSolvent content (%)No information available

Solid content (%) 96.8

Softening Point No information available Molecular weight No information available

VOC content

Density 1.712 g/cm³

Bulk density No information available

No information available

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx) Hydrogen cyanide Thermal

decomposition can lead to release of irritating and toxic gases and vapors

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation May cause sensitization in susceptible persons.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

US - EN Page 7/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

Ingestion Specific test data for the substance or mixture is not available. May cause additional affects

as listed under "Inhalation".

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness

and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) 97,731.90 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (Rattus)	-	-
Propylene carbonate 108-32-7	LD50 > 5000 mg/kg (Rattus) OECD 401	> 3000 mg/kg (Oryctolagus cuniculus)	-
Carbon black 1333-86-4	LD50 > 8000 mg/kg (Rattus) OECD 401	> 3 g/kg (Oryctolagus cuniculus)	> 4.6 mg/m³ (Rat) 4 h
Methylenediphenyl diisocyanate 26447-40-5	>10000 mg/kg (Rattus)	> 10000 mg/kg (Oryctolagus cuniculus)	=490 mg/m³ (Rattus) 4 h
Benzenesulfonyl isocyanate, 4-methyl- 4083-64-1	=2234 mg/kg (Rattus)	LD 50 (Rattus) > 2000 mg/kg OECD 402	>640 ppm (Rattus) 1 h
Dibutyltin dilaurate 77-58-7	=2071 mg/kg (Rattus) OECD 401	> 2000 mg/kg (Rattus)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. As Carbon black (1333-86-4)

is inextricably bound in the polymer matrix, it is not expected to be available as an airborne

hazard (dust, mist, or spray) under normal condition of uses.

US - EN Page 8/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Carbon black	A3	Group 2B	-	X
1333-86-4		-		
Methylenediphenyl	-	Group 3	-	-
diisocyanate				
26447-40-5				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Methylenediphenyl diisocyanate (26447-40-5)

Method	Species	Results
	in vivo	Limited evidence of a carcinogenic effect

Reproductive toxicityContains a known or suspected reproductive toxin. May cause harm to breast-fed children.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Target organ effects Eyes, Respiratory system, Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Limestone	CE50 (72h) >200mg/L	CL50 (96h)>10000mg/L	-	CE50 (48h) >1000 mg/L
1317-65-3	Algae (Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			
Propylene carbonate	ErC50 (72h): > 900mg/L	LC50 (96) h > 1000 mg/L	EC50 > 10000 mg/L 17 h	EC50 (48h): > 1000mg/L
108-32-7	(Desmodesmus	(Cyprinus carpio,	_	(Daphnia magna, OECD
	subspicatus, OECD-201)	67/548/EWG, Annex V,		202)
		C.1.)		·
Carbon black	>10000 mg/l	>1000 mg/l (Brachydanio	-	EC50: >5600mg/L (24h,
1333-86-4	(Desmodesmus	rerio) OCDE 203		Daphnia magna)
	subspicatus) OECD 202			
Methylenediphenyl	EC50: =3230mg/L (96h,	-	-	EC50: >1000mg/L (24h,

US - EN Page 9/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

diisocyanate 26447-40-5	Skeletonema costatum)			Daphnia magna)
Dibutyltin dilaurate 77-58-7	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	-	0,463 (48h) mg/L (daphnia magma)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone 1317-65-3	0.9
Propylene carbonate 108-32-7	-0.41
Methylenediphenyl diisocyanate 26447-40-5	4.5
Benzenesulfonyl isocyanate, 4-methyl- 4083-64-1	0.6
Dibutyltin dilaurate 77-58-7	4.44

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOT Not regulated

<u>IATA</u> Not regulated

US - EN Page 10/12

SINGLEAPP(TM)

Revision Number 2

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

<u>IMDG</u> Not regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No	SARA 313 - Threshold Values %
Methylenediphenyl diisocyanate	26447-40-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 14-Aug-2023

US - EN Page 11 / 12

SINGLEAPP(TM)

Revision Number 2

Revision date 14-Aug-2023

Supersedes Date: 25-Aug-2016

Revision Note

SDS sections updated. 1. 3. 4. 5. 6. 7. 8. 10. 11. 12. 13. 15. 16.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 12/12