

# **SAFETY DATA SHEET**

Issue Date 02-Nov-2018 Revision Date 13-Jul-2022 Version 1

CS-200 Blush-Tone Acid Stain Turquoise

### 1. IDENTIFICATION

Product identifier

Product Name Blush-Tone Acid Stain Turquoise

Other means of identification

Product Code CS-200

Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, ILSpringfield, IL

62702 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542 Use only in the event of an emergency involving a spill, leak, fire, exposure,

or accident involving chemical

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Subcategory	Sub-category B
Serious eye damage/eye irritation	Category 1

#### Label elements

### **Emergency Overview**

#### Danger

#### Hazard statements

Causes severe skin burns and eye damage



CS-200 1 / 10 Blush-Tone Acid Stain Turquoise

Appearance aqueous solution Physical state Liquid **Odor** Strong Pungent

### **Precautionary Statements - Prevention**

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

Specific treatment (see supplemental information on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

#### Other Information

- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS No.	Weight-%	Trade Secret
Phosphoric acid	7664-38-2	5 - 30	*
Copper Chloride	7447-39-4	5 - 30	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### **Description of first aid measures**

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Immediate medical attention is required.

**Skin Contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

Inhalation If fumes from reactions are inhaled, move to fresh air immediately.

Ingestion If swallowed, call a poison control center or physician immediately. Clean mouth with water

and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

**Hazardous combustion products**Thermal decomposition can lead to the release of irritating gases and vapors. Carbon oxides. Phosphorus oxides.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Ventilate affected area. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Avoid contact with skin, eyes and inhalation of vapors.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Prevent further

leakage or spillage if safe to do so. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash

thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original

container. Keep in properly labeled containers. Keep from freezing.

**Incompatible materials** Strong oxidizing agents. Metals. Alkali.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
	_	(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Copper Chloride	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist
7447-39-4	_		TWA: 1 mg/m³ Cu dust and mist

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Wash face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing

(dust, vapor, mist, gas). Wash contaminated clothing before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution Odor Strong Pungent

ColorOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point No information available
Boiling point / boiling range
Flash point No information available
Evaporation rate No information available
No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.30 +/-0.03

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available Decomposition temperature No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

#### Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) None

Density No information available Bulk density No information available

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available

#### **Chemical stability**

Stable under normal conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### Conditions to avoid

Strong oxidizing agents. Storage near to reactive materials. To avoid thermal decomposition, do not overheat.

### **Incompatible materials**

Strong oxidizing agents. Metals. Alkali.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Phosphorus oxides. Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** Contact causes severe skin irritation and possible burns.

**Ingestion** May be harmful if swallowed. Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric acid 7664-38-2	= 1530 mg/kg ( Rat )	= 2740 mg/kg ( Rabbit )	> 850 mg/m³ (Rat) 1 h
Copper Chloride 7447-39-4	= 584 mg/kg ( Rat )	-	-

#### Information on toxicological effects

**Symptoms** Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing,

reddening and swelling accompanied by a stinging sensation and/or a feeling like that of

fine dust in the eyes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Skin Corrosion Cat 1. (based on mixture components). Causes severe burns.

Serious eye damage/eye irritation Eye Damage Cat 1. (based on mixture components). Risk of serious damage to eyes.

Sensitization Not Classified. This product does not contain known sensitizers at levels > or equal to

0.1%.

Germ cell mutagenicity
Carcinogenicity
Not classified. (Based on mixture components).

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 2336.31 mg/kg
ATEmix (dermal) 4599 mg/kg mg/l
ATEmix (inhalation-dust/mist) 2890.3 mg/l

### 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

### **Ecotoxicity**

This product has not been fully evaluated on the product level. Components of this product are very harmful to aquatic life with long lasting effects.

## Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

CS-200 6 / 10 Blush-Tone Acid Stain Turquoise

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal of wastes**Should not be released into the environment. Disposal should be in accordance with

applicable regional, national and local laws and regulations. Rinse water resulting from cleanup should be collected for treatment before disposal. Solutions with low pH-value

should be neutralized.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Phosphoric acid 7664-38-2	Corrosive
Copper Chloride 7447-39-4	Toxic

### 14. TRANSPORT INFORMATION

**DOT** Not regulated for ground shipment in inner packaging not over 5.0 L (1.3 gallons) net

capacity each for liquids, packed in a strong outer packaging. (See D.O.T 49 CFR

173.154(b)(2) under Exemptions for Class 8)

**UN/ID no.** UN1805

Proper shipping name Phosphoric Acid Solution

Hazard Class 8
Packing Group III

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

TDG

**UN/ID no.** UN1805

Proper shipping name Phosphoric Acid Solution

Hazard Class 8
Packing Group III

**Description** Phosphoric Acid Solution

MEX

UN/ID no. UN1805 Hazard Class 8 Packing Group III

**Description** Phosphoric Acid Solution

ICAO (air)

**UN/ID** no. UN1805

Proper shipping name Phosphoric Acid Solution

Hazard Class

<u>IATA</u>

**UN/ID no.** UN1805

Proper shipping name Phosphoric Acid Solution

Hazard Class 8
Packing Group III

**IMDG** 

UN/ID no. UN1805

Proper shipping name Phosphoric Acid Solution

Hazard Class 8
Packing Group

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDĠ/IMO

\_\_\_\_\_

### 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies Complies **KECL** Complies **PICCS** Complies **AICS** 

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Copper Chloride - 7447-39-4	1.0	

### SARA 311/312 Hazard Categories

See section 2 for more information

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb	-	-	Х
Copper Chloride 7447-39-4	10 lb	X	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb	=	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Copper Chloride	10 lb	<del>-</del>	RQ 10 lb final RQ
7447-39-4			RQ 4.54 kg final RQ

## **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid	X	X	X
7664-38-2			
Copper Chloride	X	X	X

CS-200 9 / 10 Blush-Tone Acid Stain Turquoise

7447-39-4

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors - Lab Technical Services

 Issue Date
 02-Nov-2018

 Revision Date
 13-Jul-2022

Revision Note Updated Logo

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**