



SAFETY DATA SHEET

Issue Date 02-Nov-2018

Revision Date 13-Aug-2019

Version 3

CS-600

Blush-Tone Acid Stain Ebony

1. IDENTIFICATION

Product identifier

Product Name Blush-Tone Acid Stain Ebony

Other means of identification

Product Code CS-600

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

| Supplier Address | Manufacturer Address |
|---|---|
| Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702 | Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702 |

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542 Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemical

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|----------------|
| Acute toxicity - Oral | Category 4. |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 3 |
| Skin corrosion/irritation | Category 1 |
| Subcategory | Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed
 Toxic if inhaled
 Causes severe skin burns and eye damage
 May cause allergy or asthma symptoms or breathing difficulties if inhaled
 May cause an allergic skin reaction
 May cause genetic defects
 May cause cancer
 May damage fertility or the unborn child
 Causes damage to organs through prolonged or repeated exposure



Appearance aqueous solution

Physical state Liquid

Odor Strong Pungent

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 In case of inadequate ventilation wear respiratory protection
 Contaminated work clothing must not be allowed out of the workplace
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see supplemental information on this label)
 Immediately call a POISON CENTER or doctor
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Immediately call a POISON CENTER or doctor
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth
 Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects
- Very toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------|---------|----------|--------------|
|---------------|---------|----------|--------------|

| | | | |
|--------------------|------------|------|---|
| Manganese Chloride | 7773-01-5 | < 10 | * |
| Sodium dichromate | 10588-01-9 | < 10 | * |
| Hydrochloric acid | 7647-01-0 | < 10 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|--|
| General advice | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required. |
| Skin Contact | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and/or oxygen may be necessary. Call a physician or poison control center immediately. |
| Ingestion | If swallowed, call a poison control center or physician immediately. Clean mouth with water and drink afterwards plenty of water. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---|
| Symptoms | May be harmful if swallowed. May be toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

Hazardous combustion products Thermal decomposition can lead to the release of irritating gases and vapors. Carbon oxides. Chromium oxides. Hydrogen chloride.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|---------------------------------|---|
| Personal precautions | Keep people away from and upwind of spill/leak. Ventilate affected area. Avoid contact with skin, eyes and inhalation of vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. |
| For emergency responders | Use personal protection recommended in Section 8. |

Environmental precautions

| | |
|----------------------------------|--|
| Environmental precautions | Prevent entry into waterways, sewers, basements or confined areas. Prevent further leakage or spillage if safe to do so. See Section 12 for additional ecological information. |
|----------------------------------|--|

Methods and material for containment and cleaning up

| | |
|--|--|
| Methods for containment | Dike far ahead of liquid spill for later disposal. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|---|
| Advice on safe handling | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash thoroughly after handling. |
|--------------------------------|---|

Conditions for safe storage, including any incompatibilities

| | |
|-------------------------------|---|
| Storage Conditions | Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original container. Keep in properly labeled containers. Keep from freezing. Do not reuse container. |
| Incompatible materials | Strong oxidizing agents. Metals. Alkali. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------|---|--|---|
| Manganese Chloride 7773-01-5 | TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter | (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn | IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn |
| Sodium dichromate 10588-01-9 | STEL: 0.0005 mg/m ³ Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m ³ Cr(VI) inhalable particulate matter S* | TWA: 5 µg/m ³ (vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³ CrO ₃ applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect | IDLH: 15 mg/m ³ Cr(VI) TWA: 0.0002 mg/m ³ Cr |
| Hydrochloric acid 7647-01-0 | Ceiling: 2 ppm | (vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³ | IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³ |

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Wash face, hands and any exposed skin thoroughly after handling. Use personal protective equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing (dust, vapor, mist, gas). Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state
Appearance
Color

Liquid
aqueous solution
Ebony

Odor
Odor threshold

Strong Pungent
No information available

Property

pH
Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Flammability Limit in Air

Values

No information available
No information available
No information available
No information available
No information available
No information available

Remarks • Method

| | |
|-------------------------------------|--------------------------|
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Specific Gravity | No information available |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |

Other Information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Strong oxidizing agents. Storage near to reactive materials. To avoid thermal decomposition, do not overheat.

Incompatible materials

Strong oxidizing agents. Metals. Alkali.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Hydrogen chloride. Chromium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|--|
| Product Information | May be harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure. |
| Inhalation | Toxic by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. May cause sensitization by inhalation. May cause irritation of respiratory tract. |
| Eye contact | Corrosive to the eyes and may cause severe damage including blindness. |
| Skin Contact | Corrosive. Contact causes severe skin irritation and possible burns. The product causes burns of eyes, skin and mucous membranes. May cause an allergic skin reaction. |
| Ingestion | Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------------|-------------------------|-------------------------|-------------------------------------|
| Manganese Chloride 7773-01-5 | = 250 mg/kg (Rat) | - | - |
| Sodium dichromate 10588-01-9 | = 46 mg/kg (Rat) | = 960 mg/kg (Rabbit) | = 200 mg/m ³ (Rat) 4 h |
| Hydrochloric acid 7647-01-0 | 238 - 277 mg/kg (Rat) | > 5010 mg/kg (Rabbit) | = 1.68 mg/L (Rat) 1 h |

Information on toxicological effects

| | |
|-----------------|--|
| Symptoms | Acute Toxicity - Oral- Cat. 4: Harmful if swallowed. Acute Toxicity-Inhalation Cat 3. Toxic if inhaled. based on the acute toxicity estimate for the mixture components. |
|-----------------|--|

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Skin Corrosion Cat 1. (based on mixture components). Causes severe burns. |
| Serious eye damage/eye irritation | Eye Damage Cat 1. (based on mixture components). Risk of serious damage to eyes. |
| Sensitization | Respiratory Sensitizer Cat. 1. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sensitizer Cat 1. May cause an allergic skin reaction. |
| Germ cell mutagenicity | Mutagenic. Contains a known or suspected mutagen. |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------------------|-------|---------|-------|------|
| Sodium dichromate 10588-01-9 | A1 | Group 1 | Known | X |
| Hydrochloric acid 7647-01-0 | - | Group 3 | - | - |

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|--|
| Reproductive toxicity | Product is or contains a chemical which is a known or suspected reproductive hazard. |
| STOT - single exposure | Not classified. (Based on mixture components). |
| STOT - repeated exposure | STOT RE 1 - Central Nervous System. Liver. |
| Chronic toxicity | Repeated or prolonged exposure may cause central nervous system damage. May cause adverse liver effects. |
| Aspiration hazard | Not classified. (Based on mixture components). |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|-------------------------------|----------------|
| ATEmix (oral) | 903.1 mg/kg |
| ATEmix (dermal) | 12456.33 mg/kg |
| ATEmix (inhalation-gas) | 45460.6 mg/l |
| ATEmix (inhalation-dust/mist) | 0.621 mg/l |

12. ECOLOGICAL INFORMATION

This product contains a chemical which, although not listed, meets the IMDG criteria for being a severe marine pollutant.

Ecotoxicity

This product has not been fully evaluated on the product level. Components of this product are very harmful to aquatic life with long lasting effects.

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Should not be released into the environment. Rinse water resulting from cleanup should be collected for treatment before disposal. Solutions with low pH-value should be neutralized. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------------------------|--|
| Manganese Chloride 7773-01-5 | Toxic |
| Sodium dichromate 10588-01-9 | Toxic Corrosive Ignitable |

14. TRANSPORT INFORMATION

DOT

Not regulated for ground shipment in inner packaging not over 5.0 L (1.3 gallons) net capacity each for liquids, packed in a strong outer packaging. (See D.O.T 49 CFR 173.154(b)(2) under Exemptions for Class 8)

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Packing Group III
Marine pollutant This product contains a chemical which, although not listed, meets the IMDG criteria for being a severe marine pollutant.

TDG

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Subsidiary class III
Packing Group III

MEX

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Packing Group III

ICAO (air)

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Packing Group III

IATA

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Packing Group III

IMDG

UN/ID no. UN3264
Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)
Hazard Class 8
Packing Group III
Marine pollutant This material meets the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

| | |
|----------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| Manganese Chloride - 7773-01-5 | 1.0 |
| Hydrochloric acid - 7647-01-0 | 1.0 |
| Sodium dichromate - 10588-01-9 | 0.1 |

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium dichromate 10588-01-9 | 10 lb | X | - | X |
| Hydrochloric acid 7647-01-0 | 5000 lb | - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------------------|--------------------------|----------------|--|
| Sodium dichromate 10588-01-9 | 10 lb | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| Hydrochloric acid 7647-01-0 | 5000 lb | 5000 lb | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|----------------------------------|---|
| Hexavalent chromium - 18540-29-9 | Carcinogen Developmental Female Reproductive Male Reproductive |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------|------------|---------------|--------------|
| Manganese Chloride 7773-01-5 | X | - | X |
| Hydrochloric acid 7647-01-0 | X | X | X |
| Sodium dichromate 10588-01-9 | X | X | X |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u> | Health hazards 3 | Flammability 1 | Reactivity 0 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 3 | Flammability 1 | Physical hazards 0 | Personal protection X |

Prepared By Solomon Colors - Lab Technical Services
Issue Date 02-Nov-2018
Revision Date 13-Aug-2019
Revision Note
 Periodic Review

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet