

SAFETY DATA SHEET

Issue Date 02-Nov-2018 Revision Date 13-Jul-2022 Version 7

CS-100 Blush-Tone Acid Stain Jade

1. IDENTIFICATION

Product identifier

Product Name Blush-Tone Acid Stain Jade

Other means of identification

Product Code CS-100

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, ILSpringfield, IL

62702 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542 Use only in the event of an emergency involving a spill, leak, fire, exposure,

or accident involving chemical

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4. |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Causes skin irritation

Causes serious eye damage



Appearance aqueous solution Physical state Liquid Odor Strong Pungent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental information on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| Copper Chloride | 7447-39-4 | 20 - 30 | * |
| Hydrochloric acid | 7647-01-0 | < 10 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

CS-100 Blush-Tone Acid Stain Jade

with water/shower.

Inhalation If fumes from reactions are inhaled, move to fresh air immediately. Call a physician or

poison control center immediately.

Ingestion If swallowed, call a poison control center or physician immediately. Clean mouth with water

and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful if swallowed. Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

Hazardous combustion productsThermal decomposition can lead to the release of irritating gases and vapors. Carbon oxides. Hydrogen chloride.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and

inhalation of vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area. Stop leak if you can do it without

risk.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Prevent further

leakage or spillage if safe to do so. See Section 12 for additional ecological information. Do

not allow into any sewer, on the ground or into any body of water.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

CS-100 3 / 10 Blush-Tone Acid Stain Jade

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original

container. Keep in properly labeled containers. Keep from freezing.

Incompatible materials Strong oxidizing agents. Metals. Alkali. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------|---|------------------------------|--|
| Copper Chloride | TWA: 1 mg/m ³ Cu dust and mist | - | IDLH: 100 mg/m ³ Cu dust and mist |
| 7447-39-4 | _ | | TWA: 1 mg/m ³ Cu dust and mist |
| Hydrochloric acid | Ceiling: 2 ppm | Ceiling: 5 ppm | IDLH: 50 ppm |
| 7647-01-0 | | Ceiling: 7 mg/m ³ | Ceiling: 5 ppm |
| | | | Ceiling: 7 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations

Ventilation systems. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing

(dust, vapor, mist, gas). Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearanceaqueous solutionOdorStrong Pungent

Color Jade Odor threshold No information available

CS-100 4 / 10 Blush-Tone Acid Stain Jade

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.30 +/-0.03

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available No information available Dynamic viscosity **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) None

Density No information available Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Strong oxidizing agents. Storage near to reactive materials. To avoid thermal decomposition, do not overheat.

Incompatible materials

Strong oxidizing agents. Metals. Alkali. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon oxides. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information May be harmful if swallowed or inhaled. Causes severe skin burns and eye damage.

Inhalation May cause irritation of respiratory tract. Inhalation of corrosive fumes/gases may cause

coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased

blood pressure, and increased heart rate.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Corrosive. Contact causes severe skin irritation and possible burns. The product causes Skin Contact

burns of eyes, skin and mucous membranes.

Ingestion Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|-----------------------|----------------------|----------------------|
| Copper Chloride 7447-39-4 | = 584 mg/kg (Rat) | - | - |
| Hydrochloric acid 7647-01-0 | 238 - 277 mg/kg (Rat) | > 5010 mg/kg(Rabbit) | = 1.68 mg/L (Rat)1 h |

Information on toxicological effects

Symptoms Acute Toxicity - Oral- Cat. 4: Harmful if swallowed. (based on ATE for mixture components).

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Skin Corrosion Cat 1. (based on mixture components). Causes severe burns.

Serious eye damage/eye irritation Eye Damage Cat 1. (based on mixture components). Risk of serious damage to eyes. Sensitization

Not Classified. This product does not contain known sensitizers at levels > or equal to

Germ cell mutagenicity Not classified. (Based on mixture components).

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|---------|-----|------|
| Hydrochloric acid | - | Group 3 | - | X |
| 7647-01-0 | | | | |

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Not classified. (Based on mixture components). STOT - single exposure Not classified. (Based on mixture components). STOT - repeated exposure Not classified. (Based on mixture components). **Aspiration hazard** Not classified. (Based on mixture components).

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 4569.1 mg/kg **ATEmix (dermal)** 61503.4 mg/kg mg/l

ATEmix (inhalation-dust/mist) 9.86 mg/l

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

Ecotoxicity

This product has not been fully evaluated on the product level. This product contains substances that are known to be toxic to aquatic life with long lasting effects.

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesShould not be released into the environment. Rinse water resulting from cleanup should be

collected for treatment before disposal. Solutions with low pH-value should be neutralized. Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|-----------------|-----------------------------------|
| Copper Chloride | Toxic |
| 7447-39-4 | |

14. TRANSPORT INFORMATION

DOT Not regulated for ground shipment in inner packaging not over 5.0 L (1.3 gallons) net

capacity each for liquids, packed in a strong outer packaging. (See D.O.T 49 CFR

173.154(b)(2) under Exemptions for Class 8)

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

TDG

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group |||

MEX

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group III

ICAO (air)

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group III

IATA

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group III

IMDG

UN/ID no. UN3264

Proper shipping name Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies Complies **PICCS** Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | |
|-------------------------------|-------------------------------|--|
| Copper Chloride - 7447-39-4 | 1.0 | |
| Hydrochloric acid - 7647-01-0 | 1.0 | |

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Copper Chloride 7447-39-4 | 10 lb | X | - | Х |
| Hydrochloric acid 7647-01-0 | 5000 lb | - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------|--------------------------|----------------|--------------------------|
| Copper Chloride | 10 lb | - | RQ 10 lb final RQ |
| 7447-39-4 | | | RQ 4.54 kg final RQ |
| Hydrochloric acid | 5000 lb | 5000 lb | RQ 5000 lb final RQ |
| 7647-01-0 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------------|------------|---------------|--------------|
| Copper Chloride 7447-39-4 | X | X | X |

| Hydrochloric acid | X | X | X |
|-------------------|---|---|---|
| 7647-01-0 | | | |
| Ferrous Chloride | X | X | X |
| 7758-94-3 | | | |

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors - Lab Technical Services

 Issue Date
 02-Nov-2018

 Revision Date
 13-Jul-2022

Revision Note Updated Logo

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet