

SAFETY DATA SHEET

Issue Date 01-Jul-2020 Revision Date 01-Jul-2020 Version 1

BRCP Brickform Refresh Color Pack

1. IDENTIFICATION

Product identifier

Product Name Brickform Refresh Color Pack

Other means of identification

Product Code BRCP

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, ILSpringfield, IL

62702 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product is NOT classified as hazardous according to the criteria contained in the Hazard Communication Standard 29 CFR 1910.1200 (known as HCS 2012). However, one or more the product component(s) is known to known to be listed as an OSHA 29 CFR 1910.1000 Air Contaminant. Occupational exposure limits are subsequently provided in section 8 of this SDS.

Label elements

Emergency Overview

Health injuries are not known or expected under normal use.

Appearance Color will vary Physical state Liquid Odor Slight

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

BRCP 1 / 10 Brickform Refresh Color Pack

Chemical nature Mixture.

Chemical Name	CAS No.	Weight-%	Trade Secret
Titanium Dioxide	13463-67-7	-	*
Red Iron Oxide	1309-37-1	-	*
Carbon Black	1333-86-4	-	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret or due to batch variation.

4. FIRST AID MEASURES

Description of first aid measures

General adviceNo hazards which require special first aid measures. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin Contact Wash skin with soap and water.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon Dioxide, Foam, Sand. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No information available.

Hazardous combustion productsThermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

BRCP 2 / 10 Brickform Refresh Color Pack

Personal precautionsUse personal protection recommended in Section 8. Ensure adequate ventilation,

especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product does not present an inhalation hazard in its current physical form. However,

activities such as spraying, misting, burning, welding (high temperature), sawing, brazing, machining, grinding, etc. may produce fumes and/or particulates and in those cases the exposure limits listed bellow would apply. Each composition will vary from one blend to the

next. Depending on the color, the components listed below may not be present.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium Dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ CIB 63 fine
			TWA: 0.3 mg/m³ CIB 63 ultrafine,
			including engineered nanoscale
Red Iron Oxide	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m³ fume	IDLH: 2500 mg/m ³ Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m³ total dust	fume
		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m ³ Fe dust and fume
		(vacated) TWA: 10 mg/m³ fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction regulated under Rouge	
Carbon Black	TWA: 3 mg/m³ inhalable particulate	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Color will vary Odor Slight

Color Will vary Odor threshold No information available

<u>Property</u> <u>Values</u>

pH no information available

Melting point/freezing point No information available

Boiling point / boiling range 196 - 225 °C / 384.8 - 437 °F

Flash point 103 °C / 217.4 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available
No information available

Remarks • Method
No information available

estimated

(based on components)

BRCP 4 / 10 Brickform Refresh Color Pack

Vapor density Not Relevant

Specific Gravity No information available Water solubility No information available Solubility in other solvents No information available **Partition coefficient** No information available No information available **Autoignition temperature** No information available **Decomposition temperature** Kinematic viscosity No information available No information available Dynamic viscosity **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product InformationThe product has not been tested The product is not known to present an acute toxicity

hazard based on known or supplied information for the mixture components.

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied. (based on components).

Skin ContactNo known effect based on information supplied.

Ingestion No known effect based on information supplied.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Red Iron Oxide 1309-37-1	> 10000 mg/kg (Rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation

Corrosivity
Sensitization

Germ cell mutagenicity Carcinogenicity

Not classified. (Based on mixture components.). Not classified. (Based on mixture components).

Not expected to be corrosive.

Not Classified. This product does not contain known sensitizers at levels > or equal to

0.1%.

Not classified. (Based on mixture components).

This product exists in a liquid form which prevents particles within the fine fraction size range from becoming airborne. Carbon Black and Titanium Dioxide is intrinsically bound to the product matrix.

Carbon Black - Not a hazardous substance or preparation according to the Global Harmonized System (GHS). In 1995 IARC concluded, "There is inadequate evidence in humans for the carcinogenicity of carbon black." Based on rat inhalation studies IARC concluded that there is "sufficient evidence in experimental animals for the carcinogenicity of carbon black". IARC's overall evaluation was that "Carbon black is possibly carcinogenic to humans (Group 2B)." This conclusion was based on IARC's guidelines, which require such a classification if one animal species exhibits carcinogenicity in two or more studies. Lung tumors in rats are the result of exposure under "lung overload" conditions. The development of lung tumors in rats is specific to this species. Mouse and hamster showed no carcinogenicity in similar studies. In 2006 IARC re-affirmed its 1995 classification of carbon black as Group 2B (possibly carcinogenic to humans). Overall, as a result of the detailed epidemiological investigations, no causative link between carbon black exposure and cancer risk in humans has been demonstrated. This view is consistent with the IARC evaluation in 2006. Furthermore, several epidemiological and clinical studies of workers in the carbon black production industries show no evidence of clinically significant adverse health effects due to occupational exposure to carbon black. No dose response relationship was observed in workers exposed to carbon black. Applying the rules of the Globally Harmonized System of Classification and Labeling (GHS, e.g. UN `Purple Book', EU CLP Regulation) the results of repeated dose toxicity and carcinogenicity studies in animals do not lead to classification of Carbon Black for Specific Target Organ Toxicity (Repeated exposure) and carcinogenicity. UN GHS says, that even if adverse effects are seen in animal studies or in-vitro tests, no classification is needed if the mechanism or mode of action is not relevant to humans. The European CLP Regulation also mentions, that no classification is indicated if the mechanism is not relevant to humans. Furthermore, the CLP guidance on classification and labeling states, that "lung overload" in animals is listed under mechanism not relevant to humans. Titanium Dioxide - In 2006, the International

Agency for Research on Cancer (IARC) evaluated TiO2 as "possibly carcinogenic to humans" (Group 2B) based primarily on studies in rats. Inhalation exposures to TiO2 in rats can result in lung effects and lung tumors. However, it is generally recognized that the rat is uniquely sensitive to the effects of "lung overload" which is not observed in other species including humans (Ref. 6). These facts are supported by the results from four large epidemiology studies involving more than 20,000 workers in the titanium dioxide manufacturing industry in North America and Europe which indicate no association with an increased risk of cancer or with any other adverse lung effects (Ref. 1,2,3,4,5,7). These studies did not specifically differentiate between the ultrafine and pigmentary TiO2. References: 1. Boffetta P, Gaborieau V, Nadon L, Parent M-E, Weiderpass E, Siemiatycki J. (2001). Exposure to titanium dioxide and risk of lung cancer in a population-based study from Montreal. Scand. J. Work Environ. Health 27:227-232. 2. Boffetta P., Soutar A., Cherrie J., Granath F., Andersen A., Anttila A., Blettner M., Gaborieau V., Klug S., Langard S., Luce D., Merletti F., Miller B., Mirabelli D., Pukkala E., Adami H-O., and Weiderpass E. (2004). Mortality among workers employed in the titanium dioxide industry in Europe. Cancer Causes and Control 15(7):697-706. 3. Chen J, and Faverweather W. (1988). Epidemiologic study of workers exposed to titanium dioxide. J. Occup.Med. 30(12):937-42. 4. Fryzek J, Chadda B, Marano D, White K, Schweitzer S, McLaughlin J, and Blot W. (2003). A cohort mortality study among titanium dioxide manufacturing workers in the United States. J. Occup. Environ. Med. 45(4): 400-09. 5. Garabrant D.H., Fine L.J., Oliver C., Bernstein L., and Peters J.M. (1987). Abnormalities oof pulmonary function and pleural disease among titanium metal production workers, Scand, J. Work Environ, Health 13(1):47-51. 6. Levy L. S. (1994). Squamous Lung Lesions Associated with Chronic Exposure by Inhalation of Rats to p-Aramid Fibrils (Fine Fiber Dust) and to Titanium Dioxide: Findings of a Pathology Workshop. In: Mohr, U (Ed), Toxic and carcinogenic effects of solid particles in the respiratory tract, ILSI Press, 473-478. 7. Ramanakumar AV, Parent ME, Latreille B, Siemiatycki J. (2008). Risk of lung cancer following exposure to carbon black, titanium dioxide and talc: results from two case-control studies in Montreal. Int J Cancer 122:183-9. .

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide	-	Group 2B	-	X
13463-67-7				
Red Iron Oxide	-	Group 3	-	-
1309-37-1		•		
Carbon Black	A3	Group 2B	-	X
1333-86-4		-		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Not classified. (Based on mixture components).
Not classified. (Based on mixture components).
Not classified. (Based on mixture components).

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product has not been fully evaluated on the product level.

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Not regulated DOT

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

Not regulated IMDG

RID Not regulated

<u>ADR</u> Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA): This product does not contain chemicals at levels that are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

This material, as supplied, does not contain substances that would exceed the reportable quantity as hazardous substances under the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CFRCI A

This material, as supplied, does not contain substances that would exceed the reportable quantity as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Nickel Compounds which are known to the State of California to cause cancer, and chemicals including Hexavalent Chromium which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations. For more information, please contact your sales or technical representative.

BRCP 9 / 10 Brickform Refresh Color Pack

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors - Lab Technical Services

Issue Date01-Jul-2020Revision Date01-Jul-2020

Revision Note

Initial conversion to SDS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet