



# SAFETY DATA SHEET

Issue Date 07-May-2015

Revision Date 15-Apr-2020

Version 2

ES-1200

E-ETCH ES 1200

## 1. IDENTIFICATION

### Product identifier

**Product Name** E-ETCH ES 1200

### Other means of identification

**Product Code** ES-1200

### Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users.

**Uses advised against** Consumer use

### Details of the supplier of the safety data sheet

<b>Supplier Address</b>	<b>Manufacturer Address</b>
Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702	Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

**Company Phone Number** 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

**24 Hour Emergency Phone Number** 800-373-7542

## 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
-----------------------------------	------------

### Label elements

### Emergency Overview

**Danger**

### **Hazard statements**

Causes serious eye damage



**Appearance** Cloudy liquid

**Physical state** Liquid

**Odor** Characteristic

**Precautionary Statements - Prevention**

Wear eye protection/ face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor

**Hazards not otherwise classified (HNOC)****Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Urea Hydrochloride	506-89-8	20-30	*
Dipropylene Glycol Methyl Ether	34590-94-8	< 10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures**

<b>General advice</b>	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin Contact</b>	Wash skin with soap and water.
<b>Inhalation</b>	Move to fresh air in case of accidental inhalation of vapors or decomposition products.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Causes serious eye damage.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Water. Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

No information available.

**Hazardous combustion products** Thermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with eyes and skin. Wear protective gloves/protective clothing and eye/face protection. Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Neutralize and treat prior to discharge. For disposal information see section 13.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible materials** Reactive or incompatible with the following materials: oxidizing materials. This material may be extremely hazardous in contact with chlorates and nitrates. Contact with hypochlorites (eg. Chlorine bleach, sulfides or cyanides) will liberate toxic gases. Contact with alkaline materials (eg. Aqua ammonia) can generate heat.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Methyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>

#### **Legend**

\*S

*Skin - Skin Absorber*

*NIOSH IDLH Immediately Dangerous to Life or Health*

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### **Appropriate engineering controls**

##### **Engineering Controls**

Showers  
Eyewash stations  
Ventilation systems.

#### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

##### **Skin and body protection**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

##### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Information on basic physical and chemical properties**

<b>Physical state</b> <b>Appearance</b> <b>Color</b>	Liquid Cloudy liquid light yellow	<b>Odor</b> <b>Odor threshold</b>	Characteristic No information available
<b><u>Property</u></b> <b>pH</b> <b>Melting point/freezing point</b> <b>Boiling point / boiling range</b> <b>Flash point</b> <b>Evaporation rate</b> <b>Flammability (solid, gas)</b> <b>Flammability Limit in Air</b> <b>Upper flammability limit:</b> <b>Lower flammability limit:</b> <b>Vapor pressure</b> <b>Vapor density</b> <b>Specific Gravity</b> <b>Water solubility</b>	<b><u>Values</u></b> < 3.0 No information available Approximately 100 °C / 212 °F > 93 °C / 200 °F >1 (Butyl acetate = 1) No information available No information available No information available No information available ~1.05 Soluble	<b><u>Remarks • Method</u></b>	

<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	Not applicable
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	8.74 lbs/gal

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Reactive or incompatible with the following materials: oxidizing materials. This material may be extremely hazardous in contact with chlorates and nitrates. Contact with hypochlorites (eg. Chlorine bleach, sulfides or cyanides) will liberate toxic gases. Contact with alkaline materials (eg. Aqua ammonia) can generate heat.

**Hazardous Decomposition Products**

None under normal use conditions. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Nitrogen oxides (NOx). Hydrogen chloride.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	The product has not been tested The product is classified based on the mixture components.
<b>Inhalation</b>	May cause irritation of respiratory tract.
<b>Eye contact</b>	Risk of serious damage to eyes. Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	May be harmful if swallowed. Do not ingest. If swallowed then seek immediate medical assistance.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene Glycol Methyl Ether 34590-94-8	= 5.35 g/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-

### Information on toxicological effects

**Symptoms** May cause serious eye irritation or damage.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Not classified. (Based on mixture components.).
<b>Serious eye damage/eye irritation</b>	Eye Damage Cat 1. (based on mixture components).
<b>Sensitization</b>	Not Classified. This product does not contain known sensitizers at levels > or equal to 0.1%.
<b>Germ cell mutagenicity</b>	Not classified. (Based on mixture components).
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	Not classified. (Based on mixture components).
<b>STOT - single exposure</b>	Not classified. (Based on mixture components).
<b>STOT - repeated exposure</b>	Not classified. (Based on mixture components).
<b>Aspiration hazard</b>	Not classified. (Based on mixture components).

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	3858.84 mg/kg
<b>ATEmix (dermal)</b>	> 5000 mg/kg mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

This product has not been fully evaluated on the product level.

### Persistence and degradability

Expected to be biodegradable.

### Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Dipropylene Glycol Methyl Ether 34590-94-8	-0.064

**Other adverse effects** No information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

### 14. TRANSPORT INFORMATION

DOT Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Glycol Ether -	1.0

#### **SARA 311/312 Hazard Categories**

See section 2 for more information

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain substances that would exceed the reportable quantity as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Methyl alcohol - 67-56-1	Developmental

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycol Ether	X	X	X
Methyl alcohol 67-56-1	X	X	X



**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

<u>NFPA</u>	Health hazards 2	Flammability 1	Reactivity 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

**Prepared By** Solomon Colors - Lab Technical Services  
**Issue Date** 07-May-2015  
**Revision Date** 15-Apr-2020  
**Revision Note**  
Periodic Review

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**