

# SAFETY DATA SHEET

Issue Date 25-Oct-2018 Revision Date 09-Dec-2020 Version 5

**ES-100** E-Stain Evergreen ES-100

## 1. IDENTIFICATION

Product identifier

**Product Name** E-Stain Evergreen ES-100

Other means of identification

**Product Code** ES-100

Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

**Supplier Address Manufacturer Address** Solomon Colors, Inc. Solomon Colors, Inc. 4050 Color Plant Road 4050 Color Plant Road Springfield, IL

Springfield, IL

62702 62702

24 Hour Emergency Phone Number 800-373-7542 Use only in the event of an emergency involving a spill, leak, fire, exposure,

or accident involving chemical

## 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This product is classified as hazardous according to the criteria contained in the Hazard Communication Standard 29 CFR 1910.1200 (known as HCS 2012) and the Hazardous Products Regulations SOR/2015-17 (known as WHMIS 2015).

Acute toxicity - Oral	Category 4.
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1B

#### Label elements

## **Emergency Overview**

Danger

Hazard statements Harmful if swallowed

Causes skin irritation

Causes serious eye damage

ES-100 E-Stain Evergreen ES-100 1/11

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause genetic defects

May cause cancer

May damage fertility or the unborn child



Appearance Cloudy liquid Physical state Liquid Odor Slight

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment see section 4 of the SDS.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Proprietary Acid Solution	Proprietary	5-12	*
Copper Sulfate Pentahydrate	7758-99-8	0-11	*
Copper Chloride	7447-39-4	0-11	*
Sodium dichromate	10588-01-9	< 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

**Inhalation** If fumes from reactions are inhaled, move to fresh air immediately. Call a physician or

poison control center immediately.

Ingestion If swallowed, call a poison control center or physician immediately. Clean mouth with water

and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause

allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the

unborn child.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

**Hazardous combustion products**Thermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Stop leak if you can do it without risk. Avoid contact with skin, eyes and inhalation of

ES-100 3 / 11 E-Stain Evergreen ES-100

vapors. Ventilate affected area. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original

container. Keep in properly labeled containers. Keep from freezing.

Incompatible materials Strong oxidizing agents. Metals. Alkali.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper Sulfate Pentahydrate	TWA: 1 mg/m³ Cu dust and mist	-	IDLH: 100 mg/m3 Cu dust and mist
7758-99-8	-		TWA: 1 mg/m³ Cu dust and mist
Copper Chloride	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m3 Cu dust and mist
7447-39-4			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Sodium dichromate	STEL: 0.0005 mg/m <sup>3</sup> Cr(VI)	TWA: 5 µg/m³	IDLH: 15 mg/m <sup>3</sup> Cr(VI)
10588-01-9	inhalable particulate matter	(vacated) Ceiling: 0.1 mg/m <sup>3</sup>	TWA: 0.0002 mg/m <sup>3</sup> Cr
	TWA: 0.0002 mg/m <sup>3</sup> Cr(VI)	Ceiling: 0.1 mg/m³ CrO3 applies to	
	inhalable particulate matter	any operations or sectors for which	
	S*	the Hexavalent Chromium standard	
		[29 CFR 1910.1026] is stayed or is	
		otherwise not in effect	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Showers

> Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Wash face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing (dust, vapor, mist, gas). When using do not eat, drink or smoke. Wash contaminated

clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state **Appearance** Cloudy liquid Odor Sliaht

Color Green Odor threshold No information available

**Property** Remarks • Method Values

Liquid

No information available рΗ Melting point/freezing point No information available Boiling point / boiling range No information available

Flash point No information available **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

**ES-100** E-Stain Evergreen ES-100 5/11

Vapor pressure No information available Vapor density No information available Specific Gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

#### **Other Information**

Softening point
Molecular weight
VOC Content (%)
Density
No information available
No information available
No information available
No information available

Bulk density 10.3 lbs/gal

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

Strong oxidizing agents. Metals. Alkali.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides. Hydrogen chloride.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information**The product is classified based on the mixture components.

**Inhalation** May cause sensitization by inhalation.

**Eye contact** Risk of serious damage to eyes.

**Skin Contact** Irritating to skin.

Ingestion Harmful if swallowed. Do not ingest. If swallowed then seek immediate medical assistance.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Copper Sulfate Pentahydrate	= 300 mg/kg (Rat) = 960 mg/kg (	> 8 g/kg (Rabbit)	-
7758-99-8	Rat )		
Copper Chloride	= 584 mg/kg (Rat)	-	-
7447-39-4			
Sodium dichromate	= 46 mg/kg (Rat)	= 960 mg/kg (Rabbit)	= 200 mg/m <sup>3</sup> (Rat) 4 h
10588-01-9			

#### Information on toxicological effects

Symptoms Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause

allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the unborn

child.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Serious eye damage/eye irritation

Sensitization

Skin Irritation Cat 2. (based on mixture components). Irritating to skin.

Eye Damage Cat 1. (based on mixture components). Risk of serious damage to eyes. Skin Sensitizer Cat 1. May cause an allergic skin reaction. Respiratory Sensitizer Cat. 1. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Repeated or prolonged contact may cause allergic reactions in very susceptible persons. (based on

mixture components).

Germ cell mutagenicity Contains a known or suspected mutagen.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium dichromate	A1	Group 1	Known	X
10588-01-9				

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** May damage fertility or the unborn child. (based on mixture components).

STOT - single exposure
STOT - repeated exposure
Not classified. (Based on mixture components).
Not classified. (Based on mixture components).

**Aspiration hazard** No information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2819 mg/kg
ATEmix (dermal) 16424 mg/kg
ATEmix (inhalation-dust/mist) 5.6 mg/l

ES-100 7 / 11 E-Stain Evergreen ES-100

## 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

### **Ecotoxicity**

Components of this product are very harmful to aquatic life with long lasting effects.

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Copper Sulfate Pentahydrate	Toxic
7758-99-8	
Copper Chloride	Toxic
7447-39-4	
Sodium dichromate	Toxic
10588-01-9	Corrosive
	Ignitable

## 14. TRANSPORT INFORMATION

**DOT** Not regulated (If shipped in NON BULK packaging by ground transport) Exempt under DOT

49 CFR 173.154 (d). This material is corrosive to aluminum only.

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

ICAO (air)

**UN/ID** no. 3265

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE)

Hazard Class 8
Packing Group III

IATA

UN/ID no. 3265

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE)

Hazard Class 8
Packing Group III

**IMDG** 

UN/ID no. 3265

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC N.O.S. (UREA HYDROCHLORIDE)

Hazard Class 8
Packing Group

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

### 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

**ENCS** Does not comply

**IECSC** Complies

**KECL** Does not comply

PICCS Complies
AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Copper Chloride - 7447-39-4	1.0	
Sodium dichromate - 10588-01-9	0.1	

#### SARA 311/312 Hazard Categories

See section 2 for more information

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper Sulfate	=	X	-	-
Pentahydrate 7758-99-8				
Copper Chloride 7447-39-4	10 lb	X	-	Х
Sodium dichromate 10588-01-9	10 lb	X	-	Х

#### CERCL A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper Chloride	10 lb	-	RQ 10 lb final RQ
7447-39-4			RQ 4.54 kg final RQ
Sodium dichromate	10 lb	-	RQ 10 lb final RQ
10588-01-9			RQ 4.54 kg final RQ

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name		California Proposition 65
	Hexavalent chromium - 18540-29-9	Carcinogen
		Developmental

Female Reproductive
Male Reproductive

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Copper Chloride 7447-39-4	X	X	X
Sodium dichromate 10588-01-9	X	X	X

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors - Lab Technical Services

 Issue Date
 25-Oct-2018

 Revision Date
 09-Dec-2020

**Revision Note** 

Periodic Review The product hazard classification was updated and all relevant sections were revised to reflect this information.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**