

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 12-Mar-2024 Version 3

## 1. Identification

**Product identifier** 

Product Name Overlay Liquid Colorant

Other means of identification

Product Code MTC

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Coloring agent for Concrete

Restrictions on use Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant Road

Springfield, IL Springfield, IL 62702 62702

Emergency telephone number

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542

Emergency Telephone Hazmat Services 1-800-373-7542

## 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

## Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

### Hazard statements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Other Information

No information available.

## 3. Composition/information on ingredients

### Substance

Not applicable.

### Mixture

Chemical name	CAS No	Weight-%	Trade secret
Titanium Dioxide	13463-67-7	0-100	*
Red Iron Oxide	1309-37-1	0-90	*
Chrome Oxide	1308-38-9	0-50	*

The component(s) listed above are listed as an OSHA 29 CFR 1910.1000 Air Contaminants. Occupational exposure limits are subsequently provided in section 8 of this SDS. Each MTC color will contain different pigments. Please contact the supplier if additional information is required.

## 4. First-aid measures

### **Description of first aid measures**

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Rinse mouth.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Revision Date 12-Mar-2024

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Thermal decomposition can lead to the release of irritating gases and vapors. Carbon

monoxide. Carbon dioxide (CO2).

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

**Precautions for safe handling** 

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Avoid prolonged exposure to heat and air.

## 8. Exposure controls/personal protection

### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Titanium Dioxide	TWA: 0.2 mg/m <sup>3</sup> nanoscale	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
	TWA: 2.5 mg/m <sup>3</sup> finescale	dust	TWA: 0.3 mg/m <sup>3</sup> CIB 63
	respirable particulate matter		ultrafine, including engineered

Revision	Date	12-Mar-2024
----------	------	-------------

			nanoscale
Red Iron Oxide	TWA: 5 mg/m³ respirable	TWA: 10 mg/m³ fume	IDLH: 2500 mg/m <sup>3</sup> Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m <sup>3</sup> total dust	fume
		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ Fe dust and
		fraction	fume
		(vacated) TWA: 10 mg/m <sup>3</sup> fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction regulated	
		under Rouge	
Chrome Oxide	-	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III)
1308-38-9		(vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr

Other information This product does not present an inhalation hazard in its current physical form. However,

activities such as spraying, misting, burning, welding (high temperature), sawing, brazing, machining, grinding, etc. may produce fumes and/or particulates and in those cases the exposure limits listed above would apply. Each MTC color composition will vary from one blend to the next. Depending on the color, the components listed above may not be present.

## **Appropriate engineering controls**

**Engineering controls Showers** 

> Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

No special protective equipment required. Eye/face protection

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Viscous Color Various Odor Characteristic **Odor threshold** Not applicable

Property Values Remarks • Method

рH 8.0 - 10.0None known

pH (as aqueous solution) None known

Melting point/freezing point No data available None known No data available Boiling point / boiling range None known No data available None known Flash point **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known None known

Flammability Limit in Air

**Upper flammability limit:** No data available

Revision Date 12-Mar-2024

Lower flammability limit: No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known No data available Water solubility None known Solubility(ies) No data available None known **Partition coefficient** No data available None known None known **Autoignition temperature** No data available None known **Decomposition temperature** 

Kinematic viscosity

No data available

None known

No data available

None known

Other information

Explosive properties
Oxidizing properties
No information available

**Density** 8.89-16.64 lb/gal - Depending on Color

Bulk density No information available

## 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

**Hazardous polymerization**None under normal processing.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon

monoxide. Carbon dioxide (CO2).

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** None known. (based on components).

**Eye contact** None known. (based on components).

**Skin contact** None known. (based on components).

**Ingestion** None known. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity .

**Numerical measures of toxicity** 

Revision Date 12-Mar-2024

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) > 5,000 mg/kg
ATEmix (dermal) > 2,000 mg/kg
ATEmix (inhalation-gas) > 5,000 ppm
ATEmix (inhalation-vapor) > 20 mg/l
ATEmix (inhalation-dust/mist) > 5 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Red Iron Oxide 1309-37-1	> 10000 mg/kg (Rat)	-	-
Chrome Oxide 1308-38-9	> 5000 mg/kg (Rat)	-	> 5.41 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Not classified. Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Not classified. Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Not classified. Classification is based on mixture calculation methods based on component

data.

**Germ cell mutagenicity**Not classified. Classification based on data available for ingredients.

Carcinogenicity Based on available data, the classification criteria are not met.

<u> </u>				
Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B	-	X
Red Iron Oxide 1309-37-1	-	Group 3	-	-
Chrome Oxide 1308-38-9	-	Group 3	-	-

**Reproductive toxicity** Not classified. Classification based on data available for ingredients.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard**Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

## 12. Ecological information

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Red Iron Oxide	-	LC50: =100000mg/L (96h,	-	-
1309-37-1		Danio rerio)		
Chrome Oxide	-	LC50: >10000mg/L (96h,	-	-
1308-38-9		Danio rerio)		

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

## 13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

## 14. Transport information

DOT Not regulated
TDG Not regulated
MEX Not regulated
ICAO (air) Not regulated
IATA Not regulated
IMDG Not regulated

## 15. Regulatory information

**International Inventories** 

TSCA Complies.

DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Not determined.
IECSC Complies.

KECLComplies.PICCSComplies.AIICComplies.NZIOCComplies.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Chrome Oxide - 1308-38-9	1.0	

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chrome Oxide 1308-38-9	-	Х	-	-

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium Dioxide - 13463-67-7	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	
1,4-Dioxane - 123-91-1	Carcinogen	

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Chrome Oxide 1308-38-9	X	X	X
Red Iron Oxide 1309-37-1	X	X	Х
Titanium Dioxide 13463-67-7	X	X	Х

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. Other information

NFPAHealth hazards1Flammability0Instability0Special hazards-HMISHealth hazards1\*Flammability0Physical hazards0Personal protectionX

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By
Revision Date
Revision Note
Disclaimer

Solomon Colors.
12-Mar-2024
Periodic Review.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.