

SAFETY DATA SHEET

Issue Date 14-Jun-2012

TR

Revision Date 10-Feb-2020

Version 2

Brickform Traction Grip

1. IDENTIFICATION

<u>Product identifier</u> Product Name	Brickform Traction Grip		
Other means of identification Product Code	TR		
Recommended use of the chemical Recommended Use Uses advised against	and restrictions on use Restricted to professional users. Consumer use		
Details of the supplier of the safety Supplier Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702	data sheet		
Company Phone Number 24 Hour Emergency Phone Number	217-522-3112 (Outside North America) 800-624-0261 (US & Canada); 1-800-373-7542		
	2. HAZARDS IDENTIFICATION		
Classification			
OSHA Regulatory Status This chemical is considered hazardous	s by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)		
Combustible dust			
Label elements			
	Emergency Overview		
Warning			
May form combustible dust concentrations in air			
Appearance White Powder	Physical state Solid	Odor Wax-Like	
Hazards not otherwise classified (H	NOC)		

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Substance.

Chemical Name	CAS No.	Weight-%	Trade Secret
Polypropylene	9003-07-0	100	*

The components listed above are listed as an OSHA 29 CFR 1910.1000 Air Contaminants. Occupational exposure limits are subsequently provided in section 8 of this SDS.

4. FIRST AID MEASURES

Description of first aid measures

· · · · · · · · · · · · · · · · · · ·		
General advice	No hazards which require special first aid measures. If symptoms persist, call a physician.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Wash off immediately with soap and plenty of water.	
Inhalation	Remove to fresh air.	
Ingestion	Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water.	
Self-protection of the first aider	Use personal protection recommended in Section 8.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits pertaining to nuisance dust or "particulates not otherwise regulated".	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Avoid water stream on molten burning material as it may scatter and spread fire.

Specific hazards arising from the chemical

Flash point >530 F/ 277 C. Melts in proximity to fires, causing slippery floors and stairs. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Risk of ignition should be prevented by avoiding accumulation of dust, e.g. on floors and ledges. Also refer to NFPA Bulletin 654, "Prevention of Fire and Dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries", for safe handling procedures.

Hazardous combustion products Thermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge Yes. (as dust).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid creating dust.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Vacuum or sweep up material and place in a designated labeled waste container. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). As a non-conductive micronized polymer and wax, very high levels of static electricity develop during manufacture, transportation and handling. These products, being poor conductors of electricity, can and will hold a static charge for long periods of time. With this in mind, a great deal of care should be exercised when handling this type of product in or around flammable liquids, particularly if the liquid is at or near its flashpoint. The generation of static electricity cannot be prevented because its intrinsic origins. Please use the caution when adding this product to a flammable liquid. - Never pour micronized polymers or waxes from a drum or large container directly into hot flammable solvents. -Add micronized polymers or waxes slowly and in small quantities to hot flammable solvents. All equipment used when handling the product must be grounded. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Incompatible with oxidizing agents. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure	Guidelines
LADOSUIC	Ouldennes

Exposure ourdennes	•		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Polypropylene	10mg/m ³	5mg/m ³	-
9003-07-0			

Appropriate engineering controls

Engineering Controls	Showers. Eyewash stations. Ventilation systems. Apply technical measures to comply with occupational exposure limits. However, it is the duty of the user to verify this and follow given exposure limits at the workplace.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid		
Appearance	White Powder	Odor	Wax-Like
Color	White	Odor threshold	No information available
Property_	Values	Remarks • Method	
рН	No information available		
Melting point/freezing point	166 °C / 330 °F		
Boiling point / boiling range	No information available	Not applicable	
Flash point	> 277 °C / > 530 °F		
Evaporation rate	No information available	Not applicable	
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	Heavier than Air		
Specific Gravity	No information available		
Water solubility	insoluble		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight VOC Content (%)	No information available None		

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents. Amines.

Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No acute toxicity information is available for this product
Inhalation	Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits.
Eye contact	May cause mechanical irritation (abrasion).
Skin Contact	May cause mechanical irritation (abrasion).
Ingestion	Ingestion may cause irritation to mucous membranes.

Information on toxicological effects

Symptoms	High dust cor	High dust concentration may cause mechanical irritation to eyes and skin.		
Delayed and immediate	effects as well as chronic	c effects from short and I	ong-term exposure	
Skin corrosion/irritation Serious eye damage/eye Sensitization	irritation Based on ava	Not Classified. This product does not contain known sensitizers at levels > or equal to		levels > or equal to
Germ cell mutagenicity	Based on ava	Based on available data, the classification criteria are not met.		
Carcinogenicity	The table bel	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Polypropylene 9003-07-0	-	Group 3	-	-
IARC (International Agency for Research on Cancer)				
Group 3 - Not Classifiable as to Carcinogenicity in Humans				
Reproductive toxicity	Not Classified	Not Classified. This product does not contain any known or suspected reproductive		
	hazards.			
STOT - single exposure	Based on ava	Based on available data, the classification criteria are not met.		
	Dasca on ave			
STOT - repeated exposu		ailable data, the classification	on criteria are not met.	

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product has not been fully evaluated on the product level.

Persistence and degradability

NOT READILY BIODEGRADABLE.

Bioaccumulation

No information available.

Other adverse effects

No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

International Inventories TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS

Complies Complies Does not comply Complies Complies Complies Complies Complies

Legend:

AICS

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 0	Flammability 1	Reactivity 0	Physical and Chemical Properties -
HMIS_	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X

Prepared By Issue Date Revision Date Revision Note Periodic Review Solomon Colors - Lab Technical Services 14-Jun-2012 10-Feb-2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet