

# SAFETY DATA SHEET

Issue Date 14-May-2015

Revision Date 27-May-2015

Version 1

UMS\_B

**UreMax WB Sealer Part B** 

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	UreMax WB Sealer Part B			
Other means of identification Product Code	UMS_B			
Recommended use of the chemical and restrictions on use				

Recommended UseRestricted to professional users.Uses advised againstConsumer use

Details of	f the supp	olier of the	safety of	data sheet

Supplier Address
Solomon Colors, Inc.
4050 Color Plant Road
Springfield, IL 62702

Manufacturer Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

Company Phone Number800-624-0261 (US & Canada); 217-522-3112 (Outside North America)24 Hour Emergency Phone Number800-373-7542

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Vapors)		Category 4
Respiratory sensitization	Category 1	
Skin sensitization	Category 1	
Specific target organ toxicity (single exposure)	Category 3 (Respiratory System)	
Specific target organ toxicity (repeated exposure)	Category 2 (Lungs)	

# Label elements

**Emergency Overview** 

Danger

Hazard statements Harmful if swallowed Toxic in contact with skin Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause respiratory irritation May cause cancer Causes damage to organs through prolonged or repeated exposure



Physical state Liquid

Odor Low

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area In case of inadequate ventilation wear respiratory protection Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

## Precautionary Statements - Storage

Store in accordance with local regulations

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

Causes mild skin irritation

· Harmful to aquatic life with long lasting effects

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Aliphatic Isocyanate	Proprietary	60-100	*

Aliphatic Polyisocyanate	Proprietary	10-45	*
Aliphatic Isocyanate	Proprietary	0-15	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).	
Eye contact	Do not rub affected area. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.	
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
	- · · · · · · ·	

Note to physicians Treat sym

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Dry chemical, Carbon Dioxide, Foam, Sand.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

In the event of fire, cool tanks with water spray.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.

Other Information	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal. Ground and bond containers when transferring material. Dike for later disposal and cover with wet sand or earth.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. HANDLING AND STORAGE		
	7. HANDEING AND STOKAGE	
Precautions for safe handling	7. HANDLING AND STOKAGE	
Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Never pierce, drill, grind, cut, saw or weld any empty container.	
-	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Never pierce, drill, grind, cut, saw or weld any empty container.	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Never pierce, drill, grind, cut, saw or weld any empty container.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

# Exposure Guidelines

	•		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aliphatic Isocyanate	TWA: 0.005 ppm	-	Ceiling: 0.020 ppm 10 min
			Ceiling: 0.140 mg/m <sup>3</sup> 10 min
			TWA: 0.005 ppm
			TWA: 0.035 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

## Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Viscous No information available	Odor Odor threshold	Low No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	Values_No information availableNo information available130.3 °C / 266.5 °F>93.3 °C / >200 °FNo information availableNo information available	<u>Remarks • Method</u>	
Explosive properties	No information available		

#### **Oxidizing properties**

No information available

# Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

Strong oxidizing agents.

## Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Harmful by inhalation, in contact with skin and if swallowed
Inhalation	Avoid breathing vapors or mists. Harmful by inhalation.
Eye contact	Avoid contact with eyes. Risk of serious damage to eyes.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	Do not taste or swallow. Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aliphatic Isocyanate	-	-	= 18500 mg/m³(Rat)1 h
Aliphatic Isocyanate	= 710 mg/kg (Rat)	= 570 µL/kg (Rabbit)	= 0.15 mg/L (Rat) 4 h

#### Information on toxicological effects

#### Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.

# Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	71000 mg/kg
ATEmix (dermal)	59280 mg/kg
ATEmix (inhalation-dust/mist)	50.1 mg/l

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Aliphatic Isocyanate	-	26.1: 96 h Brachydanio rerio mg/L	-
		LC50 static	

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** 

Do not reuse container.

# 14. TRANSPORT INFORMATION

## DOT

UN/ID no. Proper shipping name Hazard Class Packing Group UN1263 Paint Related Material 3 III

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Aliphatic Isocyanate -	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Aliphatic Isocyanate	100 lb	-	RQ 100 lb final RQ
			RQ 45.4 kg final RQ

## US State Regulations

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aliphatic Isocyanate	Х	Х	-

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Reactivity 0

Flammability 0

Physical hazards 0

14-May-2015

27-May-2015

Physical and Chemical <u>HMIS</u> Properties -Personal protection X Health hazards 0

Issue Date Revision Date Revision Note No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet