

SAFETY DATA SHEET

Version 2

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 07-Apr-2025

1. Identification		
Product identifier		
Product Name	UreMax WB Sealer Part B	
Other means of identification		
Product Code	UMS_B	
UN/ID no.	NA1993	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended Use	Restricted to professional users	
Restrictions on use	Consumer use	
Details of the supplier of the safety data sheet		
Supplier Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702		
Emergency telephone number		
Company Phone Number	800-624-0261 (US & Canada); 217-522-3112 (Outside North America)	
24 Hour Emergency Phone Number	800-373-7542	

Emergency Telephone Hazmat Services 1-800-373-7542

2. Hazard(s) identification

Classification

Flammable liquids	Category 4
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements



Hazard statements

Combustible liquid Harmful if swallowed Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause respiratory irritation. May cause drowsiness or dizziness

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area In case of inadequate ventilation wear respiratory protection Contaminated work clothing must not be allowed out of the workplace Keep away from flames and hot surfaces. - No smoking Wear protective gloves/eye protection/face protection Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Homopolymer of Hexamethylene Diisocyanate	28182-81-2	70.84	*
Diisopropylethylamine	7087-68-5	2.31	*
Hexamethylene diisocyanate	822-06-0	< 0.385	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. May produce an allergic reaction. Get immediate medical attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information. Avoid breathing vapors or mists.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Difficulty in breathing.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization by skin contact.
Hazardous combustion products	Decomposition and combustion materials might be toxic. Burning may produce Carbon Monoxide and various unidentified organic compounds.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,
sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Store in accordance with the particular
national regulations. Store in accordance with local regulations. Keep out of the reach of
children. Store locked up.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexamethylene diisocyanate	TWA: 0.005 ppm	-	Ceiling: 0.020 ppm 10 min
822-06-0			Ceiling: 0.140 mg/m ³ 10 min
			TWA: 0.005 ppm
			TWA: 0.035 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
Hexamethylene diisocyanate	15 μg/g creatinine - urine (1,6-Hexamethylenediamine with
822-06-0	hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

- **Eye/face protection** Tight sealing safety goggles.
- Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Physical state	Liquid	
Appearance	Clear liquid	
Color	clear	
Odor	Low	
Odor threshold	No information available	

Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)		None known
Melting point/freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	> 61 °C / 141.8 °F	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	s None under normal use conditions. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. May cause irritation of respiratory tract. May cause drowsiness or dizziness. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. May cause redness, itching, and pain. (based on components).
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin

	contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. Causes skin irritation. (based on components).		
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).		
Symptoms related to the physical, chemical and toxicological characteristics			
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.		
Acute toxicity	Harmful if swallowed. Harmful by inhalation.		

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	369.80 mg/kg
ATEmix (dermal)	> 2,000 mg/kg ppm mg/l
ATEmix (inhalation-dust/mist)	3.9 mg/l

Unknown acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Homopolymer of Hexamethylene Diisocyanate 28182-81-2	-	> 2000 mg/kg (Rat)	= 18500 mg/m³ (Rat)1 h
Diisopropylethylamine 7087-68-5	= 317 mg/kg (Rat)	-	= 2.63 mg/L (Rat)4 h
Hexamethylene diisocyanate 822-06-0	= 738 mg/kg (Rat)	> 7000 mg/kg (Rat)	= 0.06 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation. May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure	No information available.
Target organ effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diisopropylethylamine 7087-68-5	-	LC50: =69.7mg/L (96h, Danio rerio)	-	-
Hexamethylene diisocyanate 822-06-0	-	LC50: =26.1mg/L (96h, Brachydanio rerio)	-	-

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient
Diisopropylethylamine	1.18
7087-68-5	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT	
UN/ID no.	NA1993
Proper shipping name	Combustible liquid, n.o.s. (Dipropylene Glycol Dimethyl Ether)
Transport hazard class(es)	3
Packing Group	III

ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

International Inventories

TSCA

Complies.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Homopolymer of Hexamethylene Diisocyanate	28182-81-2	Present	Active
Diisopropylethylamine	7087-68-5	Present	Active
Hexamethylene diisocyanate	822-06-0	Present	Active

DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Hexamethylene diisocyanate - 822-06-0	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42).

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hexamethylene diisocyanate 822-06-0	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hexamethylene diisocyanate	Х	Х	-
822-06-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS Chronic Hazard Star Leg	Health hazards 2 Health hazards 2 * end *= Chronic I	Flammability Flammability Health Hazard		nstability 0 Physical hazards 0	Special hazards - Personal protection X
	reviations and acronyms u XPOSURE CONTROLS/PE			<u>t</u>	
TWA TV	VA (time-weighted average) aximum limit value		TEL	STEL (Short Ter Skin designation	m Exposure Limit)
Agency for Toxic Subs U.S. Environmental Pr European Food Safety EPA (Environmental P Acute Exposure Guide U.S. Environmental Pr U.S. Environmental Pr Food Research Journa Hazardous Substance International Uniform C National Institute of Te Australia National Indu NIOSH (National Instit National Library of Mer National Library of Mer National Toxicology Pr New Zealand's Chemic Organization for Econo	Protection Agency) eline Level(s) (AEGL(s)) otection Agency Federal Ins otection Agency High Produ al Database Chemical Information Databa echnology and Evaluation (Ni ustrial Chemicals Notification ute for Occupational Safety a dicine's ChemID Plus (NLM) dicine's PubMed database (I	y (ATSDR) Database ecticide, Fungicic ction Volume Che ase (IUCLID) ITE) and Assessmen and Health) CIP) NLM PUBMED) ation Database (0 lopment Environ	de, and Rode emicals t Scheme (Ni CCID) ment, Health,	ICNAS) , and Safety Publicatic	

Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision Date	07-Apr-2025
Revision Note	The product composition and classification was revised to reflect the most current
	composition. All sections of the SDS have been modified since the last revision.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.