

CCW MIRADRAIN 6000 CERTIFICATION

This is to certify that CCW MiraDRAIN 6000 is a high-performance, high-strength drainage composite consisting of a three-dimensional, high-impact polystyrene core, and a nonwoven filter fabric. The CCW MiraDRAIN 6000 is Made in the USA.

CCW MiraDRAIN 6000 meets the following ASTM typical property values and specification requirements:

CCW MiraDRAIN 6000	Test Method	Unit	Typical Value
Thickness	ASTM D 1777	in (mm)	0.40 (10.16)
Compressive Strength	ASTM D 1621	psf (kPa)	15,000 (719)
Maximum Flow Rate	ASTM D 4716	gpm/ft width (l/min/m width)	17 (213)
Installed Vertically	ASTM D 4716	gpm/ft (l/min/m)	12.5 (157)
Fabric (DCN 04)	Test Method	Unit	
Apparent Opening Size	ASTM D 4751	US Std Sieve (mm)	40 (0.425)
Water Flow Rate	ASTM D 4491	gal/min/ft ² (l/min/m ²)	200 (8,148)
Grab Tensile Strength	ASTM D 4632	lbs (kN)	80 (0.36)
Grab Elongation	ASTM D 4632	%	60

Rev. October 1, 2013