



- CCW-201 SEALANT OR 704 MASTIC
- CCW SURE-SEAL TERMINATION BAR
- CCW-500 @ 125 mils
- CCW-EJ-500 EXPANSION JOINT SYSTEM SET IN HOT CCW-500
- CCW-500 @ 90 mils
- CCW-PRIMER OR CCW-CONTACT ADHESIVE
- CCW MIRADRAIN 9000
- CCW-PROTECTION BOARD H OR HS
- CCW-500 @ 125 mils
- CCW-500 REINFORCING FABRIC
- CCW-500 @ 90 mils
- CCW-PRIMER OR CCW-CONTACT ADHESIVE
- CCW-201 SEALANT
- BACKER ROD (DIA.=1½" x JT. WIDTH)
- JOINT FILLER
- CONCRETE DECK

JOINT MOVEMENT +/- 3/4" USE EJ-500/20
 JOINT MOVEMENT +/- 1 3/4" USE EJ-500/40
 JOINT MOVEMENT +/- 2" USE EJ-500/100

TERMINATION OF SHEET FLASHING ON WALL SHALL BE BELOW FINISH COURSE OR COVER WITH METAL COUNTER FLASHING

DETAIL IS INTENDED TO BE A GUIDE FOR WATERPROOFING INSTALLATION ONLY.

500-3H

CCW-EJ-500 PERIMETER EXPANSION JOINT

