Head of Wall - Slotted Tracks by CEMCO

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 742522187776

CLASSIFICATION: 05 40 00 Cold-Formed Metal Framing

PRODUCT DESCRIPTION: CEMCO's "CST" Brand Slotted Track is evaluated and approved for use by ICC in report ESR-2012, and is available with optional drift slots. Produced from G40 (18 and 33 mil) and G60 (43, 54, 68 mil) coated steel, CEMCO CST Slotted Track is fabricated from hot-dipped galvanized steel complying with AISI S220-20, ASTM A653, and ASTM A1003 Structural Grade 50 Type H for Grade 33 Type H for with a minimum G60 coating, and complies with ASTM C645. AISI S220-20 North American Standard for Cold-Formed Nonstructural Framing, Material Specification (ASTM) A1003/A653/A924; Product Specification (ASTM) C645; Coating Specification (ASTM) A1003/A653/A924; Installation (ASTM) C754. All CEMCO products are manufactured in the USA at one of our four state-of-the-art production facilities strategically located in four major metropolitan markets to ensure that service and quality requirements are met. May also include the following CSI MasterFormats: 09 21 16 Gypsum Board Assemblies.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- O Material
- O Product

Threshold Level • 100 ppm C 1,000 ppm C Per GHS SDS O Other

Residuals/Impurities Evaluation Completed in 3 of 3 Materials Explanation(s) provided

for Residuals/Impurities? • Yes • No

Nested Method / Product Threshold

For all contents above the threshold, the mai	nufacturer has:
Characterized	\odot Yes \bigcirc No
Provided weight and role.	
Screened	\odot Yes \bigcirc No
Provided screening results using HPDC-appl	roved
methods.	
Identified	\odot Yes \bigcirc No
Provided name and CAS RN or other identified	er.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

BASE STEEL [IRON, ELEMENTAL LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CARBON LT-UNK COPPER LT-P1 | MUL AQU | MAM ALUMINUM BM-1 | END | MAM | PHY NICKEL LT-1 | CAN | MUL | RES | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | MAM | REP | RES SILICON, ELEMENTAL LT-UNK PHOSPHORUS BM-2 | MAM | PHY | EYE | AQU | SKI MOLYBDENUM LT-UNK | MAM | SKI | REP TITANIUM LT-UNK | PHY] ZINC COATING [ZINC, ELEMENTAL LT-P1 | MUL | AQU ALUMINUM BM-1 | END | MAM | PHY] PASSIVATION COATING []

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: Inherently non-emitting source per LEED LCA: Environmental Product Declaration (EPD) by SCS Evaluation Report: ICC-ES Evaluation Report

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third	Party	Verified?
Ihird	Party	Verified

O Yes No

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2024-11-05 PUBLISHED DATE: 2024-11-05 EXPIRY DATE: 2027-11-05

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

IDON ELEMENTAL

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BASE STEEL	%: 97.4000 - 99.1000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
	: No residuals or impurities are known or expected to be present at or above LT-1, LT-P1 or NoGS based on information provided in supplier disclosures	
OTHER MATERIAL NOTES: Standard	G40 and G60 hot-dipped galvanized steel.	

IRON, ELEMENTAL				ID: /439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZA	RD SCREENING DATE: 2024-11-05 11:34:42	
%: 98.2000 - 99.8000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATI	ON
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: CEMCO cold-formed steel framing products contain 30% to 37% pre- and post-consumer recycled steel sourced from several domestic (USA) suppliers.

MANGANESE				ID: 7439-96-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-11-05 11:34:43
%: 0.0600 - 1.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

ID: 7400 00 C

HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MUL	German FEA - Substances H Waters	Hazardous to	Class 3 - Severe Hazard to Waters			
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]			
MAM	GHS - Japan	r		lamage to organs through prolonged or ire [Specific target organs/systemic toxicity ed exposure - Category 1]		
MAM	GHS - Australia			lamage to organs through prolonged or rre [Specific target organ toxicity - rre - Category 1]		
AQU	GHS - New Zealand		Hazardous to the	e aquatic environment - chronic category 3		
AQU	GHS - Japan			aquatic life [Hazardous to the aquatic ute) - Category 2]		
AQU	GHS - Japan	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
			Biological and Environmentally Released Materials			
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
			Children's Produ	cts		
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024			
			Children's Toy P	roducts		
SUBSTANCE NOTES:						
CARBON				ID: 7440 44		
	Pharos Chemical and Materials Lib	rary	HAZARD	ID: 7440-44- SCREENING DATE: 2024-11-05 11:34:4		
6: 0.0300 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Class	es Precautionary List
			Antimicrobials	
SUBSTANCE NOTES:				
COPPER				ID: 7440-50-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2024-11-05 11:34:44
%: 0.0100 - 0.0900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	azardous to	Class 3 - Severe	Hazard to Waters
AQU	EU - GHS (H-Statements) An	nex 6 Table 3-1		aquatic life with long lasting effects e aquatic environment (chronic) -
MAM	GHS - Japan			se respiratory irritation [Specific target Single exposure - Category 3]
МАМ	GHS - Japan			lamage to organs [Specific target toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautio	nary List
			Precautionary lis avoidance	t of substances recommended for
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Class	ses Precautionary List
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	ovation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	ovation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	cts
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	ovation Institute		.1 Product Standard Restricted fective July 1, 2024
			Children's Toy P	roducts
SUBSTANCE NOTES:				

	74	-	0	~ ~
11.7	14	<u></u>	- 91	U-3

IAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2024-11-05 11:34:44
6: 0.0300 - 0.0700	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	Visruptors	Potential Endocr	ine Disruptor
MAM	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic toxicity ed exposure - Category 1]
MAM	GHS - Japan			damage to organs [Specific target toxicity following single exposure -
РНҮ	GHS - Japan		[Substances and	t with water releases flammable gas mixtures, which in contact with water, gases - Category 2]
РНҮ	GHS - Malaysia			fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]
РНҮ	GHS - Australia			fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]
РНҮ	GHS - New Zealand		Pyrophoric solids	s category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute		0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute		0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	icts
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute		1.1 Product Standard Restricted fective July 1, 2024
			Children's Toy P	roducts
	eenScreen Benchmark® assessment sco	ore of BM-1 was p	provided by the HP	
IICKEL				ID: 7440-02-(
	Pharos Chemical and Materials Libra	arv	HAZARD	SCREENING DATE: 2024-11-05 11:34:44

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE:	DATA SOURCE: Pharos Chemical and Materials Library			SCREENING DATE: 2024-11-05 11:34:44		
%: 0.0200 - 0.0400	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	МАК	МАК		Sensitizing Substance Sh - Danger of skin sensitization		
МАМ	GHS - Japan	GHS - Japan		se respiratory irritation [Specific target Single exposure - Category 3]		
REP	GHS - New Zealand	GHS - New Zealand		xicity category 2		
RES	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization Category 1A]			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SILICON, ELEMENTAL				ID: 7440-21-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-11-05 11:34:45
%: 0.0100 - 0.0300	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			Ν	Io listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
PHOSPHORUS				ID: 7723-14-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-11-05 11:34:45
%: 0.0100 - 0.0200	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
РНҮ	GHS - New Zealand	Pyrophoric solids category 1
EYE	GHS - New Zealand	Serious eye damage category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - New Zealand	Skin corrosion category 1A
МАМ	GHS - New Zealand	Acute dermal toxicity category 1
МАМ	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - New Zealand	Acute oral toxicity category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-11-05 11:34	
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		,	se respiratory irritation [Specific target Single exposure - Category 3]
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive to:	xicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			Ν	No listings found on Additional Hazard Lists

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	/	HAZARD	SCREENING DATE:	2024-11-05 11:34:46
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	LE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
РНҮ	GHS - Japan		H225 - Highly fla solids - Category	mmable liquid and va 1]	pour [Flammable
РНҮ	GHS - Japan		H250 - Catches [Pyrophoric solid	fire spontaneously if e s - Category 1]	exposed to air
РНҮ	GHS - Japan			ing;; may catch fire [S mixtures - Category 1	0
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			Ν	lo listings found on A	dditional Hazard Lists

ZINC COATING	%: 0.9000 - 2.6000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Standard G40 and G60 hot dipped galvanized steel manufactured per ASTM A653.

ZINC, ELEMENTAL			ID:	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2024-11-05 11:34:46
%: 99.2000 - 99.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 3 - Severe I	Hazard to Waters
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - acute category 1
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		Chemical and Materials Library HAZARD SCREENING DATE: 2024-11-05 11:34:		
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
РНҮ	GHS - Japan			with water releases flammable gas nixtures, which in contact with water, ises - Category 2]
РНҮ	GHS - Malaysia			e spontaneously if exposed to air ; Pyrophoric solids - Category 1]
РНҮ	GHS - Australia			e spontaneously if exposed to air ; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand		Pyrophoric solids	category 1

		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

PASSIVATION COATING	%: 0.0000 - 0.0010	
PRODUCT THRESHOLD: 100	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Other: Corrosion
ppm	Yes	Inhibitor

RESIDUALS AND IMPURITIES NOTES: As all substances in this material are below the reportable threshold, no residuals or impurities are possible at or above the Content Inventory Threshold indicated.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold. Passivation coatings for corrosion resistance are an industry standard for this type of material.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: City of Industry, CA 91746; Pittsburg, CA 94565; Denver, CO 80204; Fort Worth, TX 76140 CERTIFICATE URL:	ISSUE DATE: 2024-09-19 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES:		
LCA	Environmental Product Declaration (EPD) by SC	S

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: City of Industry, CA 91746; Pittsburg, CA 94565; Denver, CO 80204; Fort Worth, TX 76140 CERTIFICATE URL: https://tinyurl.com/2k9y39nb ISSUE DATE: 2021-05-28 00:00:00 EXPIRY DATE: 2026-05-27 00:00:00 CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: CEMCO is listed as a recognized participant in this Industry-Wide EPD. Declaration Owner: Steel Framing Industry Association (SFIA). Declaration Number: SCS-EPD-07103. Product: Cold-formed Steel Framing. Declared Unit: One ton of industryaveraged cold-formed steel framing product. Product Category Rule: PCR Guidance for Version 3.2, Part A, UL Environment, September 2018; PCR Guidance for Building-Related Products and Services, Part B: Designated Steel Construction Product EPD Requirements, UL Environment, v2, August 2020. EPD Scope: Cradle-to-Gate. This EPD conforms to ISO 14025, 14040, 14044, and ISO 21930.

EVALUATION REPORT

ICC-ES Evaluation Report

CERTIFYING PARTY: Third PartyISSUE DATE: 2024-02-01 00:00:00CERTIFIER OR LAB: ICCAPPLICABLE FACILITIES: City of Industry, CA 91746;EXPIRY DATE: 2025-10-01 00:00:00Evaluation ServicePittsburg, CA 94565; Denver, CO 80204; Fort Worth, TX76140Fort Worth, TXFort Worth, TX

CERTIFICATE URL: https://icc-es.org/report-listing/esr-2012/

CERTIFICATION AND COMPLIANCE NOTES: ESR-2012. Evaluation Subject: CEMCO Steel Tracks Expansion Joint System for Nonload-Bearing Wall Systems. Evaluation Scope includes compliance with the following codes: 2018 and 2015 International Building Code® (IBC). Uses: CEMCO Slotted Tracks are deflection tracks that are recognized for use in nonload-bearing, light-gauge steel framed wall assemblies. CEMCO Slotted Tracks are part of the Expansion Joint System, which provides a gap at the top of the wall to accommodate vertical movement of the building caused by seismic, wind or other loads.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GYPSUM WALLBOARD

MANUFACTURER (OR GENERIC): Generic

HPD URL: https://www.hpd-collaborative.org/hpd-public-repository/

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: For installation of drywall framing system. According to ICC-ES ESR-2012: "The 5/8-inch-thick (15.9 mm), Type X gypsum wallboard must comply with ASTM C1396". Several domestic (USA) gypsum wallboard suppliers have published HPDs available for their products; see HPD Public Repository for more information and to download gypsum wallboard HPDs.

FASTENERS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used to attach the tops of studs to CST/SLP-TRK®. According to ICC- ES ESR-2012: Fasteners "must be minimum No. 8 by 9/16-inch- long (14.3 mm), wafer-head, self-piercing tapping or self-drilling tapping, as applicable, steel screws complying with ASTM C 1513-13."

Section 5: General Notes

This HPD covers CEMCO's "CST" Brand Slotted Track.

MANUFACTURER INFORMATION

MANUFACTURER: CEMCO ADDRESS: 13191 Crossroads Pkwy. North Suite 325 City of Industry, CA 91746 COUNTRY: USA WEBSITE: www.cemcosteel.com CONTACT NAME: Fernando Sesma TITLE: Director of Technical Services PHONE: 800.416.2278 EMAIL: fsesma@cemcosteel.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen[®] assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.