# Type X/Type C Gypsum Board by Saint Gobain

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00.00 Finishes Gypsum Board

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed 5/8" Type X, 1/2" Type C, 5/8" Type C, 1/2" Abuse Resistance Type C, 5/8 Abuse Resistance Type X, 5/8: Sheathing Treated Core Type X, 5/8" Veneer Plaster Base Type C, 5/8" Veneer Plaster Base Type X, 5/8" Evenwall™ Type X, 5/8" Exterior Soffit Type X, 5/8" Exterior Soffit Type C, Easy Lite Type X, Extreme Abuse and Extreme Impact.



# Section 1: Summary

# **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

# **Inventory Reporting Format**

Nested Materials Method

C Basic Method

#### **Threshold Disclosed Per**

Material

Product

# Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS C Per OSHA MSDS

C Other

#### Residuals/Impurities

Residuals/Impurities Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

GYPSUM CORE BOARD TYPE X/ TYPE C [ CALCIUM SULFATE DIHYDRATE LT-UNK STARCH (PRIMARY CASRN IS 9005-25-8) LT-UNK POLY(VINYL ALCOHOL) LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS LT-UNK GLUCOSE BM-3 PARAFFIN LT-UNK VERMICULITE NoGS MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT LT-UNK NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT LT-P1 SODIUM POLYNAPTHALENESULFONATE LT-P1 | PBT PROTEIN HYDROLYSATE [USP] NoGS 2-NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT LT-P1 | PBT QUARTZ LT-1 | CAN SILICA FUME LT-P1 | CAN ] PAPER FACING [ CELLULOSE MICROCRYSTALLINE NoGS LIMESTONE, CALCIUM CARBONATE LT-UNK KAOLIN, CALCINED LT-UNK STARCH LT-UNK ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

All materials have been screened thru the HPD tool. All residuals and impurities have been considered. HPD has been reviewed and certified by a third party.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

## **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared VERIFIER:

**SCREENING DATE: 2019-02-06** PUBLISHED DATE: 2019-02-06 **⊙** No



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### **GYPSUM CORE BOARD TYPE X/ TYPE C**

%: 95.5000 - 98.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES:

#### **CALCIUM SULFATE DIHYDRATE**

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: 87.0000 - 96.0000	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Core of the Panel
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	No hazards found			

SUBSTANCE NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

### STARCH (PRIMARY CASRN IS 9005-25-8)

ID: 2075820-73-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-06			
%: <b>3.0000 - 9.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Binder for coreboard		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS			
	No hazards found					

POLY(VINYL ALCOHOL)	ID: <b>9002-89-5</b>
---------------------	----------------------

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: <b>2019-0</b>	02-06
%: <b>0.0200 - 0.0300</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: binder in wax

No hazards found

SUBSTANCE NOTES:

WARNINGS

WARNINGS

# POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS

ID: 68891-29-2

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD S	CREENING DA	TE: <b>2019-02-06</b>
%: 0.0200 - 0.1000	GS: LT-UNK	RC: <b>None</b>	NANO: <b>No</b>	ROLE: Gypsum core development
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES:

GLUCOSE				ID: <b>50-99-7</b>	
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-06			
%: <b>0.0100 - 0.1000</b>	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Gypsum crystal setting time	
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS		
	No hazards found				

PARAFFIN				ID: <b>8002-74-2</b>	
HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-06			
%: <b>0.0000 - 4.2500</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: moisture resistance	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS		
	No hazards found				
SUBSTANCE NOTES:					

VERMICULITE				ID: <b>1318-00-9</b>
HAZARD SCREENING METHOD: Pharos Chemi	cal and Materials Library	HAZARD SCREEN	IING DATE: 2019-0	22-06
%: 0.0000 - 5.0000	GS: NoGS	RC: None	nano: <b>No</b>	ROLE: fire resistance

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES:

# MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT $\leq$ 18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06			
%: 0.0000 - 0.1000	gs: <b>LT-UNK</b>		RC: None	nano: <b>No</b>	ROLE: Panel Strenght
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES:					

# NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT

ID: 37293-74-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06			
%: <b>0.0000 - 0.1000</b>	GS: <b>LT-P1</b>	RC: None NANO: No ROLE: Gypsum crystal formation	1		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

## **SODIUM POLYNAPTHALENESULFONATE**

ID: 9084-06-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06			
%: 0.0000 - 0.0500	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Gypsum crystal formulation	
HAZARD TYPE	AGENCY AND LIST TITLES	W	VARNINGS		
PBT	EC - CEPA DSL		Persistent, Bioad numans	ccumulative and inherently Toxic (PBiTH) to	

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

## **PROTEIN HYDROLYSATE [USP]**

ID: 9015-54-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: <b>0.0000 - 0.2500</b>	GS: <b>NoGS</b>	RC: None	NANO: <b>No</b>	ROLE: Gypsum crystal formation

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES:

# 2-NAPHTHALENESULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ID: 36290-04-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: <b>0.0000 - 0.1100</b>	GS: LT-P1	RC: None NANO: No ROLE: Gypsum crystal formation		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		

SUBSTANCE NOTES: Due to the potentially hazardous nature of this material, R&D is actively seeking an alternative.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None NANO: Unknown ROLE: Impurity/Res	idual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposur	e route	
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhalo occupational sources	ed from	
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cand	cer in	
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Quartz is a naturally occurring contaminant within Gypsum

SILICA FUME ID: 69012-64-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-06

%: <b>0.0000 - 0.1000</b>	gs: LT-P1	RC: None	nano: <b>No</b>	ROLE: Fire resistance	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	Australia - GHS	H350i - Ma	H350i - May cause cancer by inhalation		
SUBSTANCE NOTES:					

## **PAPER FACING**

%: 2.5000 - 5.7500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the paper are considered and evaluated thru QA checks,

OTHER MATERIAL NOTES:

# CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Phai	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: <b>2019-0</b>	2-06
%: <b>85.0000 - 92.0000</b>	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Paper facing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	WARNINGS	
	No hazards found			

SUBSTANCE NOTES:

# LIMESTONE, CALCIUM CARBONATE

ID: **1317-65-3** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-06		
%: <b>4.0000 - 9.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: filler pigment in paper	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	INGS		
	No hazards found				

KAOLIN, CALCINED	ID: <b>92704-41-1</b>

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: <b>2.0000 - 7.0000</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: filler pigment in paper
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
	No hazards found			

**STARCH** ID: **9005-25-8** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06		
%: <b>0.1000 - 0.5000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: binder for paper
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES:

# ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL

ID: **25213-24-5** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-06			
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: bond paper to core board	
HAZARD TYPE	AGENCY AND LIST TITLES	WAI			
	No hazards found				



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

**EXPIRY DATE: 2019-**

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All certificate # 24756-420

03-11

07-13

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS.

#### MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain

ADDRESS: 20 Moored Road Malvern PA 19335, USA

WEBSITE: https://www.certainteed.com/drywall/

CONTACT NAME: Mitchell Schittler

TITLE: Gypsum Marketing Technical Services

PHONE: 6108936300

EMAIL: Mitchell.L.Schittler@saint-gobain.com

## **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

# Other Terms

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.