

HPD UNIQUE IDENTIFIER: 1448477696

CLASSIFICATION: 09 51 53 Direct-Applied Acoustical Ceilings

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed Ceilings Products: Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities Evaluation</b></p> <p>Completed in 2 of 2 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p><b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

G2 CORE BOARD | SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK KAOLIN LT-UNK CAN PERLITE LT-UNK EYE CELLULOSE, MICROCRYSTALLINE LT-UNK RES SOLUBLE STARCH NoGS G2 PAINT KAOLIN CLAY LT-UNK CAN LIMESTONE BM-3dg TALC BM-1 CAN MAM TITANIUM DIOXIDE BM-1 CAN END MAM NEPHELINE SYENITE LT-UNK POLY(VINYL ALCOHOL) LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-01-04

PUBLISHED DATE: 2024-01-04

EXPIRY DATE: 2027-01-04

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### G2 CORE BOARD

?: 94.0000 - 99.0000

PRODUCT THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Other: Composite acoustical board

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

OTHER MATERIAL NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board variations within the formulation are a result of the represented product groups.

### SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2024-01-04 13:14:14

?: 35.0000 - 42.0000      GreenScreen: LT-UNK      RC: None      NANO: No      SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

### KAOLIN

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2024-01-04 13:14:14

?: 15.0000 - 30.0000      GreenScreen: LT-UNK      RC: None      NANO: No      SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

**PERLITE**

ID: 93763-70-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-01-04 13:14:14**

%: **16.0000 - 24.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

EYE	GHS - New Zealand	Eye irritation category 2
-----	-------------------	---------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

**CELLULOSE, MICROCRYSTALLINE**

ID: 9004-34-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-01-04 13:14:14**

%: **6.0000 - 12.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

**SOLUBLE STARCH**

ID: 9005-84-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-01-04 13:14:15**

%: 5.0000 - 12.0000

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

G2 PAINT

%: 2.0000 - 6.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Paint Coating

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

OTHER MATERIAL NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

KAOLIN CLAY

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:14

%: 20.0000 - 45.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:14

%: 11.0000 - 30.0000

GreenScreen: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

**TALC** ID: 14807-96-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2024-01-04 13:14:15

%: **3.0000 - 15.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

  

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

**TITANIUM DIOXIDE** ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2024-01-04 13:14:15

%: **2.0000 - 15.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Brightener**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

**SUBSTANCE NOTES:** There is no respiratory fraction as this is bound within the paint and Industrial hygiene testing is lower than the OSHA PEL.

This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board, Protectone Vantage 10. The ranges within the formulation are representative of the ranges in the individual paint formulations.

%: **13.0000 - 15.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

**SUBSTANCE NOTES:** This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

**POLY(VINYL ALCOHOL)**ID: **9002-89-5**

%: **3.0000 - 12.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

**SUBSTANCE NOTES:** This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2022-07-14 00:00:00

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: L'Anse Michigan

EXPIRY DATE:

Analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Certificate # 220714-03

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED STEEL CAPPING BY SAINT GOBAIN

MANUFACTURER (OR GENERIC): CertainTeed

HPD URL: <https://hpdrepository.hpd->

[collaborative.org/repository/HPDs/41\\_CertainTeed\\_Ceilings\\_Steel\\_Suspension\\_System\\_with\\_Painted\\_Steel\\_Capping.pdf](https://collaborative.org/repository/HPDs/41_CertainTeed_Ceilings_Steel_Suspension_System_with_Painted_Steel_Capping.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This the recommended fire proof suspension system for this product line.

## Section 5: General Notes

All raw materials have been screened through the HPD Builder Tool and noted at the 100 ppm threshold. Proper care and caution has been noted in the production process and safe handling of material can be found on the SDS in the link below. For complete Safety and EHS information on any and all CertainTeed Ceiling Products please see <https://www.certainteed.com/commercial-ceilings/>

CertainTeed has screened the following products and their ingredients against chemicals listed in Living Building Challenge Red List 4.0. CertainTeed Ceilings G2 Products do not contain the listed chemicals above 100 ppm.

Note the recommended suspension system also has an HPD's and will generate an additional LEED point for incorporation into the ceiling design.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Saint Gobain  
**ADDRESS:** 20 Moores Road  
 Malvern, PA 19355  
**COUNTRY:** United States

**WEBSITE:** [www.certainteed.com/commercial-ceilings/](http://www.certainteed.com/commercial-ceilings/)  
**CONTACT NAME:** Robert Marshall  
**TITLE:** Senior Technical Services Manager  
**PHONE:** 800-233-8990  
**EMAIL:** Robert.L.Marshall@saint-gobain.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

