

HPD UNIQUE IDENTIFIER: 1448477696

CLASSIFICATION: 09 51 53 Direct-Applied Acoustical Ceilings

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed Ceilings Products: Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Completed in 2 of 2 Materials	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

G2 CORE BOARD | SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK KAOLIN LT-UNK | CAN PERLITE LT-UNK | EYE CELLULOSE, MICROCRYSTALLINE LT-UNK | RES SOLUBLE STARCH NoGS | G2 PAINT | KAOLIN CLAY LT-UNK | CAN LIMESTONE BM-3dg TALC BM-1 | CAN | MAM TITANIUM DIOXIDE BM-1 | CAN | END | MAM NEPHELINE SYENITE LT-UNK POLY(VINYL ALCOHOL) LT-UNK |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-01-04
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2024-01-04
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2027-01-04

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

G2 CORE BOARD		%: 94.0000 - 99.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Composite acoustical board	
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.			
OTHER MATERIAL NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board variations within the formulation are a result of the represented product groups.			

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-04 13:14:14	
%: 35.0000 - 42.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions		
		Exempted from REACH Annex V listing due to intrinsic safety		

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

KAOLINID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-04 13:14:14	
%: 15.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

PERLITE

ID: 93763-70-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-04 13:14:14		
%: 16.0000 - 24.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-04 13:14:14		
%: 6.0000 - 12.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

SOLUBLE STARCH

ID: 9005-84-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-01-04 13:14:15
---	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This core board formulation is incorporated in the following products Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline, Protectone School Board variations within the formulation are a result of the represented product groups.

G2 PAINT

%: 2.0000 - 6.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Paint Coating

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

OTHER MATERIAL NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

KAOLIN CLAY

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:14

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:14

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline amd Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:15

%: 3.0000 - 15.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-04 13:14:15

%: 2.0000 - 15.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Brightener

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

**SUBSTANCE NOTES:** There is no respiratory fraction as this is bound within the paint and Industrial hygiene testing is lower than the OSHA PEL.

This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board, Protectone Vantage 10. The ranges within the formulation are representative of the ranges in the individual paint formulations.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-04 13:14:15		
?: 13.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.				

POLY(VINYL ALCOHOL)			ID: 9002-89-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-04 13:14:15	
?: 3.0000 - 12.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Avalon Fire-rated, Protectone Baroque, Protectone Baroque Customline, Protectone Cashmere, Protectone Sky, Protectone Directional Fissured, Protectone Fine Fissured, Protectone Fine Fissured Customline and Protectone School Board. The ranges within the formulation are representative of the ranges in the individual paint formulations.				

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-07-14 00:00:00	CERTIFIER OR LAB: Berkeley
APPLICABLE FACILITIES: L'Anse Michigan	EXPIRY DATE:	Analytical
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 220714-03		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED STEEL CAPPING BY SAINT GOBAIN MANUFACTURER (OR GENERIC): CertainTeed

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/41\\_CertainTeed\\_Ceilings\\_Steel\\_Suspension\\_System\\_with\\_Painted\\_Steel\\_Capping.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/41_CertainTeed_Ceilings_Steel_Suspension_System_with_Painted_Steel_Capping.pdf)

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This the recommended fire proof suspension system for this product line.

## Section 5: General Notes

All raw materials have been screened through the HPD Builder Tool and noted at the 100 ppm threshold. Proper care and caution has been noted in the production process and safe handling of material can be found on the SDS in the link below. For complete Safety and EHS information on any and all CertainTeed Ceiling Products please see <https://www.certainteed.com/commercial-ceilings/>

CertainTeed has screened the following products and their ingredients against chemicals listed in Living Building Challenge Red List 4.0. CertainTeed Ceilings G2 Products do not contain the listed chemicals above 100 ppm.

Note the recommended suspension system also has an HPD's and will generate an additional LEED point for incorporation into the ceiling design.



## MANUFACTURER INFORMATION

**MANUFACTURER:** Saint Gobain  
**ADDRESS:** 20 Moores Road  
**Malvern, PA 19355**  
**COUNTRY:** United States

**WEBSITE:** [www.certainteed.com/commercial-ceilings/](http://www.certainteed.com/commercial-ceilings/)  
**CONTACT NAME:** Robert Marshall  
**TITLE:** Senior Technical Services Manager  
**PHONE:** 800-233-8990  
**EMAIL:** [Robert.L.Marshall@saint-gobain.com](mailto:Robert.L.Marshall@saint-gobain.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

<b>PreC</b> Pre-consumer recycled content
<b>PostC</b> Post-consumer recycled content
<b>UNK</b> Inclusion of recycled content is unknown
<b>None</b> Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

<b>Nested Method / Material Threshold</b> Substances listed within each material per threshold indicated per material
<b>Nested Method / Product Threshold</b> Substances listed within each material per threshold indicated per product
<b>Basic Method / Product Threshold</b> Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

