

HPD UNIQUE IDENTIFIER: 576216064

CLASSIFICATION: 09 51 53 Direct-Applied Acoustical Ceilings

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed Ceilings Products: Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissured and Sky.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☒ Nested Materials Method ☐ Basic Method	☒ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Other	Completed in 2 of 2 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	Characterized ☒ Yes ☐ No Provided weight and role. Screened ☒ Yes ☐ No Provided screening results using HPDC-approved methods. Identified ☒ Yes ☐ No Provided name and CAS RN or other identifier.
Threshold Disclosed Per			
☐ Material ☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

6S CORE BOARD [SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK SOLUBLE STARCH NoGS CELLULOSE, MICROCRYSTALLINE LT-UNK RES PERLITE LT-UNK EYE] 6S PAINT FORMULATION [KAOLIN CLAY LT-UNK CAN LIMESTONE BM-3dg TITANIUM DIOXIDE BM-1 CAN | END | MAM NEPHELINE SYENITE LT-UNK VINYL CHLORIDE-ETHYLENE POLYMER LT-UNK TALC BM-1] CAN | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD covers the following CertainTeed Ceilings Products: Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-10-25

PUBLISHED DATE: 2023-10-25

EXPIRY DATE: 2026-10-25

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

6S CORE BOARD		%: 95.0000 - 98.0000
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Acoustical Ceiling Panel Core Board
RESIDUALS AND IMPURITIES NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.		
OTHER MATERIAL NOTES: This core board formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky.		

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-10-25 11:17:33		
%: 55.0000 - 75.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety		

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

SOLUBLE STARCH

ID: 9005-84-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-10-25 11:17:34		
%: 7.5000 - 11.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:34	
%: 7.5000 - 11.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

PERLITE

ID: 93763-70-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:34	
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

6S PAINT FORMULATION

%: 2.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Coating/Paint Formulation
----------------------------	--	---

RESIDUALS AND IMPURITIES NOTES: The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

OTHER MATERIAL NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The ranges within the formulation are representative of the ranges in the individual paint formulations.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:34	
%: 15.0000 - 40.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

LIMESTONE			ID: 1317-65-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:34	
%: 2.0000 - 40.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.				

TITANIUM DIOXIDE			ID: 13463-67-7	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:34	
%: 2.0000 - 15.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Brightener

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: There is no respiratory fraction as this is bound within the paint and Industrial hygiene testing is lower than the OSHA PEL.

This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

%: 5.0000 - 15.0000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.					

VINYL CHLORIDE-ETHYLENE POLYMER

ID: 25037-78-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:35			
%: 3.0000 - 12.0000		GreenScreen: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE		LIST NAME AND SOURCE			WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists				
ADDITIONAL LISTINGS		LIST NAME AND SOURCE			NOTIFICATION	
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CPII)			C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
					Core Restrictions	
SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.						

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-25 11:17:35		
%: 2.0000 - 8.0000		GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This paint formulation is incorporated in the following products; Cashmere, Cashmere Customline, Cashmere High NRC, Cashmere Style Edge, Fine Fissured High NRC, Sereno Fine Fissure and Sky. The range of the raw material is directly dependent on the thickest and dimensions of the ceiling tile and the applicable paint formulation. All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-07-15	CERTIFIER OR LAB: Berkeley
APPLICABLE FACILITIES: L'Anse Michigan	EXPIRY DATE:	Analytical
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Certificate # - 220715-01		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CERTAINTEED CEILINGS SUSPENSION SYSTEMS 916 EZ STAB BOLT SLOT AND 916 EZ STAB TIER DROP SYSTEMS

MANUFACTURER (OR GENERIC): CertainTeed

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/41_CertainTeed_Ceilings_Suspension_Systems_9_16_EZ_Stab_Bolt_Slot_and_9_16_EZ_Stab_Tier_Drop_Systems.pdf

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: CertainTeed Ceilings Suspension Systems 916 EZ Stab Bolt Slot and 916 EZ Stab Tier Drop Systems is one of two recommended suspension systems for this product line.

CERTAINTEED CEILINGS STEEL SUSPENSION SYSTEM WITH PAINTED STEEL CAPPING BY SAINT GOBAIN

MANUFACTURER (OR GENERIC): CertainTeed

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/41_CertainTeed_Ceilings_Steel_Suspension_System_with_Painted_Steel_Capping.pdf

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: CertainTeed Ceilings Steel Suspension System with Painted Steel Capping is one of the two recommended suspension systems for this product line.

Section 5: General Notes

All raw materials have been screened through the HPD Builder Tool and noted at the 100 ppm threshold. Proper care and caution has been noted in the production process and safe handling of material can be found on the SDS in the link below. For complete Safety and EHS information on any and all CertainTeed Ceiling Products please see <https://www.certainteed.com/commercial-ceilings/>.

CertainTeed has screened the following products and their ingredients against chemicals listed in Living Building Challenge Red List 4.0. CertainTeed Ceilings 6S Products do not contain the listed chemicals above 100 ppm.

Note the recommended suspension systems also have HPD's and will generate an additional LEED point for incorporation into the ceiling design.

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: 20 Moores Road
 Malvern, PA 19355
COUNTRY: United States

WEBSITE: <http://www.certainteed.com/commercial-ceilings/>
CONTACT NAME: Robert Marshall
TITLE: Senior Technical Services Manager
PHONE: 800-233-8990
EMAIL: Robert.L.Marshall@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.