

# Accessories

Smooth Starts, Beautiful Finishes

 certainteed  
SAINT-GOBAIN

From start to finish...  
shingle starter,  
ventilation, and  
hip & ridge —  
all designed to  
work with your  
CertainTeed  
shingles.

*Landmark, shown in  
Weathered Wood*

  
SAINT-GOBAIN

# Shingle Starters, Rolls and Tape

Shingle starters save application time. They're designed to work specifically with different styles of CertainTeed shingles for consistent appearance and performance.



## SWIFTSTART®

Metric shingle starter is designed specifically for use with Landmark Series shingles. Rather than cutting expensive field shingles to use as starters, you can save time and money by starting with Swiftstart.

- Code-compliant, meets minimum 2" headlap requirement for metric shingles; many competing products do not
- Each 18-piece bundle covers 116 linear feet
- Required to obtain enhanced warranty

### SwiftStart Specifications

- 15-1/4" x 38-3/4" (not separated), 7-5/8" x 38-3/4" (separated)
- **CertaSeal™** modified-asphalt sealant holds strong against wind uplift and shingle blow-off




## HIGH-PERFORMANCE STARTER\*

For use with Grand Manor®, Highland Slate® and Belmont® shingles.

- Dual-sealant strips at bottom edge for 110 mph wind resistance
- Installation is a snap — no need to cut tabs off expensive shingles
- Provides a straight factory-cut eave edge for a clean look
- Excellent as a rake edge for increased wind resistance
- Saves time and money

### Specifications

- 10" x 36" starter strip
- Dual strips of **CertaSeal** modified-asphalt sealant hold strong against wind uplift and shingle blow-off
- Packed 34 pieces (102 linear feet) per bundle



## PRESIDENTIAL® STARTER\*

Required for Presidential Shake® TL and Presidential Shake® shingles.

## PRESIDENTIAL® IR STARTER\*

Required for Presidential IR shingles

## PRESIDENTIAL® SOLARIS® STARTER\*

Required for Presidential Solaris shingles

- Assures Class A fire rating
- Two layers of a straight factory-cut eave edge; staggered offset for maximum water tightness
- Easy to handle and apply
- Available in the entire Presidential TL and Presidential color line

- Saves time and money — no need to remove tabs from expensive shingles

### Specifications

- 13-1/4" x 40" starter when applied
- Packed 22 pieces (36 linear feet of double-layer coverage) per bundle

## SWIFTSTART® SA\* Rolled Starter Strip

- Designed to eliminate the need for cutting shingle tabs
- Industry leading adhesion
- Self-adhering membrane, mineral top surface
- Fully bonded surface, higher wind uplift resistance
- Compound ensures enhanced nail sealability
- Size — 9" x 33.5' roll, 25.125 sq. ft.



## CERTASEAM™\* Roof Deck Joint Tape

- Specifically designed to seal the roof deck joints and seams
- Seals around fasteners, resisting leakage caused by water back-up behind ice dams, or from wind-driven rain
- Bonds firmly to the roof deck without need for heat or special adhesives.
- Forms water-tight overlaps without special treatment
- Slip resistant embossed surface to maximize traction and safety for applicators
- Size — 4" x 50' roll, 16.7 sq. ft.



# Hip & Ridge Accessories

Accessory shingles are used to finish the hips and ridges of your roof and carry the same warranty as the shingles they are applied over. There are a number of options designed to complement the appearance of CertainTeed shingles while providing the same level of protection and durability.



## MOUNTAIN RIDGE®\*

For use with Presidential® Shake® TL, Presidential® Shake®, Landmark® TL, NorthGate® **ClimateFlex**® and Landmark® Series including **Solaris**® colors.

- Blended color and high-profile design
- 5-layer design
- UL 2218 Class 4 Impact Resistant
- Not available in all areas

### Specifications

- 10" Covers 20 linear feet per box
- 8" exposure



## CEDAR CREST®\*

For use with Landmark® Series, Presidential® Series, Highland Slate®, and Belmont®. Also available in an impact resistant version to match Presidential® Shake® Impact Resistant and Belmont® Impact Resistant shingles.

- This stylish, cost-effective, medium-profile ridge accessory will upgrade the appearance of any roof line with depth and dimension.
- A perfect frame for your artistry
- Available in impact-resistant colors

### Specifications

- Covers 20 linear feet per bundle
- 12" x 36" in length, yielding three 12" x 12" caps
- Shingles per bundle: 10 - 3 piece units (30 shingles)
- 8" exposure
- Algae-resistant
- UL 2218 Class 4 Impact Resistant



## SHADOW RIDGE® & SHADOW RIDGE XL®

For use with Landmark® Series. Also available in **ClimateFlex**® (where available), for use with NorthGate® **ClimateFlex**® and Landmark® **ClimateFlex**®. Shadow Ridge XL available for use with Patriot® XL.

- Easy to separate into three individual pieces by folding along pre-cut lines (metric product separates into four individual pieces)
- Can be double-coursed to accent rooflines and enhance overall appearance
- Size and color vary by region

### Shadow Ridge Specifications

- English — 12" x 36", with 5" exposure; covers 30 linear feet per bundle
- Metric — 13-1/4" x 39-3/8", with 5-5/8" exposure; covers 45 linear feet per bundle
- Algae-resistant
- UL 2218 Class 4 Impact Resistant

### Shadow Ridge XL Specifications

- Size — 39-3/8" x 13-1/4", with 5-5/8" exposure; covers 29.6 linear feet per bundle



## SHANGLE® RIDGE\*

For use with Grand Manor®, Carriage House®, Highland Slate® and Belmont®.

- Two full layers for full protection and dimensional appearance

### Specifications

- Covers 10 linear feet per box
- 12" width for application over standard ridge vents
- 8" exposure
- Algae-resistant
- UL 2218 Class 4 Impact Resistant

# Ventilation

Attic ventilation is an important element of a home's design and construction. Effective attic ventilation helps prevent attic heat buildup, humidity and ice-dams by continuously moving air along the underside of the roof.

CertainTeed® Ridge Vents combined with sufficient intake vents, such as CertainTeed Intake Vent, are the most efficient and effective systems you can install.



## RIDGE VENTS\*

*CertainTeed Ridge Vents install on the peak of the roof, allowing exhaust ventilation all along the roofline. Less than an inch in height, these molded, high-impact copolymer shingle-over any of CertainTeed's ridge vents permit capping of the ridge with shingles like the rest of the roof or with enhanced ridge and cap shingles.*

- 9" filtered
- 9" filtered Class A fire rated
- 12" filtered or unfiltered

### Features

- Designed with an external baffle to deflect wind and weather over the vent to help protect the attic from rain and snow infiltration. The external baffle creates low pressure over the vent openings to "pull" air from the attic
- Easy installation - has pre-printed slot guides for truss or ridge pole construction. Pre-drilled nail holes are designed to assure proper nailing
- CertainTeed Ridge Vent is pre-formed to a 4/12 pitch, and fits pitches from 3/12 to 16/12
- Limited Lifetime Warranty and 5-Year SureStart™ Protection

### Benefits

- Works year-round to ventilate the attic
- Provides evenly distributed ventilation along the entire underside of the roof
- Slim design for visual appeal
- Provides a higher volume of airflow per square foot of attic area than any other fixed-vent system
- Design maximizes airflow across the entire underside of roof sheathing
- Changes in wind direction have no significant effect on vent performance





## ROLLED RIDGE VENT\*

*Independent research and testing have demonstrated that the best performing ridge vent, in terms of airflow and weather protection, is an externally baffled ridge vent. We've taken that technology and incorporated it into our ridge vents in 28-foot rolls.*

- Filtered and Unfiltered

### Features

- Designed with an external baffle to deflect wind and weather over the vent to help protect the attic from rain and snow infiltration. The external baffle creates low pressure over the vent openings to "pull" air from the attic
- Built-in ventilating weather tight end plugs flexes for different roof pitches and protects roof decking
- CertainTeed Ridge Vent fits pitches from 3/12 to 12/12
- Limited Lifetime Warranty and 5-Year SureStart™ Protection

### Benefits

- Fast and easy installation – internal ribbing adds rigidity to make the vent nail gun friendly. Roll it out and nail it down
- Prevents the premature deterioration of shingles and other roofing materials caused by inadequate ventilation
- Meets typical roof shingle warranty ventilation requirements



## INTAKE VENT

*CertainTeed Intake Vent provides proper intake ventilation for homes with little or no overhang. It's a roof-top installed, shingle-over intake vent that can be used to supplement existing soffit or under eave vents as well.*

### Features

- Designed with internal baffles and drainage system along with an internal weather filter which provides three levels of weather protection
- CertainTeed Intake Vent has a minimum 3/12 roof pitch with no maximum
- Limited Lifetime Warranty and 5-Year SureStart™ Protection
- 3/4" low profile helps it blend in with the roof

### Benefits

- Easily installs on the roof's edge
- Roof-top installation eliminates overhead with soffits and under-eaves
- Located tabs on the underside of the CertainTeed Intake Vent assist with positioning the vent over the slot
- Co-polymer construction



# Integrity Roof System™

PERFORMANCE ENGINEERED FOR COMPLETE PROTECTION,  
STRONG RESILIENCE AND LASTING BEAUTY

With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

## 1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

## 2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

## 3. Shingle Starter

Shingle starter is the first course of shingles designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

## 4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

## 5. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

## 6. Hip & Ridge

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

learn more at:

[certainteed.com/roofing](https://certainteed.com/roofing)



CertainTeed

Ceilings • Gypsum • Insulation • Roofing • Siding • Trim  
20 Moores Road, Malvern, PA 19355 | 800-233-8990 | [certainteed.com](https://certainteed.com)

©01/26 CertainTeed, Printed in the USA, Code No. 00-00-497-NA-EN



A PROGRAM OF IBHS

\*These products are part of CertainTeed's FORTIFIED™-Compliant Roof System for enhanced protection (applicable to the U.S. only).