



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

#### 1 Identification

· Product identifier

· Trade name: <u>Diamond Deck™</u> · Product code: No other identifiers

- · Recommended use and restriction on use
- · Recommended use:

Manufactured Article.

Synthetic Roofing Underlayment.

- · Restrictions on use: See Sections 8 and 10 for further information.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: CertainTeed Corporation 20 Moores Road Malvern, PA 19355 610-893-6000
- · Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements This product does not have a classification according to the GHS regulation.
- Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard-determining components of labeling: Not applicable.
- · Hazard statements: Not regulated.
- Precautionary statements: Not regulated.
- · Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:		
471-34-1	calcium carbonate		<5%
13463-67-7	titanium dioxide	🕸 Carc. 2, H351	<2%
1333-86-4	carbon black	♦ Carc. 2, H351	<2%

#### · Additional information:

Non-classification as a carcinogen is based on non-respirable form of product.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

(Cont'd. of page 1)

For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting. Seek medical attention.

- · Most important symptoms and effects, both acute and delayed: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Avoid formation of dust.

Do not breathe dust.

- · Environmental precautions: Avoid release to the environment.
- Methods and material for containment and cleaning up: Pick up manually.
- Reference to other sections:

See Section 7 for information on safe handling.

(Cont'd. on page 3)

Page: 3/9

## **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

(Cont'd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of dust.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Not required.
- · Specific end use(s): No relevant information available.

· Control parameters		
· Components w	vith limit values that require monitoring at the workplace:	
471-34-1 calciu	um carbonate	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
13463-67-7 tita	nium dioxide	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m³ withdrawn from NIC	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
1333-86-4 carb	on black	
PEL (USA)	Long-term value: 3.5 mg/m³	
	(Cont	d. on page 4)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

	(Cont'd. of page 3
REL (USA)	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction
EL (Canada)	Long-term value: 3 mg/m³ IARC 2B
EV (Canada)	Long-term value: 3.5 mg/m³
LMPE (Mexico)	Long-term value: 3* mg/m³ A3, *fracción inhalable

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Do not breathe dust.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use respiratory protection when grinding or cutting material.

Particulate mask should filter at least 99% of airborne particles.

· Protection of hands:

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Not required under normal conditions of use.
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

· Risk management measures See Section 7 for additional information.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form: Solid

Color: Grey to Black.
Odor: Characteristic
Odor threshold: Not determined.

pH-value: Not applicable.Melting point/Melting range: Not determined.

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

		(Cont'd. of page
· Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidizing properties:</li> </ul>	Not determined. Not determined. Not determined.	
· Vapor pressure:	Not determined.	
· Density: · Relative density: · Vapor density: · Evaporation rate:	Not determined. Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity Dynamic: Kinematic:	Not applicable. Not applicable.	
· Other information	No relevant information available.	

### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Reacts with strong oxidizing agents.

Reacts with strong acids.

- · Conditions to avoid: Excessive heat.
- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

(Cont'd. on page 6)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

Phosphorus oxides (e.g. P2O5)

(Cont'd. of page 5)

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.

· IARC (Inter	national Agency for Research on Cancer):	
1333-86-4	carbon black	2B
13463-67-7	titanium dioxide	2B

#### NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Probable route(s) of exposure: Skin contact.
- · Repeated dose toxicity: No relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Cont'd. on page 7)

Page: 7/9

## **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

(Cont'd. of page 6)

· Other adverse effects: No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not regulated.
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

Page: 8/9

# **Safety Data Sheet**

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

(Cont'd. of p.	 age 7)
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
13463-67-7 titanium dioxide	
1333-86-4 carbon black	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
1333-86-4 carbon black	2B
13463-67-7 titanium dioxide	2B
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
13463-67-7 titanium dioxide	
1333-86-4 carbon black	
Canadian substance listings	
· Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/25/2016 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/25/2016 Revision: 03/25/2016

Trade name: Diamond Deck™

(Cont'd. of page 8)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Carc. 2: Carcinogenicity, Hazard Category 2

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com