

SAFETY DATA SHEET

1. Identification

Product identifier	Mineral Board Formula G2
Other means of identification	
Synonyms	Avalon Fire-Rated; Protectone Baroque; Protectone Baroque Customline; Protectone Cashmere; Protectone Directional Fissured; Protectone Fine Fissured; Protectone Fine Fissured Customline; Protectone School Board
Recommended use	Contact Manufacturer/ Supplier
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	CertainTeed Ceilings
Address	20 Moores Road
	Malvern, PA 19355
Telephone	800-823-233-8990
Website	www.certainteed.com/ceilings
E-mail	CertainTeed-EHS@saint-gobain.com
Emergency phone number	3E Global Incident Hotline 1 760 476 3962
	1 866 519 4752 (Toll Free)
	Access Code: 336250
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The product does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Fibrous glass		65997-17-3	30 - 60
Kaolin Clay		1332-58-7	10 - 30
Perlite		93763-70-3	10 - 30
Amylodextrin		9005-84-9	7 - 13
Cellulose		9004-34-6	7 - 13
Limestone		1317-65-3	1 - 5
Nepheline Syenite		37244-96-5	0.1 - 1

Chemical name	Common name and synonyms	CAS number	%
Polyvinyl Alcohol		9002-89-5	0.1 - 1
Talc		14807-96-6	0.1 - 1
Titanium Dioxide		13463-67-7	0.1 - 1
Composition comments	The exact concentrations of the above listed of All concentrations are in percent by weight. Non-classification as a carcinogen is based of and Titanium Dioxide note that the substance IARC: Talc not containing asbestos fibers is n	n non-inhalable form of the pr must be respirable.	oduct. Listings for Ta
4. First-aid measures			
Inhalation	Under normal conditions of intended use, this Move to fresh air. Call a physician if symptom		e an inhalation hazard
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops ar	nd persists.
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	
Ingestion	Not likely, due to the form of the product. Get	medical attention if symptoms	occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary	y irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Get medical attention if symptoms occur.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	is will spread the fire.	
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers		
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Avoid inhalation of dust. For personal protecti	on, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	For waste disposal, see section 13 of the SDS	5.	
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Keep away from heat. Store in a dry place.		

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)			
Components	Туре	Value	Form
Cellulose (CAS 9004-34-6)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

PEL	5 mg/m3	Beenirghle frection
	ege	Respirable fraction.
	15 mg/m3	Total dust.
PEL	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
PEL	15 mg/m3	Total dust.
re Limits (PEL) for Mineral Dusts (Type	29 CFR 1910.1000) Value	Form
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	0.1 mg/m3	Respirable.
	20 mppcf	
	2.4 mppcf	Respirable.
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
Туре	Value	Form
TWA	10 mg/m3	
TWA	2 mg/m3	Respirable fraction.
TWA	2 mg/m3	Respirable fraction.
TWA	2.5 mg/m3	Respirable finescale particles
	0.2 mg/m3	Respirable nanoscale particles
r Health (IDLH) Values, as amende Type	d Value	
IDLH	1000 mg/m3	
	PEL re Limits (PEL) for Mineral Dusts (Type TWA	PEL 5 mg/m3 15 mg/m3 PEL 15 mg/m3 re Limits (PEL) for Mineral Dusts (29 CFR 1910.1000) Type CFR 1910.1000) Value TWA 5 mg/m3 15 mg/m3 TWA 5 mg/m3 15 mg/m3 TWA 5 mg/m3 15 mg/m3 TWA 5 mg/m3 15 mg/m3 TWA 5 mg/m3 50 mppcf TWA 5 mg/m3 15 mg/m3 50 mppcf TWA 0.1 mg/m3 20 mppcf TWA 5 mg/m3 15 mg/m3 50 mppcf TWA 15 mg/m3 50 mppcf TWA 0.1 mg/m3 20 mppcf TWA 5 mg/m3 50 mppcf TWA 5 mg/m3 20 mppcf TWA 15 mg/m3 50 mppcf TWA 15 mg/m3 50 mppcf TWA 2 mg/m3 TWA 2 mg/m

Components	Chemical Hazards Recommended Ex Type	Value	Form	
Cellulose (CAS 9004-34-6)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
Fibrous glass (CAS 65997-17-3)	TWA	5 mg/m3	fibers, total dust	
Kaolin Clay (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
Perlite (CAS 93763-70-3)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.	
logical limit values	No biological exposure limits noted for	the ingredient(s).		
propriate engineering htrols	Good general ventilation should be use applicable, use process enclosures, lo maintain airborne levels below recomm established, maintain airborne levels to	cal exhaust ventilation, or ot nended exposure limits. If ex	her engineering controls to	
ividual protection measures,	such as personal protective equipme			
Eye/face protection	Wear safety glasses with side shields	(or goggles).		
Skin protection				
Hand protection	Wear protective gloves.			
Other	Not normally needed.			
	In case of insufficient ventilation, wear suitable respiratory equipment.			
Respiratory protection		Wear appropriate thermal protective clothing, when necessary.		
Respiratory protection Thermal hazards		othing, when necessary.		

9. Physical and chemical properties

	•
Appearance	
Physical state	Solid.
Form	Solid.
Color	White
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.00 - 2.50
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Inhalation of dusts may cause respiratory irritation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

•		
Components	Species	Test Results
Kaolin Clay (CAS 1332-58-7)		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
Titanium Dioxide (CAS 13463-67-	7)	
Acute		
Dermal		
LD50	Hamster	>= 10000 mg/kg
Oral		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria a	ire not met.
Carcinogenicity	Reference to chemical component(s) listed are based on unbound respirable particles and are no generally applicable to product as supplied.	

IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Polyvinyl Alcohol (CAS 9	002-89-5)	3 Not classifiable as to carcinogenicity to humans.
Talc (CAS 14807-96-6)		2B Possibly carcinogenic to humans.
Titanium Dioxide (CAS 13463-67-7)		3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans.
	d Substances (29 CFR 1910.1	001-1053)
Not listed.		
US. National Toxicology Pro	ogram (NTP) Report on Carcin	ogens
Not listed.		
Reproductive toxicity	Based on available data, the	classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the	classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the	classification criteria are not met.
Aspiration hazard	Due to partial or complete lac	k of data the classification is not possible.
Chronic effects	Not expected to be hazardous	s by OSHA criteria.

12. Ecological information

Ecotox	ic	ity
--------	----	-----

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results		
Titanium Dioxide (CAS 1346	3-67-7)				
Aquatic					
Acute					
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours		
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours		
ersistence and degradability	No data is	No data is available on the degradability of any ingredients in the mixture.			
ioaccumulative potential	No data av	No data available.			
lobility in soil	No data av	No data available.			
ther adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. **CERCLA Hazardous Substance List (40 CFR 302.4)** Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. No SARA 311/312 Hazardous chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) US state regulations **California Proposition 65** This product, as supplied, does not contain any form of chemical regulated by California Prop 65 but note that Talc (CAS 14807-96-6) and Titanium Dioxide (CAS 13463-67-7) are bound in the paint used to coat this product. For more information go to www.P65Warnings.ca.gov. International Inventories Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Industrial Chemicals (AICIS) No Canada Domestic Substances List (DSL) No Canada Non-Domestic Substances List (NDSL) Yes Inventory of Existing Chemical Substances in China (IECSC) China Yes European Inventory of Existing Commercial Chemical No Europe

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

European List of Notified Chemical Substances (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS)

Philippine Inventory of Chemicals and Chemical Substances

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

(PICCS)

Substances (EINECS)

New Zealand Inventory

Existing Chemicals List (ECL)

Issue date	01-03-2024
Version #	01

United States & Puerto Rico

Europe

Japan

Korea

New Zealand

Philippines

Taiwan

No

No

No

Yes

No

Yes

No

CertainTeed Ceilings cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.