

HPD UNIQUE IDENTIFIER: 22757

created via: HPDC Online Builder

CLASSIFICATION: 09 51 13 Acoustical Panel Ceilings / 09 84 13 Fixed Sound-Absorptive Panels

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed Ceilings Products: All perforation patterns for: Gyptone lay-in ceiling panels, Gyptone BIG Board, Gyptone BIG Curve

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
CERTAINTEED CEILINGS GYPTONE [CALCIUM SULFATE DIHYDRATE LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES POLYETHYLENE TEREPHTHALATE (PET) LT-UNK SOLUBLE STARCH NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0
 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH/EHLB/Standard Method V1.1 Standard
 VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2020-10-30

PUBLISHED DATE: 2020-10-30

EXPIRY DATE: 2023-10-30

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CERTAINTEED CEILINGS GYPTONE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and have been noted when applicable under the HPD Builder Guidelines.

OTHER PRODUCT NOTES: The raw material range is based on content percentages from the range of products noted within this HPD and as well as the ranges communicated from the raw material suppliers.

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-30**%: **91.0000 - 93.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percentages from the range of products noted within this HPD and as well as the ranges communicated from the raw material suppliers.

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-30**%: **3.0000 - 6.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The raw material range is based on content percentages from the range of products noted within this HPD and as well as the ranges communicated from the raw material suppliers.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-30**%: **0.1000 - 0.9500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This material is the Backside veil of the panel. The raw material range is based on content percentages from the range of products noted within this HPD and as well as the ranges communicated from the raw material suppliers.

SOLUBLE STARCH

ID: 9005-84-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-30**%: **0.1000 - 0.9500** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percentages from the range of products noted within this HPD and as well as the ranges communicated from the raw material suppliers.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH/EHLB/Standard Method V1.1 Standard		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
APPLICABLE FACILITIES: CertainTeed L'Anse, MI	2011-09-	13	BERKELEY ANALYTICAL
CERTIFICATE URL: http://www.certainteed.com/resources/CTC_Certificate_Compliance_VOCCompliantGyptone.pdf			
CERTIFICATION AND COMPLIANCE NOTES: The website is currently under construction, if the link fails to launch please contact Robert Marshall, robert.l.marshall@saint-gobain.com.			

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-07-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: Berkeley Analytical
APPLICABLE FACILITIES: All manufacturing facilities.	11	10-22	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: The details of the testing can be found in the Berkeley Analytical laboratory report 281-024-011-Jul1118. Note Berkeley Analytical compliance testing is ongoing certificate do not expire.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CERTAINTEED CEILINGS SUSPENSION SYSTEMS 1-1/2" DRYWALL SUSPENSION SYSTEM, QUICKSPAN LOCKING DRYWALL GRID SYSTEM	HPD URL: https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx#k=22696
--	--

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:
This is the recommended suspension system for this product line.

Section 5: General Notes

All raw materials have been screened through the HPD Builder Tool and noted at the 100 ppm threshold. Proper care and caution has been noted in the production process and safe handling of materials can be found on the SDS in the link below. For complete Safety and EHS information on any and all CertainTeed Ceiling Products please see <https://www.certainteed.com/ceilings-and-walls/> Note the recommended suspension system also has an HPD's and will generate an additional LEED point for incorporation into the ceiling design.

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: 20 Moores Road
 Malvern PA 19355, USA
WEBSITE: <http://www.certainteed.com/commercial-ceilings/>

CONTACT NAME: Robert Marshall
TITLE: Senior Technical Services Manager
PHONE: 800-233-8990
EMAIL: Robert.L.Marshall@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.