

# Landmark<sup>®</sup> Series

Luxury and Designer  
Roofing Series

 **certainteed**  
SAINT-GOBAIN



*Landmark, shown in Weathered Wood*

  
SAINT-GOBAIN



*NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.*



# Trust Your Home to Landmark®

Few things in this world are as precious as the place that you call home. It is much more than just a house. It's the foundation from which you build your life. That's why having a roof that gives your home long-lasting curb appeal and protection from the elements is so important. At CertainTeed, our benchmark for success is our customers' total peace of mind. And we wouldn't have it any other way.

Our dedication to making the highest-quality roofing systems continues to earn the respect of top building professionals. And our product portfolio offers the widest variety of design and color options in the industry. It's no wonder that more than a million homeowners across North America choose CertainTeed each year.

And the job doesn't stop once the roof goes on. Every CertainTeed product is backed by our industry-leading manufacturer's warranty, allowing you to rest confidently and comfortably for years to come.

$$\begin{array}{ccccccc} \text{Q} & + & \text{Shield with checkmark} & + & \text{SINCE 1904} & = & \text{PEACE OF MIND} \\ \text{High-Quality,} & & \text{Industry-} & & \text{Century of} & & \\ \text{Reliable} & & \text{Best} & & \text{Trusted} & & \\ \text{Choice} & & \text{Warranty} & & \text{Performance} & & \end{array}$$

Technology that protects  
the beauty of your roof and  
strengthens its performance.






## NailTrak<sup>®</sup>

Fast, Accurate, Visible

The new and improved **NailTrak** nailing line, a feature on CertainTeed designer shingles.

Now **NailTrak** is brighter than ever before, with high-visibility lines that stand out whether it's daybreak or dusk.


**NailTrak** removes the guesswork with three separately defined lines, creating a large area to guide your nailing and a smaller area for extreme steep-slope applications.



## QuadraBond<sup>®</sup>

Advanced Layering


CertainTeed's specially formulated adhesive adheres shingle layers at four points, more than any other manufacturer. This superior bond provides greater protection against shingle delamination to maximize performance over the life of the shingle in any climate.



## Solaris<sup>®</sup> CoolRoof

Solar Reflectivity


Solaris<sup>®</sup> Cool Roof is a sustainable shingle granule technology that applies energy-saving cool roof performance to CertainTeed's most popular shingle brands. Available in rich and authentic colors, including dark hues and tones, Solaris Cool Roof can lower roof temperatures and allow homeowners to reduce cooling costs without sacrificing beauty, quality, or color.



## CertaSeal<sup>®</sup>

Uplift Protection

**CertaSeal<sup>®</sup>** is a fast-activating modified asphalt sealant with a 20-year record of proven performance. Designed to seal shingles together upon installation, it protects roofs from wind uplift and shingle blow-off so that homes stay safe and dry. It's also engineered to remain flexible after installation, unlike harder sealants that can dry out and crack over time.







# The Trusted Classic

## LANDMARK®

Owning a Landmark roof brings peace of mind. Landmark's dual-layered construction and exceptional durability provide long-lasting protection for your home.

- **Classified as UL 2218 Class 3 Impact Rated**
- Dual-layered for extra dimensionality and protection from the elements
- Offers the widest array of colors in the industry
- Independently certified as meeting the highest quality standards for roofing
- Select colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



*Solaris Silver Birch*



Scan code for more information about Landmark



Scan code for more information about Landmark Solaris

# LANDMARK® Solaris® CoolRoof COLOR PALETTE



**Solaris Silver Birch**  
CRR Product ID 0668-0072



**Solaris Birchwood**  
CRR Product ID 0668-0084



**Solaris Mist White**  
CRR Product ID 0668-0071



**Solaris Graphite**  
CRR Product ID 0668-0155



**Solaris Burnt Sienna**  
CRR Product ID 0668-0153



**Solaris Heather Blend**  
CRR Product ID 0668-0117

## LANDMARK® COLOR PALETTE



**Georgetown Gray**



**Weathered Wood**



**Thunderstorm Gray**



**Sunrise Cedar**



**Painted Desert**



**Terra Cotta**



**Solaris Georgetown Gray**  
*CRRC Product ID 0668-0116*



**Solaris Weathered Wood**  
*CRRC Product ID 0668-0119*



**Solaris Moiré Black**  
*CRRC Product ID 0668-0129*



**Solaris Resawn Shake**  
*CRRC Product ID 0668-0118*



**Solaris Mojave Tan**  
*CRRC Product ID 0668-0115*



**Moiré Black**



**Burnt Sienna**



**Heather Blend**





# The Expert's Choice

## LANDMARK® PRO

A refined union of vision and value, our PRO line leads its class in optimal performance and variety of color.

- **Classified as UL 2218 Class 3 Impact Rated**
- Engineered to meet professional contractors' exacting specifications
- Available in a wide selection of eye-catching **Max Def** colors
- Outweighs standard laminates to provide greater protection from the elements
- Select colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Scan code for more information about Landmark PRO



Scan code for more information about Landmark PRO Solaris

# LANDMARK® PRO Solaris® CoolRoof COLOR PALETTE



Solaris Silver Birch  
CRRP Product ID 0668-0072



Solaris Max Def Georgetown Gray  
CRRP Product ID 0668-0122



Solaris Max Def Burnt Sienna  
CRRP Product ID 0668-0154



Solaris Max Def Heather Blend  
CRRP Product ID 0668-0123

## LANDMARK® PRO COLOR PALETTE



Max Def Georgetown Gray



Max Def Moiré Black



Max Def Weathered Wood

**MAX DEF COLORS** - Look deeper. With Max Def, a new dimension is added to shingles with a richer mixture of surface granules. You get a brighter, more vibrant, more dramatic appearance and depth of color. And the natural beauty of your roof shines through.



Solaris Max Def Weathered Wood  
CRRR Product ID 0668-0125



Solaris Max Def Moiré Black  
CRRR Product ID 0668-0130



Solaris Max Def Resawn Shake  
CRRR Product ID 0668-0124



Max Def Burnt Sienna



Max Def Heather Blend



9434



# Top Shelf

## LANDMARK<sup>®</sup> PREMIUM

A sophisticated look, brilliantly executed. Our Premium line is engineered to protect, enhance and endure.

- **Classified as UL 2218 Class 4 Impact Rated**
- Outclasses ordinary roofing in both appearance and performance
- Tough two-piece laminated fiberglass-based construction
- Features **Max Def** colors for a deeper, richer mixture of surface granules



*Max Def Weathered Wood*



Scan code for  
more information

# LANDMARK® PREMIUM COLOR PALETTE



Max Def Weathered Wood



Max Def Moiré Black



Max Def Burnt Sienna



Max Def Heather Blend

## MAX DEF COLORS

Look deeper. With Max Def, a new dimension is added to shingles with a richer mixture of surface granules. You get a brighter, more vibrant, more dramatic appearance and depth of color. And the natural beauty of your roof shines through.



Landmark Premium, shown in Max Def Moiré Black





# Depth of Character

## LANDMARK® TL

Dramatically thick. Classically elegant. These wood-inspired shakes offer triple lamination for rugged wear with real charisma.

- **Classified as UL 2218 Class 4 Impact Rated**
- Look of hand-split cedar
- Patented 3-layer laminate
- Random tab design and unique natural shadows
- A luxury-class shingle produced at a fraction of the cost of wood shake
- Select colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Shenandoah



Scan code for more information about Landmark TL



Scan code for more information about Landmark TL Solaris

# LANDMARK® TL Solaris® CoolRoof COLOR PALETTE



Solaris Country Gray  
CRRC Product ID 0668-0149



Solaris Platinum  
CRRC Product ID 0668-0147



Solaris Moiré Black  
CRRC Product ID 0668-0148

# LANDMARK® TL COLOR PALETTE



Country Gray



Moiré Black



Max Def Black Walnut  
(Available in StreakFighter™ only)



Shenandoah



*Landmark TL, shown in Moiré Black*

# Strength with Style

## LANDMARK®

- Classified to meet UL 2218 Class 3
- Dual-layer durability
- Industry-best lifetime limited warranty
- Select colors can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements.
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped (roof slope > 2:12) residential construction



## LANDMARK® PRO

- Classified to meet UL 2218 Class 3
- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty
- Select colors can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements.
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped (roof slope > 2:12) residential construction



## LANDMARK® PREMIUM

- Classified to meet UL 2218 Class 4
- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty

## LANDMARK® TL

- Classified to meet UL 2218 Class 4
- Triple-layer, high performance
- Rustic appearance of hand-split wood shakes
- Industry-best lifetime limited warranty
- Select colors can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements.
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped (roof slope > 2:12) residential construction





# LANDMARK SERIES

## SPECIFICATIONS

- Two-piece (Landmark, Landmark Pro and Landmark Premium) and three-piece (Landmark TL) laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate

*For U.S. building code compliance, see product specification sheets.*

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Impact Resistance:

- UL classified to meet UL 2218 Class 4 (Landmark TL and Landmark Premium)
- UL classified to meet UL 2218 Class 3 (Landmark and Landmark PRO)

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

## WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark PRO, Landmark Premium and Landmark TL)
- 40-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

*See actual warranty for specific details and limitations.*

## Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

| PRODUCT - COLOR                                 | CRRC Product ID Number | Aged Solar Reflectance | Thermal Emittance | Solar Reflective Index (SRI) | Complies with Cal Title 24 Part 6 | Meets LA County Title 31 |
|-------------------------------------------------|------------------------|------------------------|-------------------|------------------------------|-----------------------------------|--------------------------|
| Landmark Solaris® - Birchwood                   | 0668-0084              | 0.21                   | 0.92*             | 21 <sup>†</sup>              | YES                               | YES                      |
| Landmark Solaris® - Burnt Sienna                | 0668-0153              | 0.20                   | 0.92              | 20                           | YES                               | YES                      |
| Landmark Solaris® - Georgetown Gray             | 0668-0116              | 0.20                   | 0.92              | 20                           | YES                               | YES                      |
| Landmark Solaris® - Graphite                    | 0668-0155              | 0.21 <sup>†</sup>      | 0.91*             | 21 <sup>†</sup>              | YES                               | YES                      |
| Landmark Solaris® - Heather Blend               | 0668-0117              | 0.20                   | 0.92              | 20                           | YES                               | YES                      |
| Landmark Solaris® - Mist White                  | 0668-0071              | 0.28                   | 0.92*             | 30 <sup>†</sup>              | YES                               | YES                      |
| Landmark Solaris® - Moire Black                 | 0668-0129              | 0.18                   | 0.92              | 17                           | YES                               | NO                       |
| Landmark Solaris® - Mojave Tan                  | 0668-0115              | 0.20                   | 0.90              | 19                           | YES                               | NO                       |
| Landmark Solaris® - Resawn Shake                | 0668-0118              | 0.20                   | 0.93              | 20                           | YES                               | YES                      |
| Landmark Solaris® - Silver Birch                | 0668-0072              | 0.27                   | 0.89              | 28 <sup>†</sup>              | YES                               | YES                      |
| Landmark Solaris® - Weathered Wood              | 0668-0119              | 0.21                   | 0.91              | 21 <sup>†</sup>              | YES                               | YES                      |
| Landmark® PRO - Solaris Max Def Burnt Sienna    | 0668-0154              | 0.20                   | 0.92              | 20                           | YES                               | YES                      |
| Landmark® PRO - Solaris Max Def Georgetown Gray | 0668-0122              | 0.20                   | 0.94              | 21 <sup>†</sup>              | YES                               | YES                      |
| Landmark® PRO - Solaris Max Def Heather Blend   | 0668-0123              | 0.19                   | 0.94              | 20                           | YES                               | YES                      |
| Landmark® PRO - Solaris Max Def Moire Black     | 0668-0130              | 0.18                   | 0.92              | 17                           | YES                               | NO                       |
| Landmark® PRO - Solaris Max Def Resawn Shake    | 0668-0124              | 0.18                   | 0.93              | 18                           | YES                               | NO                       |
| Landmark® PRO - Solaris Max Def Weathered Wood  | 0668-0125              | 0.20                   | 0.94*             | 21 <sup>†</sup>              | YES                               | YES                      |
| Landmark® PRO - Solaris Silver Birch            | 0668-0072              | 0.27                   | 0.89              | 28 <sup>†</sup>              | YES                               | YES                      |
| Landmark® TL - Solaris Country Gray             | 0668-0149              | 0.22                   | 0.93              | 23                           | YES                               | YES                      |
| Landmark® TL - Solaris Moire Black              | 0668-0148              | 0.20                   | 0.93              | 20                           | YES                               | YES                      |
| Landmark® TL - Solaris Platinum                 | 0668-0147              | 0.21                   | 0.93              | 22                           | YES                               | YES                      |

<sup>†</sup> Aged value calculated using the California Title 24 Solar Reflective Index (SRI) Calculation Worksheet

\* Indicates Initial Thermal Emittance

# Product Comparison

|                                                      | Traditional Designer Shingle Style | Industry Leading Granule Adhesion | Warranty Duration | Product Weight |
|------------------------------------------------------|------------------------------------|-----------------------------------|-------------------|----------------|
| Landmark                                             | ✓                                  | ✓                                 | Lifetime          | ✓              |
| Landmark<br><b>Solaris</b> <sup>®</sup> CoolRoof     | ✓                                  | ✓                                 | Lifetime          | ✓              |
| Landmark PRO                                         | ✓                                  | ✓                                 | Lifetime          | ✓✓             |
| Landmark PRO<br><b>Solaris</b> <sup>®</sup> CoolRoof | ✓                                  | ✓                                 | Lifetime          | ✓✓             |
| Landmark Premium                                     | ✓                                  | ✓                                 | Lifetime          | ✓✓✓            |
| Landmark TL                                          | ✓                                  | ✓                                 | Lifetime          | ✓✓✓            |
| Landmark TL<br><b>Solaris</b> <sup>®</sup> CoolRoof  | ✓                                  | ✓                                 | Lifetime          | ✓✓✓            |



| Depth/<br>Dimensional<br>Appearance | <b>NailTrak</b> | Max Def<br>Colors | UL 2218<br>Impact Rated | Cool Roof<br>Technology<br>(Solar<br>Reflectivity) | Value Rating |
|-------------------------------------|-----------------|-------------------|-------------------------|----------------------------------------------------|--------------|
| ✓                                   | ✓               |                   | Class 3                 |                                                    | Good         |
| ✓                                   | ✓               |                   | Class 3                 | ✓                                                  | Good         |
| ✓✓                                  | ✓               | ✓                 | Class 3                 |                                                    | Better       |
| ✓✓                                  | ✓               | ✓                 | Class 3                 | ✓                                                  | Better       |
| ✓✓                                  | ✓               | ✓                 | Class 4                 |                                                    | Best         |
| ✓✓✓                                 |                 |                   | Class 4                 |                                                    | Best         |
| ✓✓✓                                 |                 |                   | Class 4                 | ✓                                                  | Best         |



# The ColorView® Visualizer: Design your Dream Home with the Click of a Mouse

CertainTeed created the ColorView tool to help homeowners bring their creative vision to reality.

Just look through a photo library of homes to choose one that looks most like your own. Then click on the roof to easily switch designs and see what CertainTeed product looks best. You can choose from hundreds of different roofing design and color combinations, and even add roof accents in different colors. All before anyone raises a hammer.

Want to visualize different roofing styles on your own home? You can upload photos to ColorView and have them digitally masked by one of our design professionals, or use DIY mode to upload and mask your own photos.

Plus, you can print or share your ColorView photos with family and friends to get their feedback. Visit [colorview.certainteed.com](http://colorview.certainteed.com) and get started.





## Add a Little Accent to Your Roof

CertainTeed offers Mountain Ridge®, an accessory product used for capping hips and ridges. It is the perfect finishing touch for your roof, offering blended color and high-profile design. CertainTeed also offers Shadow Ridge®, a low-profile design for capping hip and ridges.

## Color Companion Products for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in ten colors that complement some of the most popular CertainTeed shingles.





# Integrity Roof System™

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE



With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

## 1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

## 2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

## 3. Starter Shingles

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

## 4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

## 5. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

## 6. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

learn more at:

[certainteed.com/roofing](http://certainteed.com/roofing)

Landmark® Series  
available in  
areas shown



**CertainTeed**

Ceilings • Gypsum • Insulation • Roofing • Siding • Trim  
20 Moores Road, Malvern, PA 19355 | 800-233-8990 | [certainteed.com](http://certainteed.com)

©07/25 CertainTeed, Printed in the USA, Code No. 00-00-135-US-EN



These products are part of the CertainTeed® FORTIFIED™-Compliant Roof System for enhanced protection.