certainteed
SAINT-GOBAIN

Drywall Corner Solutions

SAINT-GOBAIN

CertainTeed

Drywall Corner Solutions

TABLE OF CONTENTS

NO-COAT Intro 4
NO-COAT Sticks 6
NO-COAT Flexible Corners 8
NO-COAT Arch 9
NO-COAT PRO Automated Corners 10
AquaBead 12
LEVELLINE 14
Corner Matrix 15
CertainTeed Tools 16
Marco Drywall Tape 18
CertainTeed Testimonials 19

Easy-to-apply, High Performance, Drywall Corner Solutions.

CertainTeed's line of structural laminate corners—combined with water-activated corners and automation technologies—save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.

NO-COAT®

The NO-COAT® Structural Laminate (SLAM®) design represents a drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

AquaBead®

Water-activated AquaBead® offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.

LEVELLINE®

LEVELLINE® flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

NO-COAT®

CertainTeed corners integrate technology and materials that outperform all others.

The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

SLAM TECHNOLOGY – A BREAKTHROUGH IN DRYWALL CORNER FINISHING

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

NO-COAT SAVES LABOR

Rolls and pre-cut lengths allow for fast application, significantly reducing installation time.

A RADICAL DEPARTURE FROM CORNER BEAD

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it's the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

AN INNOVATIVE SOLUTION

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.

Made With SLAM TECHNOLOGY®

SLAM Technology integrates THREE KEY COMPONENTS providing the durability, flexibility, and strength that won't crack under pressure.



1. TAPERED HIGH STRENGTH COPOLYMER CORE withstands severe impacts. Won't rust. Requires less mud.

2. JOINT TAPE permanently bonds corner to drywall with All Purpose mud.

3. FORMULATED SURFACE PAPER eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

THE NO-COAT® DRYWALL CORNER SYSTEM

FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325
FLEXIBLE CORNER 450



STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.

INSIDE 90
OUTSIDE 90
L-TRIM – 1/2", 5/8"
BULLNOSE - 3/8", 3/4"

ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"
OUTSIDE 90

TOOLS

Rollers and applicators allow for high speed installations and flawless results.

ROLLERS – Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER® – Install off-angles, inside and outside 90s or bullnose, in record time.

NO-COAT®

NO-COAT® Sticks

NO-COAT® mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.

NO-COAT® INSIDE 90

DESCRIPTION

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

APPLICATIONS

- 90° inside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8′, 9′, 10′, stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box.



NO-COAT® OUTSIDE 90

DESCRIPTION

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.

APPLICATIONS

- 90° outside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks.

PRODUCT DETAILS

8′, 9′, 10′, 12′ stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® 1/2" L-TRIM

DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2cm) past end of drywall
- Large flange works on gaps up to 1" (2.5cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

10′ (3 m) lengths Custom lengths available. 50 sticks/box.



NO-COAT® 5/8" L-TRIM

DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2cm) past end of drywall
- Large flange works on gaps up to 1" (2.5cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

10′ (3 m) lengths Custom lengths available. 50 sticks/box.



NO-COAT®

NO-COAT® 3/8" BULLNOSE

DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS

- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8′, 9′, 10′, 12′ stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® 3/4" BULLNOSE

DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS

- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8′, 9′, 10′, 12′ stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT®

NO-COAT® Flexible Corners

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325

DESCRIPTION

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

APPLICATIONS

- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

3.25" wide x 100' roll
(8.3 cm x 30.5 m)
10 rolls/carton.



FLEXIBLE CORNER 450

DESCRIPTION

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

APPLICATIONS

- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

4.5" wide x 100' roll
(11.4 cm x 30.5 m)
4 rolls/carton.



NO-COAT®

NO-COAT® Arch

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.

NO-COAT® ARCH 3/4" BULLNOSE

DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

APPLICATIONS

- 90° bullnose archways

FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10′ (3m) lengths. Custom lengths available. 10 sticks/box.



NO-COAT® ARCH OUTSIDE 90

DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

APPLICATIONS

- 90° outside archways

FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10′ (3m) lengths. Custom lengths available. 10 sticks/box.



The only self-forming ridgeless design available, provides perfect, smooth arches every time!



NO-COAT® PRO Corner

NO-COAT PRO CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the NO-COAT PRO machine, production time is dramatically reduced, and waste is virtually eliminated.

DESCRIPTION
NO-COAT PRO offers the same durability and strength as Flexible Corner.

APPLICATIONS
- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS
- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS
3.75″ wide x 250′ roll (9.5 cm x 76.2 m)



NO-COAT® PRO

The NO-COAT PRO machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with NO-COAT PRO corner, it is simply the fastest and most efficient cornering system available.

DESCRIPTION
The NO-COAT PRO machine uses NO-COAT PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

APPLICATIONS
- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS
- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250′ (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage

NO-COAT® PRO Automated Corners

The NO-COAT PRO machine uses NO-COAT PRO Corner to produce ready-to-install corners with joint compound applied, cut to any length.

The corner pros trust for lasting results

Comes with handy remote control

Easy-to-use trilingual keypad simplifies operation and stores custom measurements

Replaces pre-cut stick lengths and roll products with one simple 250′ (76.2 m) roll.

5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage

Powered by convenient 110 volts

35 lb without the hopper. Fits in a gang box.

INSIDE 90 **OUTSIDE 90** **OFF-ANGLES**

For more information visit CertainteedCorners.com

AquaBead®

AquaBead® Corners

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.

AQUABEAD® OUTSIDE 90

DESCRIPTION

AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.

APPLICATIONS

- 90° outside corners

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

8′, 9′, 10′, 12′ stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)
50 sticks/box.



AQUABEAD® 1/2" L-TRIM

DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

10′ (3 m) lengths
Custom lengths available.
50 sticks/box.





- ✓ WATER ACTIVATED ADHESIVE
- ✓ SIMPLE TO APPLY
- ✓ SUPERIOR BONDING
- ✓ NO NAILS, COMPOUND OR SPRAY GLUE REQUIRED
- ✓ EASY TO CUT
- ✓ WON'T RUST OR CRACK
- ✓ LIGHTWEIGHT FOR EASY HANDLING
- ✓ IMPACT RESISTANT

AquaBead®

AQUABEAD® 5/8" L- TRIM

DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

10′ (3 m) lengths. Custom lengths available. 50 sticks/box.



AQUABEAD BULLNOSE

DESCRIPTION

AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

APPLICATIONS

- Outside corners

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

8′, 9′, 10′, stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box.



AQUABEAD® TRIM

DESCRIPTION

AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

APPLICATIONS

- 90° outside corners

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

8′, 9′, 10′, 12′ stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



LEVELLINE

LEVELLINE® Flexible Corner

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

LEVELLINE® FLEXIBLE CORNER

DESCRIPTION

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

APPLICATIONS

- Short runs of less than 10′ (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

PRODUCT DETAILS

2.75″ wide x 100′ roll (7 cm x 30.5 m) 12 rolls/carton.



LEVELLINE® Outside 90 Stick

LEVELLINE Outside 90 sticks are easy-to-install and deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.

LEVELLINE® OUTSIDE 90

DESCRIPTION

A brand new addition to our Levelline family, Levelline Outside 90 corners are easy to handle and install, better than metal – no memory, less waste, less dents, no rust – creating crisp, straight corners.

APPLICATIONS

- 90º outside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs

PRODUCT DETAILS

6″ 10′, 8′, 9′, 10′, 12′ stick lengths (1.8, 2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



Corner Application Matrix

CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

CORNER APPLICATION MATRIX	Off Angles	Inside Corners	Outside Corners	Archways	Industrial Applications	Large Gaps	Vaults, Soffits	Window Returns, Door Jambs, Drop Ceilings, etc.	Long Spans Over 10′ (3 m)	Short Spans Under 10′ (3 m)
NO-COAT										
Flexible Corner 325	■	■	■			■	■			■
Flexible Corner 450	■	■	■		■	■	■		■	
Inside 90	■	■								
Outside 90	■		■							
L-Trim – 1/2″, 5/8″					■			■		
Bullnose – 3/8″, 3/4″			■		■					
Arch – Outside 90 3/4″ Bullnose			■	■						
NO-COAT PRO Corner	■	■	■		■	■	■		■	
AQUABEAD										
Outside 90	■		■							
L-Trim – 1/2″, 5/8″								■		
Bullnose – 3/4″			■							
Outside 90 Trim	■		■							
LEVELLINE										
Flexible Corner	■	■	■			■	■			■
Outside 90			■							

Double Barrel Hopper®

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.

DOUBLE BARREL HOPPER®

DESCRIPTION

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part change-overs and reconfiguration.

APPLICATIONS

- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

FEATURES/BENEFITS

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

PRODUCT DETAILS

- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates

Rollers

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.

NO-COAT® OUTSIDE 90 ROLLER

APPLICATIONS
- NO-COAT Outside 90 corners

FEATURES/BENEFITS
- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS
- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® BULLNOSE ROLLER

APPLICATIONS
- NO-COAT 3/8" and 3/4" BULLNOSE corners

FEATURES/BENEFITS
- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS
- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® INSIDE 90 ROLLER

APPLICATIONS
- NO-COAT Inside 90 corners and Flexible 325 off angles

FEATURES/BENEFITS
- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS
- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® ONE-SIDED ROLLER

APPLICATIONS
- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

FEATURES/BENEFITS
- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS
- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® PRO ROLLER

APPLICATIONS
- NO-COAT PRO Corner

FEATURES/BENEFITS
- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS
- Durable thermoplastic roller wheels
- Stainless steel frame and hardware

AQUABEAD® OUTSIDE 90 ROLLER



APPLICATIONS
- AquaBead Outside 90 corners

FEATURES/BENEFITS
- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

PRODUCT DETAILS
- Pliable red 90° roller wheels

AQUABEAD® BULLNOSE ROLLER

APPLICATIONS
- AquaBead Bullnose corners

FEATURES/BENEFITS
- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

PRODUCT DETAILS
- Pliable blue roller wheels

MARCO® SPARK•PERF®

MARCO® SPARK•PERF® Tape

A quality tape designed for use with joint compound to prevent cracking and to reinforce drywall panel joints and corners. Designed for banjo-style taping machines, automatic taping systems as well as for hand taping. Spark perforations eliminate bubbles without sacrificing strength.

MARCO SPARK•PERF 75′, 250′ AND 500′

DESCRIPTION

Quality tape designed for use with joint compound to reinforce drywall panel joints and corners in all drywall applications

APPLICATIONS

- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Spark-perforated for easy pass-through of air, eliminating air bubbles
- Machine roughed for superior bonding and holding power.
- Precision-matched center-crease for easy and accurate corner applications.
- Added tensile strength to help prevent tearing, wrinkling or stretching

PRODUCT DETAILS

75′ – 2.0625″ wide x 75′ roll (**23 m** – 5.2 cm x 23 m)
20 rolls per carton

250′ – 2.0625″ wide x 250′ roll (**76 m** – 5.2 cm x 76 m)
20 rolls per carton

500′ – 2.0625″ wide x 500′ roll (**153 m** – 5.2 cm x 153 m)
10 rolls per carton



Marco® Spark-Perf® drywall tape is designed for use with joint compound to reinforce drywall joints and corners prior to painting, texturing or wallpapering.

Testimonials

"We've saved an incredible amount of time installing NO-COAT verses stapling on plastic corner bead. We saved over 30% on mud per floor and over 50% on labor costs — it's awesome."

— Kevin Kreig, Acoustic Ceilings & Partitions, MI

"We've noticed big mud savings so far plus we don't need any glue, staples or mesh tape. Now we aren't getting any splitting, cracking or dents like when we used vinyl or metal trim."

— Shawn Conlin, Clayco Inc., UT

"I've never run bead with a box like this, it's unbelievable. I don't box on metal or plastic bead – it takes too much mud and the box runs out so fast. NO-COAT is smooth and consistent and uses so much less mud. I'm done in half the time it would have taken with metal or plastic bead."

— Terry Roberts, Finisher ACP Ann Arbor, MI

"Boxing with NO-COAT is so much faster, and easier on your body. It bonds tight and won't pop. I can knock-out five NO-COAT corners compared to one with metal bead. Your production speed increases phenomenally."

— Charles Lee, Barton Mallow Interiors, MI

"I was very shocked, we're saving 50% of mud per floor and 20% on labor per floor. And as we have used it more, we are saving even more time and money. We saved $90,000. on one tower job alone. I would have never believed it."

— Duke Gross, Taping Superintendent, Ford Contracting Las Vegas, NV

"The new Double Barrel Hopper system is so much faster. Two of us put on 650 sticks of NO-COAT trim in 6 1/2 hours. You don't have to change attachments. It just blew me away."

— Todd Soucie, Taper Foreman, Troy Metal Concepts Fox Run Wixom, MI

"NO-COAT went on so fast, I got done in 1 1/2 days what would have taken four days with metal bead. And boxing NO-COAT speeds the finishing process so much."

— Hector Valdez, KHS&S, NV

"No matter what we used or did, we always had cracking and we had a 80% callback rate. It was a fact of business. We switched to NO-COAT and 200 houses later, our callback rate is zero. The builder is happy because he knows he is never going to have to call us back for damaged corners."

— Zach Jarvis, Owner ZDJ Drywall, LLC Ogden, UT

Create a more comfortable home.
Visit CertainTeedCorners.com or call 800-233-8990

certainteed
SAINT-GOBAIN

learn more at
certainteedcorners.com

USGBC® and the related logo are trademarks owned by the U.S. Green Building Council® and are used with permission.

USGBC MEMBER

CANADA GREEN BUILDING COUNCIL • CONSEIL DU BÂTIMENT DURABLE DU CANADA • MEMBER

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

SAINT-GOBAIN

CertainTeed

CEILINGS • GYPSUM • INSULATION • ROOFING • SIDING • TRIM

20 Moores Road, Malvern, PA 19355 800-233-8990 certainteed.com

© 04/24 CertainTeed, Printed in USA, Code No. CTG-4134