


The Terminus Drywall Trim system provides an extruded aluminum channel trim for perimeter treatments of suspended drywall ceilings.


## FEATURES AND BENEFITS

- Designed for use with 1/2" and 5/8" drywall
- Sturdy one-piece extruded aluminum available in straight or curved options (Face-In or Face-Out)
- Available in four standard profile heights (2"-8") with factory-mitered corner kits
- Available in Standard White and Black. Additional color options are offered through our Post-Paint process. See the Visual Options - Suspension Systems page for color option details.

## SYSTEM COMPONENTS



## PROFILES



## LEED® v4

RECYCLED CONTENT	45%	
	PRE: 11%	POST: 34%
✓ MR: PBT Source Reduction (Healthcare)		
✓ MR: Sourcing Raw Materials		
✓ MR: Environmental Product Declaration (EPDs)		
✓ MR: Construction and Demolition Waste Management Planning		

LEED® is a registered trademark of the U.S. Green Building Council.

## CERTIFICATIONS & PRODUCT DECLARATIONS



EPD AVAILABLE

# TERMINUS DRYWALL PERIMETER TRIM

TERMINUS DRYWALL	DESCRIPTION	COLOR	LENGTH (IN)	HEIGHT (IN)	FACE (IN)	RECYCLED CONTENT PRE*	RECYCLED CONTENT POST*	RECYCLED CONTENT TOTAL*
<b>DRYWALL STRAIGHT</b>								
TTDW-2 WHT	2" Drywall Terminus Cloud Perimeter Trim	White	120"	2.688"	1"	11%	34%	45%
TTDW-4 WHT	4" Drywall Terminus Cloud Perimeter Trim	White	120"	4.688"	1"	11%	34%	45%
TTDW-6 WHT	6" Drywall Terminus Cloud Perimeter Trim	White	120"	6.688"	1"	11%	34%	45%
TTDW-8 WHT	8" Drywall Terminus Cloud Perimeter Trim	White	120"	8.688"	1"	11%	34%	45%

<b>DRYWALL CURVED</b>								
TTDWR-2	Curved 2" Drywall Terminus Cloud Perimeter Trim	White	120"	2.688"	1"	11%	34%	45%
TTDWR-4	Curved 4" Drywall Terminus Cloud Perimeter Trim	White	120"	4.688"	1"	11%	34%	45%
TTDWR-6	Curved 6" Drywall Terminus Cloud Perimeter Trim	White	120"	6.688"	1"	11%	34%	45%
TTDWR-8	Curved 8" Drywall Terminus Cloud Perimeter Trim	White	120"	8.688"	1"	11%	34%	45%

Curves are limited to a minimum 24" face-in and a minimum of 48" face-out. For more information, please see the Minimum Curve Radius Technical Memo.

<b>DRYWALL CORNERS</b>								
TTDWCKI-2 WHT	2" Drywall Inside Corner	White	2"	2.688"	1"	11%	34%	45%
TTDWCKO-2 WHT	2" Drywall Outside Corner	White	2"	2.688"	1"	11%	34%	45%
TTDWCKI-4 WHT	4" Drywall Inside Corner	White	2"	4.688"	1"	11%	34%	45%
TTDWCKO-4 WHT	4" Drywall Outside Corner	White	2"	4.688"	1"	11%	34%	45%
TTDWCKI-6 WHT	6" Drywall Inside Corner	White	2"	6.688"	1"	11%	34%	45%
TTDWCKO-6 WHT	6" Drywall Outside Corner	White	2"	6.688"	1"	11%	34%	45%
TTDWCKI-8 WHT	8" Drywall Inside Corner	White	2"	8.688"	1"	11%	34%	45%
TTDWCKO-8 WHT	8" Drywall Outside Corner	White	2"	8.688"	1"	11%	34%	45%

\*Maximum recycled content. Recycled content varies by manufacturing plant.  
 All pieces include splices and twist clips for installation. Additional splices and twist clips available for order.  
 Black and Ecophon Colors are available. Additional colors are available upon request. Custom lengths available upon request.  
 Additional angled corners available upon request.

## PHYSICAL DATA

**MATERIAL**  
 Extruded aluminum

**FACE DIMENSION**  
 1"

**PROFILE HEIGHT**  
 Profile dependent

**WARRANTY**  
 10-year Limited Suspension Systems warranty increases to 15 years when installed with CertainTeed ceiling panels. Full warranty information can be found at [certainteed.com/warranty](https://certainteed.com/warranty).




# TERMINUS DRYWALL PERIMETER TRIM

## VISUAL OPTIONS – SUSPENSION SYSTEMS


### ACOUSTICAL AND DRYWALL SUSPENSION SYSTEMS AND TERMINUS TRIM

Our newly expanded post-paint process allows for any CertainTeed Suspension System product to be painted in a variety of new colors, matching all CertainTeed colors along with any Sherwin-Williams® colors requested by the customer. We can also match any color if a color sample is provided.

#### CERTAINTEED STANDARD



#### ECOPHON®



#### METAL CEILINGS



For Special color options, contact your local sales representative.


The colors shown have been reproduced with all the fidelity possible with commercial printing processes. Also, a specific color may appear different on one class of product than another.

When placing an order for either Standard or Special colors, please use the following naming process preceding each catalog code:

Standard face paint: ST + 3-letter color code  
 Standard 360 paint: 3T + 3-letter color code  
 Special face page: SP + 3-letter color code  
 Special 360 paint: 3P + 3-letter color code

**Example:**  
 EZCS4-12-12 ST WEC

#### Example: EZCS4-12-12 ST WEC



### CertainTeed ARCHITECTURAL

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS  
 20 Moores Road, Malvern, PA 19355 800-233-8990 [certainteed.com/architectural](http://certainteed.com/architectural)