CertainTeed Type C Gypsum Board by Saint Gobain

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26263

CLASSIFICATION: 09 29 82 Gypsum Board Fire Protection

PRODUCT DESCRIPTION: This HPD covers the following CertainTeed 1/2" Type C, 5/8" Type C, 1/2" Abuse Resistant Type C, , 5/8" Veneer Plaster Base Type C, 5/8" Exterior Soffit Type C. Type C gypsum boards are fire resistant gypsum boards, designed to meet fire resistance ratings, when used in tested fire resistant assemblies.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm ⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GYPSUM CORE BOARD TYPE C [CALCIUM SULFATE DIHYDRATE

LT-UNK HYDROXYETHYL STARCH 130/0.4 [USAN] NoGS

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK

OXIDIZED CORN STARCH LT-UNK VERMICULITE NoGS SILICA FUME

LT-P1 | CAN *QUARTZ* BM-1 | CAN SODIUM

POLYNAPTHALENESULFONATE LT-P1 | PBT GLUCOSE BM-3

NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER,

CALCIUM SALT LT-P1 STARCH, ACID-HYDROLYZED, 2-

HYDROXYPROPYL ETHER NoGS] PAPER FACING TYPE C GYPSUM

BOARD [CELLULOSE, MICROCRYSTALLINE LT-UNK | RES

CELLULOSE PULP NoGS (3-CHLORO-2-

HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE MODIFIED

STARCH LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted when applicable.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

C No

PREPARER: Self-Prepared VERIFIER: GreenCircle Certified VERIFICATION #: 6H3-9419

SCREENING DATE: 2021-10-19 PUBLISHED DATE: 2021-10-19 EXPIRY DATE: 2024-10-19



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GYPSUM CORE BOARD TYPE C

%: 95.5000 - 98.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Gypsum Core Board Type C

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers.

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:51

%: 91.5000 - 95.0000

GS: LT-UNK

RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate raw material suppliers. The % range has been verified by Green Circle Certified.

HYDROXYETHYL STARCH 130/0.4 [USAN]

ID: 9005-27-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:52

%: 0.2000 - 0.7000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:53

%: 0.2000 - 0.6000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

OXIDIZED CORN STARCH ID: 65996-62-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:53

%: 0.1000 - 0.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

VERMICULITE ID: 1318-00-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:54

%: 0.0000 - 7.5000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

SILICA FUME ID: 69012-64-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:55

%: 0.0000 - 0.2000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN GHS - Australia H350i - May cause cancer by inhalation [Carcinogenicity -

Category 1A or 1B]

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:55

%: Impurity/Residual GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Quartz is a naturally occurring impurity found within all gypsum rock. The levels are monitored by the product sites and are well below the 1000 ppm threshold but in the spirit of transparency and full disclosure we note this impurity in our HPD. The % range has been verified by Green Circle Certified and by RJ Lee Industrial Hygienists.

SODIUM POLYNAPTHALENESULFONATE

ID: 9084-06-4

· · · · · · · · · · · · · · · · · · ·	PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTh to humans	
· · · · · · · · · · · · · · · · · · ·	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:30	%: 0.0000 - 0.1300	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator	
HAZADD CODEENING METHOD. Drawes Chamical and Materials Library. HAZADD CODEENING DATE: 2004 10 10 0.40.55	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-19 9:40:56	

SUBSTANCE NOTES: Due to the potential human health impact of this material, R&D is actively working on a replacement for this raw material. Trials are on-going. The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

GLUCOSE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:56

%: 0.0000 - 1.0000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER,

ID: 37293-74-6

CALCIUM SALT

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:57

%: 0.0000 - 0.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the potential human health concerns with this material R&D is actively seeking alternatives and has made successful changes at some production sites. The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

STARCH, ACID-HYDROLYZED, 2-HYDROXYPROPYL ETHER

ID: 68584-86-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:57

%: 0.0000 - 0.7000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thicknesses as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

PAPER FACING TYPE C GYPSUM BOARD %: 2.5000 - 5.7500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the paper are considered and evaluated through QA checks.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

ELLULOSE, MICROCRYSTALLINE ID: 9004-34			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-19 9:40:51	
%: 85.0000 - 92.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Structure com	ponent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	

SUBSTANCE NOTES: Two substances are listed on this HPD for the cellulose content in the paper facing. These two substances are effectively interchangeable, but are different enough that the supplier identifies them with different CASRNs, leading to the large %weight range in these ingredients. This explanation is provided with the large range in accordance with the HPD Open Standard instructions. The % range has been verified by Green Circle Certified.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-19 9:40:52

%: 30.0000 - 93.0000

GS: NoGS

RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The information on the paper facing is derived from the manufacturer and the range of raw materials they have provided. Two substances are listed on this HPD for the cellulose content in the paper facing. These two substances are effectively interchangeable, but are different enough that the supplier identifies them with different CASRNs, leading to the large %weight range in these ingredients. This explanation is provided with the large range in accordance with the HPD Open Standard instructions. The % range has been verified by Green Circle Certified.

(3-CHLORO-2-HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE MODIFIED STARCH

ID: 56780-58-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-19 9:40:54		
%: 0.1000 - 1.5000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
MUL	German FEA - Substances Hazardous Waters	co Class 2 - Hazard to Waters		/aters

SUBSTANCE NOTES: The information on the paper facing is derived from the manufacturer and the range of raw materials they have provided. The % range has been verified by Green Circle Certified.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER OR	
APPLICABLE FACILITIES: All Type C - Certificate # 24757-420	DATE:	DATE:	LAB: UL	
CERTIFICATE URL:	2003-03-	2022-03-		
$https://www.certainteed.com/resources/Type \% 20 C_GREENGUARD \% 20 Gold \% 20 Certification \% 20 24757-420.pdf$	11	11		

CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Please refer to https://www.certainteed.com/drywall/sustainability for the most accurate certifications as they are renewed annually.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material disclosure from the raw material supplier SDS is limited to 1000 ppm threshold. For complete Safety and EHS information on any and all CertainTeed Gypsum Products please see https://www.certainteed.com/drywall/. Additional Transparency documentation can be found at https://saintgobain.ecomedes.com/

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain ADDRESS: 20 Moores Road

Malvern PA 19355, United States

WEBSITE: https://www.certainteed.com/drywall/

CONTACT NAME: Mitchell Schittler

TITLE: Gypsum Marketing Technical Services Manager

PHONE: 610-893-6000

EMAIL: mitchell.l.schittler@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.