



# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	<b>CoreFlex Universal Corners</b>		
<b>Other means of identification</b>	None.		
<b>Recommended use</b>	Not available.		
<b>Recommended restrictions</b>	None known.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	CETCO, an MTI Company		
<b>Address</b>	2870 Forbs Avenue Hoffman Estates, IL 60192 United States		
<b>Telephone</b>	General Information	800 527-9948	
<b>Website</b>	<a href="http://www.cetco.com/">http://www.cetco.com/</a>		
<b>E-mail</b>	<a href="mailto:safetydata@mineralstech.com">safetydata@mineralstech.com</a>		
<b>Emergency phone number</b>	Emergency	1.866.519.4752/1 760 476 3962	
<b>Americas</b>	1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962		

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.		
<b>Health hazards</b>	Germ cell mutagenicity	Category 1	
	Reproductive toxicity (fertility, the unborn child)	Category 1A	
	Reproductive toxicity	Effects on or via lactation	
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 3	
	Hazardous to the aquatic environment, long-term hazard	Category 3	
<b>OSHA defined hazards</b>	Not classified.		
<b>Label elements</b>			
<b>Hazard symbol</b>	None.		
<b>Signal word</b>	None.		
<b>Hazard statement</b>	Not available.		
<b>Precautionary statement</b>			
<b>Prevention</b>	Not available.		
<b>Response</b>	Not available.		
<b>Storage</b>	Not available.		
<b>Disposal</b>	Not available.		
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.		
<b>Supplemental information</b>	None.		

## 3. Composition/information on ingredients

### Mixtures

<b>Chemical name</b>	<b>Common name and synonyms</b>	<b>CAS number</b>	<b>%</b>
CALCIUM CARBONATE	CALCIUM CARBONATE PRECIPITATED CALCIUM CARBONATE (PCC)	471-34-1	30 - < 40
Ethene, chloro-, homopolymer		9002-86-2	30 - < 40
Tin		7440-31-5	5 - < 10

Material name: CoreFlex Universal Corners

6618 Version #: 04 Revision date: 08-February-2019 Issue date: 11-August-2014

SDS US

1 / 10

Chemical name	Common name and synonyms	CAS number	%
Arsenic		7440-38-2	< 0.3
Benzene		71-43-2	< 0.3
Lead		7439-92-1	< 0.2
2-Pentanone, 4-methyl-		108-10-1	< 0.1
Carbon disulfide		75-15-0	< 0.1
Other components below reportable levels			30 - < 40

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** Not applicable to consumer products.

#### 4. First-aid measures

**Inhalation** Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

**Most important symptoms/effects, acute and delayed** Not available.

**General information** If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

**Suitable extinguishing media** Water.

**Unsuitable extinguishing media** Not available.

**Specific hazards arising from the chemical** Not applicable.

**Special protective equipment and precautions for firefighters** Not available.

**Fire fighting equipment/instructions** In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

**Specific methods** In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Avoid inhalation of dust from the spilled material. Wear a dust mask if dust is generated above exposure limits.

**Methods and materials for containment and cleaning up** This product is miscible in water. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Avoid dust formation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

#### 7. Handling and storage

**Precautions for safe handling** In case of insufficient ventilation, wear suitable respiratory equipment. Provide appropriate exhaust ventilation at places where dust is formed. Practice good housekeeping.

**Conditions for safe storage, including any incompatibilities** Store in a well-ventilated place. Keep away from heat, sparks, and flame. No special restrictions on storage with other products.

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Components	Type	Value
Arsenic (CAS 7440-38-2)	TWA	0.01 mg/m3
Benzene (CAS 71-43-2)	STEL	5 ppm
	TWA	1 ppm
Ethene, chloro-, homopolymer (CAS 9002-86-2)	STEL	5 ppm
	TWA	1 ppm
Lead (CAS 7439-92-1)	TWA	0.05 mg/m3

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
2-Pentanone, 4-methyl- (CAS 108-10-1)	PEL	410 mg/m3
		100 ppm
Tin (CAS 7440-31-5)	PEL	2 mg/m3

**US. OSHA Table Z-2 (29 CFR 1910.1000)**

Components	Type	Value
Benzene (CAS 71-43-2)	Ceiling	25 ppm
	TWA	10 ppm
Carbon disulfide (CAS 75-15-0)	Ceiling	30 ppm
	TWA	20 ppm

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Additional components	Type	Value	Form
TRADE SECRET	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
2-Pentanone, 4-methyl- (CAS 108-10-1)	STEL	75 ppm	
	TWA	20 ppm	
Arsenic (CAS 7440-38-2)	TWA	0.01 mg/m3	
	STEL	2.5 ppm	
Benzene (CAS 71-43-2)	TWA	0.5 ppm	
	TWA	1 ppm	
Carbon disulfide (CAS 75-15-0)	TWA	1 ppm	
Ethene, chloro-, homopolymer (CAS 9002-86-2)	TWA	1 mg/m3	Respirable fraction.
Lead (CAS 7439-92-1)	TWA	0.05 mg/m3	
Tin (CAS 7440-31-5)	TWA	2 mg/m3	

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
2-Pentanone, 4-methyl- (CAS 108-10-1)	STEL	300 mg/m3	
		75 ppm	
	TWA	205 mg/m3	
		50 ppm	

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Arsenic (CAS 7440-38-2)	Ceiling	0.002 mg/m3	
Benzene (CAS 71-43-2)	STEL	1 ppm	
	TWA	0.1 ppm	
CALCIUM CARBONATE (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Carbon disulfide (CAS 75-15-0)	STEL	30 mg/m3	
		10 ppm	
	TWA	3 mg/m3	
		1 ppm	
Lead (CAS 7439-92-1)	TWA	0.05 mg/m3	
Tin (CAS 7440-31-5)	TWA	2 mg/m3	

**Biological limit values**

**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
2-Pentanone, 4-methyl- (CAS 108-10-1)	1 mg/l	Methyl isobutyl ketone	Urine	*
Arsenic (CAS 7440-38-2)	35 µg/l	Inorganic arsenic, plus methylated metabolites, as As	Urine	*
Benzene (CAS 71-43-2)	25 µg/g	S-Phenylmerca pturic acid	Creatinine in urine	*
Carbon disulfide (CAS 75-15-0)	0.5 mg/g	2-Thiothiazolidi ne-4-carboxylic acid (TTCA)	Creatinine in urine	*
Lead (CAS 7439-92-1)	200 µg/l	Lead	Blood	*

\* - For sampling details, please see the source document.

**Exposure guidelines**

**US - California OELs: Skin designation**

Benzene (CAS 71-43-2) Can be absorbed through the skin.  
Carbon disulfide (CAS 75-15-0) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

Carbon disulfide (CAS 75-15-0) Skin designation applies.

**US - Tennessee OELs: Skin designation**

Carbon disulfide (CAS 75-15-0) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

Benzene (CAS 71-43-2) Can be absorbed through the skin.  
Carbon disulfide (CAS 75-15-0) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

Arsenic (CAS 7440-38-2) Can be absorbed through the skin.  
Carbon disulfide (CAS 75-15-0) Can be absorbed through the skin.

**Appropriate engineering controls**

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Avoid contact with eyes. Use tight fitting goggles if dust is generated. Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

**Skin protection**

**Hand protection**

Not normally needed.

**Other**

Normal work clothing (long sleeved shirts and long pants) is recommended.

<b>Respiratory protection</b>	Wear respirator with dust filter. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Do not breathe dust. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

<b>Appearance</b>	Opaque. Powder.
<b>Physical state</b>	Solid.
<b>Form</b>	Solid. Powder.
<b>Color</b>	Various.
<b>Odor</b>	Slight.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	449.42 °F (231.9 °C) estimated
<b>Initial boiling point and boiling range</b>	4544.6 °F (2507 °C) estimated
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	0.000006 hPa estimated
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	1166 °F (630 °C) estimated
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	2.30 g/cm <sup>3</sup> estimated
<b>Specific gravity</b>	1.1 - 1.6
<b>VOC</b>	CARB

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Not available.
<b>Conditions to avoid</b>	Avoid spread of dust.
<b>Incompatible materials</b>	Not available.
<b>Hazardous decomposition products</b>	Irritants.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Inhalation of dusts may cause respiratory irritation.
<b>Skin contact</b>	Not available.
<b>Eye contact</b>	May be irritating to eyes.
<b>Ingestion</b>	Not available.

**Symptoms related to the physical, chemical and toxicological characteristics** Not available.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
2-Pentanone, 4-methyl- (CAS 108-10-1)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 16000 mg/kg
<b>Inhalation</b>		
LC50	Rat	8.2 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	2080 mg/kg
Arsenic (CAS 7440-38-2)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	763 mg/kg
Benzene (CAS 71-43-2)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	3306 mg/kg
CALCIUM CARBONATE (CAS 471-34-1)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	6450 mg/kg
Carbon disulfide (CAS 75-15-0)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Rat	25 mg/l, 2 Hours
<b>Oral</b>		
LD50	Rat	3188 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Not available.

**Serious eye damage/eye irritation** Dust in the eyes will cause irritation. May be irritating to eyes.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** Not available.

**Germ cell mutagenicity** Not available.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

2-Pentanone, 4-methyl- (CAS 108-10-1)	2B Possibly carcinogenic to humans.
Arsenic (CAS 7440-38-2)	1 Carcinogenic to humans.
Benzene (CAS 71-43-2)	1 Carcinogenic to humans.

Ethene, chloro-, homopolymer (CAS 9002-86-2)

3 Not classifiable as to carcinogenicity to humans.

Lead (CAS 7439-92-1)

2B Possibly carcinogenic to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Arsenic (CAS 7440-38-2)

Cancer

Benzene (CAS 71-43-2)

Cancer

Ethene, chloro-, homopolymer (CAS 9002-86-2)

Cancer

**US. National Toxicology Program (NTP) Report on Carcinogens**

Arsenic (CAS 7440-38-2)

Known To Be Human Carcinogen.

Benzene (CAS 71-43-2)

Known To Be Human Carcinogen.

Lead (CAS 7439-92-1)

Reasonably Anticipated to be a Human Carcinogen.

**Reproductive toxicity** Not available.

**Specific target organ toxicity - single exposure** Not available.

**Specific target organ toxicity - repeated exposure** Not available.

**Aspiration hazard** Not available.

**Chronic effects** Not expected to be hazardous by WHMIS criteria.

**Further information** This product has no known adverse effect on human health.

**12. Ecological information**

**Ecotoxicity**

Components	Species	Test Results
2-Pentanone, 4-methyl- (CAS 108-10-1)		
<b>Aquatic</b>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) 492 - 593 mg/l, 96 hours
Arsenic (CAS 7440-38-2)		
<b>Aquatic</b>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) 9.9 mg/l, 96 hours
Benzene (CAS 71-43-2)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> ) 8.76 - 15.6 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout ( <i>Oncorhynchus mykiss</i> ) 7.2 - 11.7 mg/l, 96 hours
CALCIUM CARBONATE (CAS 471-34-1)		
<b>Aquatic</b>		
Fish	LC50	Western mosquitofish ( <i>Gambusia affinis</i> ) > 56000 mg/l, 96 hours
Carbon disulfide (CAS 75-15-0)		
<b>Aquatic</b>		
Fish	LC50	Fish 4 mg/L, 96 Hours
		Guppy ( <i>Poecilia reticulata</i> ) 3 - 5.8 mg/l, 96 hours
Lead (CAS 7439-92-1)		
<b>Aquatic</b>		
Fish	LC50	Fish 6.5 mg/L, 96 Hours
		Rainbow trout,donaldson trout ( <i>Oncorhynchus mykiss</i> ) 1.17 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** Not available.

**Bioaccumulative potential** Not available.

**Partition coefficient n-octanol / water (log Kow)**

2-Pentanone, 4-methyl- 1.31

Benzene 2.13

Carbon disulfide 1.94

**Mobility in soil** Not available.

Other adverse effects Not available.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.

#### Hazardous waste code

##### US RCRA Hazardous Waste P List: Reference

Carbon disulfide (CAS 75-15-0) P022

**Waste from residues / unused products** Not applicable.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

### 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
One or more components are not listed on TSCA.

CERCLA/SARA Hazardous Substances - Not applicable.

#### Toxic Substances Control Act (TSCA)

##### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

2-Pentanone, 4-methyl- (CAS 108-10-1)	Listed.
Arsenic (CAS 7440-38-2)	Listed.
Benzene (CAS 71-43-2)	Listed.
Carbon disulfide (CAS 75-15-0)	Listed.
Lead (CAS 7439-92-1)	Listed.

#### SARA 304 Emergency release notification

CARBON DISULFIDE (CAS 75-15-0) 100 LBS

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Arsenic (CAS 7440-38-2)	Cancer
Benzene (CAS 71-43-2)	Cancer
Ethene, chloro-, homopolymer (CAS 9002-86-2)	Cancer
Lead (CAS 7439-92-1)	Reproductive toxicity
Arsenic (CAS 7440-38-2)	Liver
Benzene (CAS 71-43-2)	Central nervous system
Ethene, chloro-, homopolymer (CAS 9002-86-2)	Central nervous system
Lead (CAS 7439-92-1)	Central nervous system
Arsenic (CAS 7440-38-2)	Skin
Benzene (CAS 71-43-2)	Blood
Ethene, chloro-, homopolymer (CAS 9002-86-2)	Liver
Lead (CAS 7439-92-1)	Kidney
Arsenic (CAS 7440-38-2)	Respiratory irritation
Benzene (CAS 71-43-2)	Aspiration
Ethene, chloro-, homopolymer (CAS 9002-86-2)	Blood
Lead (CAS 7439-92-1)	Blood
Arsenic (CAS 7440-38-2)	Nervous system



Benzene (CAS 71-43-2)	Skin
Ethene, chloro-, homopolymer (CAS 9002-86-2)	Flammability
Lead (CAS 7439-92-1)	Acute toxicity
Arsenic (CAS 7440-38-2)	Acute toxicity
Benzene (CAS 71-43-2)	Eye
	respiratory tract irritation
	Flammability

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Carbon disulfide	75-15-0	100	10000		

**SARA 311/312 Hazardous chemical** No (Exempt)

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Arsenic	7440-38-2	< 0.3
Benzene	71-43-2	< 0.3
Lead	7439-92-1	< 0.2

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

2-Pentanone, 4-methyl- (CAS 108-10-1)  
 Arsenic (CAS 7440-38-2)  
 Benzene (CAS 71-43-2)  
 Carbon disulfide (CAS 75-15-0)  
 Lead (CAS 7439-92-1)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Carbon disulfide (CAS 75-15-0)

**Safe Drinking Water Act (SDWA)** Not regulated.

**Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number**

2-Pentanone, 4-methyl- (CAS 108-10-1) 6715

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

2-Pentanone, 4-methyl- (CAS 108-10-1) 35 %WV

**DEA Exempt Chemical Mixtures Code Number**

2-Pentanone, 4-methyl- (CAS 108-10-1) 6715

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

2-Pentanone, 4-methyl- (CAS 108-10-1) Low priority

**US state regulations**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**California Proposition 65**



**WARNING:** This product can expose you to chemicals including Lead: Benzene: 2-Pentanone, 4-methyl-, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California Proposition 65 - CRT: Listed date/Carcinogenic substance**

2-Pentanone, 4-methyl- (CAS 108-10-1)	Listed: November 4, 2011
Arsenic (CAS 7440-38-2)	Listed: February 27, 1987
Benzene (CAS 71-43-2)	Listed: February 27, 1987
Lead (CAS 7439-92-1)	Listed: October 1, 1992

**California Proposition 65 - CRT: Listed date/Developmental toxin**

2-Pentanone, 4-methyl- (CAS 108-10-1)	Listed: March 28, 2014
Benzene (CAS 71-43-2)	Listed: December 26, 1997
Carbon disulfide (CAS 75-15-0)	Listed: July 1, 1989
Lead (CAS 7439-92-1)	Listed: February 27, 1987

**California Proposition 65 - CRT: Listed date/Female reproductive toxin**

Carbon disulfide (CAS 75-15-0)	Listed: July 1, 1989
--------------------------------	----------------------

Lead (CAS 7439-92-1)

Listed: February 27, 1987

**California Proposition 65 - CRT: Listed date/Male reproductive toxin**

Benzene (CAS 71-43-2)

Listed: December 26, 1997

Carbon disulfide (CAS 75-15-0)

Listed: July 1, 1989

Lead (CAS 7439-92-1)

Listed: February 27, 1987

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

2-Pentanone, 4-methyl- (CAS 108-10-1)

Arsenic (CAS 7440-38-2)

Benzene (CAS 71-43-2)

Carbon disulfide (CAS 75-15-0)

Lead (CAS 7439-92-1)

Tin (CAS 7440-31-5)

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

<b>Issue date</b>	11-August-2014
<b>Revision date</b>	08-February-2019
<b>Version #</b>	04
<b>Further information</b>	HMIS® is a registered trade and service mark of the NPCA.
<b>HMIS® ratings</b>	Health: 4* Flammability: 0 Physical hazard: 0
<b>NFPA ratings</b>	Health: 0 Flammability: 0 Instability: 0
<b>Disclaimer</b>	The information in the sheet was written based on the best knowledge and experience currently available.
<b>Revision information</b>	Hazard(s) identification: Hazard statement Composition/information on ingredients: Component information Exposure controls/personal protection: Occupational exposure limits Physical & Chemical Properties: Multiple Properties Regulatory information: California Proposition 65