WATERSTOP® XP



WATERSTOP®XP

EXPANDING WATERSTOP WITH XP TECHNOLOGY FOR CONCRETE CONSTRUCTION JOINTS

WATERSTOP XP is the next generation of waterstop that expands upon contact with water to form a positive seal to stop water ingress through cast-in-place concrete construction joints and around pipe penetrations. Through the use of the patented XP technology, WATERSTOP XP is proven effective in a wide range of containinated environments, including high-saline conditions. Its flexible design also makes it effective for both horizontal and vertical joints.

WATERSTOP XP is manufactured in lightweight, flexible coils and designed to provide greater performance perdictability than passive PVC/rubber dumbbell waterstops— eliminating the requirement of special pieces, split-forming and seam welding.

APPLICATIONS

Vertical and Horizontal Nonmoving Concrete Construction Joints

New to Existing Construction

Irregular surfaces

Around Through-wall Penetrations, e.g., Plumbing and Utility Pipes

Around Piles, H-Pile Supports and Other Detailing Applications









Exceptional Waterproofing Performance:

Protection from Water Ingress:

- · Can expand several times its volume to fill voids.
- Ends naturally join together to form one continuous waterstop.
- Effective seals pipe penetrations that PVC waterstops cannot effeiciently seal.
- · Proven effective in structures under continuous or intermittent hydrostatic pressure.

Protection from Contaminants:

 XP technology resists a wide-range of contaminants, including high-saline conditions and dilute organic solvents

Installation Benefits and Features:

Fast and Easy

- · Manufactured in lightweight, flexible coils.
- Can be easily installed by a single worker.
- · Requires no special pieces, seam welding or split forming.

Versatility:

- Can be adhered in place using CETSEAL® or mechanically secured with REVO-FIX® and fasteners.
- · Pliability allows installation around through-wall/slab and pipe penetrations
- Easily transitions from horizontal to vertical applications to form a continuous waterstop.



Used with CETCO COREFLEX® or ULTRASEAL® membranes, WATERSTOP XP qualifies for the HydroShield™ Quality Assurance Program.

Protect your structure from water ingress with the industry's leading quality assurance program. This proven, systematic approach provides a no-dollar-limit warranty for 100 percent, non-prorated protection for the entire term of the warranty. For more information visit Cetco.com.

© 2013 CETCO. IMPORTANT: The information contained herein supersedes all previous printed versions, and is believed to be accurate and reliable. For the most up-to-date information, please visit www.CETCO.com. CETCO accepts no responsibility for the results obtained throught application of this product. CETCO reserves the right to update information without notice.

