

## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name or designation of the mixture** CIM 800 Activator

**Registration number** -

**Synonyms** CIM Activator

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Waterproofing, chemical containment, secondary containment

**Uses advised against** No other uses are advised.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

**Company name** CIM INDUSTRIES INC

**Address** 6900 NELMS STREET  
HOUSTON, TX 77061  
United States

**Division** A CHASE CORPORATION COMPANY

**Telephone** General Assistance 800 543-3458

**e-mail** info@chasecorp.com

**Contact person** Not available.

**1.4. Emergency telephone number** Chemtrec (US - 24 hrs) 800 424-9300

Chemtrec (INTL - 24 hrs) 703-527-3887

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Respiratory sensitisation	Category 1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Category 2	H373 - May cause damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** 4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1]  
2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2]  
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]  
methylenediphenyl diisocyanate

### Hazard pictograms



### Signal word

Danger

### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements

#### Prevention

P260 Do not breathe mist/vapours.  
P264 Wash thoroughly after handling.  
P280 Wear eye protection/face protection.  
P280 Wear protective gloves.  
P284 Wear respiratory protection.

#### Response

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTRE/doctor if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage

Not available.

#### Disposal

Not available.

### Supplemental label information

97.99999999843 % of the mixture consists of component(s) of unknown acute oral toxicity. % of the mixture consists of component(s) of unknown acute oral toxicity. 97.99999999843 % of the mixture consists of component(s) of unknown acute dermal toxicity. 31.999999999 % of the mixture consists of component(s) of unknown acute inhalation toxicity. % of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.49999999801 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.49999999801 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate	60 - < 70	26447-40-5 247-714-0	-	615-005-00-9	<b>Classification:</b> Acute Tox. 3;H331;(ATE: 3 mg/l), Acute Tox. 4;H332, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Resp. Sens. 1;H334, Skin Sens. 1;H317, STOT SE 3;H335, STOT RE 2;H373 <b>Specific Concentration Limits:</b> Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %, Resp. Sens. 1;H334: C ≥ 0.1 %, STOT SE 3;H335: C ≥ 5 %
Triethyl phosphate	1 - < 3	78-40-0 201-114-5	-	015-013-00-7	<b>Classification:</b> Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Acute Tox. 3;H331

## Isomer

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate	61 - 66	101-68-8 202-966-0	-	615-005-00-9	

## List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## Composition comments

The full text for all H-statements is displayed in section 16. The full text for all R- and H-phrases is displayed in section 16. Note: CAS 101-68-8 is an MDI isomer that is part of CAS 26447-40-5

## SECTION 4: First aid measures

### General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: call a poison centre or doctor / physician.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

#### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

#### Ingestion

Rinse mouth. Get medical attention if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

**5.1. Extinguishing media**

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Water. Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.

**5.3. Advice for firefighters**

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures** Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel** Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

**For emergency responders** Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up**

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**6.4. Reference to other sections** For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Do not breathe mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities** Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)** Observe industrial sector guidance on best practices.

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters**

## Occupational exposure limits

### UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1]	STEL	0.07 mg/m3
2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2]		
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]		
methylenediphenyl diisocyanate (CAS 26447-40-5)	TWA	0.02 mg/m3
DIPHENYLMETHANE DIISOCYANATE, HOMOPOLYMER (CAS 39310-05-9)	STEL	0.07 mg/m3
	TWA	0.02 mg/m3
<b>Isomer</b>	<b>Type</b>	<b>Value</b>
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1]	STEL	0.07 mg/m3
2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2]		
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]		
methylenediphenyl diisocyanate (CAS 101-68-8)	TWA	0.02 mg/m3

## Biological limit values

### UK. BELs. Biological Monitoring Guidance Values (BMGVs) (EH40/2005 (Fourth Edition 2020)), Table 2

Components	Value	Determinant	Specimen	Sampling Time
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1]	1 umol/mol	Isocyanate-derived diamine	Creatinine in urine	*
2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2]				
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]				
methylenediphenyl diisocyanate (CAS 26447-40-5)				
DIPHENYLMETHANE DIISOCYANATE, HOMOPOLYMER (CAS 39310-05-9)	1 umol/mol	Isocyanate-derived diamine	Creatinine in urine	*

**UK. BELs. Biological Monitoring Guidance Values (BMGVs) (EH40/2005 (Fourth Edition 2020)), Table 2**

Isomer	Value	Determinant	Specimen	Sampling Time
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1]	1 umol/mol	Isocyanate-derived diamine	Creatinine in urine	*
2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2]				
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3]				
methylenediphenyl diisocyanate (CAS 101-68-8)				

\* - For sampling details, please see the source document.

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

## 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.

## Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Chemical respirator with organic vapour cartridge and full facepiece.

### Skin protection

**- Hand protection** Wear appropriate chemical resistant gloves.

**- Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapour cartridge and full facepiece.

**Thermal hazards** Not applicable.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Amber.
<b>Odour</b>	Mild.
<b>Melting point/freezing point</b>	71.11 °C (160 °F)

**Boiling point or initial boiling point and boiling range** 313.89 °C (597 °F) (Decomposes)

**Flammability** Not applicable.

**Upper/lower flammability or explosive limits**

**Explosive limit - lower (%)** Not available.

**Explosive limit – upper (%)** Not available.

**Flash point** 218.3 °C (425.0 °F)

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**pH** Not available.

**Kinematic viscosity** Not available.

**Solubility**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water) (log value)** Not available.

**Vapour pressure** 0.0003 mm Hg  
0.00006 hPa estimated

**Density and/or relative density** Not available.

**Vapour density** Not available.

**Particle characteristics** Not available.

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes** No relevant additional information available.

**9.2.2. Other safety characteristics**

**Specific gravity** 1.2 estimated

**SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid** Contact with incompatible materials.

**10.5. Incompatible materials** Strong oxidising agents.

**10.6. Hazardous decomposition products** No hazardous decomposition products are known.

**SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

**Information on likely routes of exposure**

**Inhalation** May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Not known.

Product	Species	Test Results
CIM 800 Activator		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Guinea pig	1712.0001 g/kg
	Rabbit	1600.0001 g/kg
<b>Inhalation</b>		
LC50	Rat	705.3601 mg/l, 4 Hours
<b>Oral</b>		
LD50	Mouse	120.0001 g/kg
<b>Other</b>		
LD50	Mouse	38.8 g/kg

Components	Species	Test Results
------------	---------	--------------

Triethyl phosphate (CAS 78-40-0)

**Acute**

**Dermal**

LD50	Rabbit	> 20 g/kg
------	--------	-----------

**Isomer**

**Species**

**Test Results**

4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate (CAS 101-68-8)

**Acute**

**Dermal**

LD50	-	> 9400 mg/kg
------	---	--------------

**Oral**

LD50	-	> 2000 mg/kg
------	---	--------------

\* Estimates for product may be based on additional component data not shown.

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.
<b>Respiratory sensitisation</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>Skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate (CAS 101-68-8) 3 Not classifiable as to carcinogenicity to humans.

4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate (CAS 26447-40-5) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

**Mixture versus substance information** No information available.

## 11.2. Information on other hazards

**Endocrine disrupting properties** This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

**Other information** Not available.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Product	Species	Test Results	
CIM 800 Activator			
<b>Aquatic</b>			
Fish	LC50	Fish	73333.3359 mg/l, 96 hours estimated
<i>Acute</i>			
Fish	LC50	Fish	3333.3333 mg/l, 96 hours estimated
<b>Components</b>	<b>Species</b>	<b>Test Results</b>	
Triethyl phosphate (CAS 78-40-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**12.2. Persistence and degradability** No data is available on the degradability of this product.

### 12.3. Bioaccumulative potential

#### Partition coefficient

##### n-octanol/water (log Kow)

Triethyl phosphate (CAS 78-40-0)	0.8
4,4'-methylenediphenyl diisocyanate; diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate	5.22

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

**12.6. Endocrine disrupting properties** This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

**12.7. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

**14.1. UN number** Not regulated as dangerous goods.  
**14.2. UN proper shipping name** Not regulated as dangerous goods.  
**14.3. Transport hazard class(es)**  
**Class** Not assigned.  
**Subsidiary hazard** -  
**Hazard No. (ADR)** Not assigned.  
**Tunnel restriction code** Not assigned.  
**14.4. Packing group** -  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not assigned.

### RID

**14.1. UN number** Not regulated as dangerous goods.  
**14.2. UN proper shipping name** Not regulated as dangerous goods.  
**14.3. Transport hazard class(es)**  
**Class** Not assigned.  
**Subsidiary hazard** -  
**14.4. Packing group** -  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not assigned.

### ADN

**14.1. UN number** Not regulated as dangerous goods.  
**14.2. UN proper shipping name** Not regulated as dangerous goods.  
**14.3. Transport hazard class(es)**  
**Class** Not assigned.  
**Subsidiary hazard** -  
**14.4. Packing group** -  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not assigned.

### IATA

**14.1. UN number** Not regulated as dangerous goods.  
**14.2. UN proper shipping name** Not regulated as dangerous goods.  
**14.3. Transport hazard class(es)**  
**Class** Not assigned.  
**Subsidiary hazard** -  
**14.4. Packing group** -  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not assigned.

### IMDG

**14.1. UN number** Not regulated as dangerous goods.  
**14.2. UN proper shipping name** Not regulated as dangerous goods.  
**14.3. Transport hazard class(es)**  
**Class** Not assigned.  
**Subsidiary hazard** -  
**14.4. Packing group** -  
**14.5. Environmental hazards**  
**Marine pollutant** No.  
**EmS** Not assigned.

**14.6. Special precautions for user** Not assigned.

**14.7. Maritime transport in bulk according to IMO instruments** Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered**

4,4'-methylenediphenyl diisocyanate; 56

diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate (CAS 101-68-8)

4,4'-methylenediphenyl diisocyanate; 56

diphenylmethane4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate (CAS 26447-40-5)

Triethyl phosphate (CAS 78-40-0) 3

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended**

Not listed.

**Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended**

Not listed.

#### Other EU regulations

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. Pregnant women should not work with the product, if there is the least risk of exposure. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations**

Follow national regulation for work with chemical agents.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information****List of abbreviations**

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.  
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
CAS: Chemical Abstract Service.  
CEN: European Committee for Standardization.  
IATA: International Air Transport Association.  
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.  
IMDG: International Maritime Dangerous Goods.  
MARPOL: International Convention for the Prevention of Pollution from Ships.  
PBT: Persistent, bioaccumulative and toxic.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
vPvB: Very persistent and very bioaccumulative.

**References**

Not available.

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any statements, which are not written out in full under sections 2 to 15**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Revision information**

Product and Company Identification: Product and Company Identification

**Training information**

Follow training instructions when handling this material.

**Issued by**

Dan Libby

**Disclaimer**

The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.