

## 103 Deluxe® Corner Bead (CBU)

### Metal Corner Bead

ClarkDietrich 103 Deluxe® corner bead is used to provide a high-quality finish and solid protection at drywall corners. This traditional drywall finishing product is nailed, stapled, screwed or clinched into place. Flanges are deeply knurled and perforated for excellent joint compound adhesion. 103 Deluxe corner bead is considered the premier drywall finishing corner bead product. This product combines a unique manufacturing process, with specially enhanced galvanized steel to provide consistent, high-quality finishing each and every time.

#### Product Data & Ordering Information

Material: 0.0125" min. thickness, galvanized coating  
Dimensions: 1-1/4" leg x 1-1/4" leg

Width	Length	Wt./Ctn.	Pcs./Ctn.
1-1/4" x 1-1/4"	8'	55 lbs	63
1-1/4" x 1-1/4"	9'	55 lbs	56
1-1/4" x 1-1/4"	10'	54 lbs	50
1-1/4" x 1-1/4"	12'	66 lbs	42

#### ASTM & Code Standards

- ASTM C1047
- SDS & Product Certification Information is available at [www.clarkdietrich.com/SupportDocs](http://www.clarkdietrich.com/SupportDocs)

#### Storage


All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather.

## 09.22.00 (Support for Plaster & Gypsum Board)



Metal Corner Bead

- Galvanized coating for corrosion protection
- Superior compound adhesion
- Strong metal reinforcement for drywall corners
- Exposed nose resists impact and forms a screed for finishing



#### Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit [www.clarkdietrich.com/LEED](http://www.clarkdietrich.com/LEED)

**LEED v4 MR Credit** -- Building Product Disclosure and Optimization: EPD (1 point) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

**LEED 2009 Credit MR 2 & MR 4** -- ClarkDietrich's steel products are 100% recyclable and have a national average recycled content of 34.2% (19.8% post-consumer and 14.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at ([info@clarkdietrich.com](mailto:info@clarkdietrich.com) / 888-437-3244)

#### Project Information

Name:  
Address:

#### Contractor Information

Name:  
Contact:  
Phone:  
Fax:

#### Architect Information

Name:  
Contact:  
Phone:  
Fax: