

Technical Services: 888-437-3244, Engineering Services: 877-832-3206, Sales 800-543-7140



Drywall

09.22.00 (Support for Plaster & Gypsum Board)

3/4" Bullnose 2-Way Inside Corner Cap

Corner and Transition Caps

3/4" Bullnose 2-way 3/4" Inside Corner Caps provide the ideal component to transition bullnose corner beads to a crisp finish where inside corners intersect at 90°. Examples of applications include windows, closets, doorways, skylights, etc. Easy to install, this component provides a cost-effective alternative to time-consuming mitering of corners.

Product Data & Ordering Information:

Material: PVC (Polyvinyl Chloride) Dimensions: 3/4" Radius


Product code	Radius	Style	Pcs./Ctn.
M285	3/4"	2-Way Corner Cap	50

Code Approvals & Performance Standards

- ASTM C840 Standard Specification for Application and Finishing of Gypsum Board
- ASTM C841 Standard Specification for Installation of Interior Lathing and Furring
- ASTM C1047 Standard Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
- ASTM D3678 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Interior Profile Extrusions
- SDS Vinyl Corp PVC Compounds

Storage:

All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather.





- · Rust proof and dent resistant
- Eliminates costly mitering of corners
- Easy to install