

Metal L-Trim #200-B (M20B)

Metal Trim

Metal L-Trim is used to provide a clean finished edge at door and window openings or when wallboard abuts dissimilar surfaces such as suspended ceilings, beams, plaster, masonry and concrete. L-Trim is installed after the gypsum panels are already in place, unlike mud-on J, which must be installed during gypsum panel installation. L-Trim is easily attached with screws or nails after the panels are in place. Installation is completed with joint compound for a smooth ready-to-paint surface.

Product Data & Ordering Information

Material: 0.012 min thickness, G30 galvanized
Dimensions: 1-1/4" leg x Width

Width	Length	Wt./Ctn.	Pcs./Ctn.
1/2"	8'	28 lbs	50
1/2"	10'	35 lbs	50
5/8"	8'	28 lbs	50
5/8"	10'	35 lbs	50


ASTM & Code Standards

- ASTM C1047
- SDS & Product Certification Information is available at www.clarkdietrich.com/SupportDocs

Storage

All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather.

09.22.00 (Support for Plaster & Gypsum Board)



- Hemmed front flange for rigidity
- Knurled, perforated flange enhances joint compound adhesion
- Easy to attach and finish



Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit www.clarkdietrich.com/LEED

LEED v4 MR Credit -- Building Product Disclosure and Optimization: EPD (1 point) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

LEED 2009 Credit MR 2 & MR 4 -- ClarkDietrich's steel products are 100% recyclable and have a national average recycled content of 34.2% (19.8% post-consumer and 14.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at (info@clarkdietrich.com / 888-437-3244)

Project Information

Name:
Address:

Contractor Information

Name:
Contact:
Phone:
Fax:

Architect Information

Name:
Contact:
Phone:
Fax: