


VALTO

BUILDING
MATERIALS





frp

FIBERGLASS REINFORCED PANELS

Valto Engineered Materials delivers quality products that perform in demanding environments.

When you need grace under pressure, fiberglass reinforced plastic (FRP) panels are the perfect choice for your walls. From moisture and germs to daily dirt and grime, our FRP panels are able to stand up to even the toughest environments - without sacrificing style and beauty.

As the first and largest global manufacturer of FRP wall paneling, Valto offers the industry's most innovative and resilient FRP panels, backed by our expert technical and installation support staff.

Our FRP panels are suitable for most commercial space and provide key benefits including:



HIGH-END STYLE

Take your surfaces beyond with our wide range of surface types, textures and colors, offering you endless options to create the beautiful look you've envisioned for your walls.



PERFORMANCE DRIVEN

Count on Valto FRP panels for extremely strong, durable panels that provide resistance to mold, mildew, bacteria growth, stains and chemicals. Plus, they're easy on your budget and designed to last for years to come.



SIMPLE + COST EFFECTIVE

Take it easy, from start to finish. Our FRP panels are simple to install over any existing wall surface and even simpler to maintain with a mild cleanser and sponge or soft brush. Plus, they're easy on your budget and designed to last for years to come.

WE HAVE TOUGH PANELS



FOR TOUGH ENVIRONMENTS

frp

APPLICATIONS



RESTAURANTS

kitchens | dining rooms | restrooms | store rooms
self-service beverage stations | bar areas



PROCESSING PLANTS

cafes | kitchens | lobbies | restrooms
food service areas | service hallways




RETAIL

public areas | customer services | restrooms
bakeries | delis | store rooms




HEALTHCARE

waiting rooms | doctor offices | hospital rooms
cleanrooms | dialysis clinics



EDUCATION

cafeterias | classrooms | restrooms | hallways
locker rooms | stadiums



HOSPITALITY

cafes | kitchens | lobbies | restrooms
food service areas | service hallways

GLASBORD®

WALL PANELS WITH SURFASEAL FINISH
EMBOSSED + SMOOTH TEXTURES
AVAILABLE IN 8 COLORS



It's a dirty world out there. Protect your facility with Valto resilient wall coverings. Our Glasbord with Surfaseal creates surfaces that deliver unsurpassed hygiene and durability for commercial environments such as restaurants and food processing plants.



frp
BENEFITS



**MOLD
RESISTANT**



**MEETS USDA/FSIS
REQUIREMENTS**



**EASY
INSTALL**



**EASY
CLEAN**



**DURABLE + IMPACT
RESISTANT**

THE VALTO DIFFERENCE

Made of fiberglass reinforced plastic (FRP), GLASBORD with SURFASEAL is extremely moisture-resistant and non-porous. The SURFASEAL film finish, found only on GLASBORD, provides a barrier that's highly resistant to impact and scratching. Because of its unique process, the SURFASEAL finish will not trap soil or bacteria on the panel. The surface is up to 10 times easier to clean and up to six times more stain resistant than other sanitary wall systems. The sturdy panels, which come in both pebbled and smooth textures, hold up under frequent maintenance cycles, and proven performance at an affordable price point with a 10-year limited warranty.

PRODUCT INFORMATION



AVAILABLE SIZES:

4' x 8' | 4' x 9' | 4' x 10' | 4' x 12' (other sizes available upon request)

THICKNESSES:

0.09" (embossed) | 0.075" (smooth)



FIRE RATINGS:

Class A or Class C per ASTM E-84
CAN/ULC-S102 | FM Approved Available
** see technical data sheets for fire rating information by color options


COLORS + FINISHES:

See page 14 for options



ACCESSORIES:

Standard PVC Moldings | Polyurethane Seam Sealant
Color Rite™ Color-Matched Silicone Caulk
Stainless Trims for corners and frames
Sani-Base™ Seamless Wall to Floor Transitions



FIRE-X GLASBORD (FXE and FFSM) is the only fiberglass reinforced interior wall and ceiling panel that is approved under FM Approvals Standard FM 4880 (Plastic Interior Finish Materials). Product installations should be in accordance with FM Approvals Standard FM 4880. This information is available at www.approvalguide.com and www.FRP.com/FMAApproved.pdf.

GLASBORD panels are the first FRP panels that are HACCP certified. Hazard Analysis Critical Control Point (HACCP) certifies that GLASBORD panels are suitable for use in food and beverage facilities that operate in accordance with a HACCP based Food Safety Program. Orientation of embossed panels must be installed/ run vertically for any areas that require a sanitary finish under HACCP certification.





COMMERCIAL KITCHENS | FOOD PROCESSING PLANTS | RESTROOMS | CONVENIENCE STORES
LOCKER ROOMS | CLEANROOMS | CULTIVATION FACILITIES | COLD STORAGE

GLASBOND®

SELF-ADHERED FRP WALL PANELS STILL AMAZING ON THE FRONT BUT SOMETHING NEW IS ON THE BACK



Valto has been providing innovative solutions for over 70 years. Our new GLASBOND self-adhered frp panels combine the great features of GLASBORD® FRP with a pressure sensitive adhesive prefabricated to the backside.



frp BENEFITS



**LESS
TOOLS**



**LESS
LABOR**



**LESS
TIME**



**LESS
COST**



**UNIFORM
COVERAGE**



**FASTER
INSTALLATION**



**MOLD
RESISTANT**



**DURABLE + IMPACT
RESISTANT**

GLASBOND WITH GLASBOND ADVANTAGE

Current FRP installations can be time consuming and messy. This can cost end-users and installers money in a challenging labor market. That is why we created the next generation in FRP. Our peel & stick GLASBOND panel installs much faster with less mess and clean-up time. This can significantly reduce labor costs for installers.

GLASBOND has been protecting facilities with resilient wall covering surfaces that deliver unsurpassed hygiene and durability for commercial environments such as restaurants and food processing plants. Glasbond builds on the time-tested success of our traditional Glasbord product installation with a new self-adhesive feature. This provides a faster, more consistent, and cleaner application that reduces total applied cost.

PRODUCT INFORMATION

**AVAILABLE SIZES:**

4' x 8' | 4' x 10'

THICKNESSES:


0.15" overall thickness | 0.09" panel thickness (embossed)
0.14" overall thickness | 0.075" panel thickness (smooth)

**FIRE RATINGS:**

Class A or Class C per ASTM E-84
CAN/ULC-S102

COLORS:

White (85)

**FINISHES:**

Pebbled Embossed Finish
Smooth Finish

ACCESSORIES:

GLASBOND TRIMS

** two-piece customized designed trims to be utilized for all GLASBOND installations



COMMERCIAL KITCHENS | FOOD PROCESSING PLANTS | RESTROOMS | CONVENIENCE STORES
LOCKER ROOMS | CLEANROOMS | CULTIVATION FACILITIES | COLD STORAGE

VARIETEX[®]

INNOVATIVE TEXTURED + COLORED WALL PANELS

11 STANDARD COLORS

3 TEXTURE OPTIONS



Take your surfaces beyond the traditional frp white bumpy board. Our VARIETEX resilient wall coverings offer you a wide range of stylish finishes and colors, while still meeting the sanitary requirements of even the toughest commercial environments.



**MOLD
RESISTANT**



**CUSTOM COLOR
OPTIONS**



**EASY
INSTALL**



**EASY
CLEAN**



**DURABLE + IMPACT
RESISTANT**

STYLE + HYGIENE

Add depth and dimension to walls, with our unique textures including sandstone, linen, and beaded finishes. Beyond the beauty, VARIETEX offers all the same benefits of traditional fiberglass reinforced plastic (FRP) wall coverings, including stain, abrasion and moisture resistance. Plus it's easy to install and even easier to keep clean. VARIETEX provides stability and a simple, stylish solution for your walls that's designed to last. When you need grace under pressure, fiberglass reinforced plastic (FRP) panels are the perfect choice for your walls. From moisture and germs to daily dirt and grime, our FRP panels are able to stand up to even the toughest environments - without sacrificing style and beauty.

PRODUCT INFORMATION



AVAILABLE SIZES:

4' x 8' | 4' x 10



THICKNESSES:


0.09" (sandstone + linen) | 0.075" (beaded)

FIRE RATINGS:

Class A per ASTM E-84 (sandstone + linen non-satin only)

Class C per ASTM E-84 | CAN/ULC-S102

** see technical data sheets for fire rating information by color options



COLORS + FINISHES:

See page 14 for options


ACCESSORIES:

Color Rite™ Color-Matched Silicone Caulk

Silhouette Trims Moldings

Aluminum Moldings

Beaded Panel Moldings



VARIETEX (STCS + STDSC) panels are the first FRP panels that are HACCP certified. Hazard Analysis Control Point (HACCP) certifies that VARIETEX panels are suitable for use in food and beverage facilities that operate in accordance with a HACCP based Food Safety Program. Orientation of embossed panels must be installed/run vertically for any areas that require a sanitary finish under HACCP certification.



SCHOOL HALLWAYS | CAFETERIAS | RESTROOMS | DINING ROOMS
RECEPTION AREAS | HEALTH CLUBS | HOSPITALS

DESIGNS

COLLECTIONS + CUSTOMIMAGED WALL PANELS

OVER 65 OPTIONS
ENDLESS CUSTOM OPPORTUNITIES



DESIGNS resilient wall coverings, bring both style and durability into any commercial space. No need to sacrifice aesthetics for hygiene.



**MOLD
RESISTANT**



**MEETS USDA/FSIS
REQUIREMENTS**



**EASY
INSTALL**



**EASY
CLEAN**



**CUSTOM COLOR
OPTIONS**

AESTHETICALLY PLEASING

Imagine your artwork on a wall. Valto brings your concept to reality with vibrant breathtaking details. Ask for alterations to one of our existing patterns or create your own unique design. Give life to your custom look in any arrangement you choose including logos, artwork, or corporate identity with vibrant high-resolution imagery. When you need grace under pressure, fiberglass reinforced plastic (FRP) panels are the perfect choice for your walls. From moisture and germs to daily dirt and grime, our FRP panels are able to stand up to even the toughest environments - without sacrificing style and beauty.

PRODUCT INFORMATION




AVAILABLE SIZES:

4' x 8' | 4' x 10'



FIRE RATINGS:

Class A or Class C per ASTM E-84
CAN/ULC-S102



ACCESSORIES:

Silhouette Trims Moldings
Aluminum Moldings
Color Rite™ Color-Matched Silicone Caulk



SCHOOL HALLWAYS | CAFETERIAS | RESTROOMS | DINING ROOMS
RECEPTION AREAS | HEALTH CLUBS | HOSPITALS

KEMPLY + SANIGRID®

LAMINATED FRP PANELS +
CEILING GRID SYSTEM




KEMPLY is fabricated by laminating GLASBORD panel to a rigid substrate. The resulting panel has structural strength and rigidity, allowing installation directly to a stud wall or ceiling.

SANIGRID is the ideal solution for high humidity and chemical environment installations. SANIGRID system features a fast installation, with the entire system easily snapping together.



KEMPLY LAMINATED WALL + CEILING PANELS



AVAILABLE SIZES:

4' x 8' | 4' x 10' (wall panels)
 23.75" x 23.75" | 23.75" x 47.75" (ceiling panels)




AVAILABLE GLASBORD SKINS:

GLASBORD Embossed or Smooth Textures in Class A or Class C
 Fire Rating per ASTM E-84 (PWI, PIF, PSIF, FX, FS1)


AVAILABLE SUBSTRATES:




Gypsum: 1/2" | 5/8"




Plywood: 3/8" | 1/2" | 5/8" | 3/4"



Oriented Strand Board: 3/8" | 1/2" | 5/8"




Fluted Polypropylene: 0.32" | 0.40"



Double-Sided ACP Core: 0.12" | 0.24"

SANIGRID CEILING GRID SYSTEM



AVAILABLE SIZES:

2' x 2' | 2' x 4'

AVAILABLE CEILING PANELS:

GLASBORD Embossed or Smooth Textures in Class A
 or Class C Fire Rating per ASTM E-84 (CGI, PSIF, FX) or
 KEMPLY ACP Core



IDEAL FOR HIGH HUMIDITY AREAS | CAR WASHES | FOOD PROCESSING PLANTS
 REFRIGERATED WAREHOUSES | COMMERCIAL KITCHENS

GLASBORD COLOR + FINISH OPTIONS

PEBBLED EMBOSSED TEXTURE



WHITE | 85



COLONIAL WHITE | 83



IVORY | 84




SOFT BEIGE | 70



SILVER | 66



PEARL GRAY | 48




SLATE GRAY | 1225




BLACK | 1201/97


SMOOTH TEXTURE



WHITE | 85




GRAY | 636



BLACK | 1201

VARIETEX COLOR + FINISH OPTIONS

SANDSTONE TEXTURE



COTTON WHITE | 1130



SUGARLOAF SAND | 1294



CLEAR WATER | 1277



SHELTER COVE GRAY | 1281



MORNING MIST GRAY | 636



SOUTH BEACH IVORY | 1282



ALMOND BREEZE | 866



PEPPER DUST | 8044




SAND DUNE | 8043



MAUNA RED | 1295

LINEN TEXTURE



COTTON WHITE | 1130




SUGARLOAF SAND | 1294




CLEAR WATER | 1277




SHELTER COVE GRAY | 1281




MORNING MIST GRAY | 636




SOUTH BEACH IVORY | 1282




ALMOND BREEZE | 866



PEPPER DUST | 8044




SAND DUNE | 8043



MAUNA RED | 1295

BEADED TEXTURE



COTTON WHITE | 1130

DESIGNS *Classic Collection*

WOODGRAIN PATTERNS



BATON ROUGE BAMBOO | 001BRB



CAROLINA CHERRY | 002CC



SIERRA ASH | 018SA



WASHINGTON WOOD | 008WW



MARYLAND MAPLE | 009MM



TENNESSEE TIMBER | 003TT



CHESTNUT OAK | 622SRP

CANVAS PATTERNS



CAMEL CANVAS | 010C




COLONIAL CANVAS | 012C



COASTAL CANVAS | 007C



CORN SILK CANVAS | 008C



CACTUS CANVAS | 009C



CHROME CANVAS | 011C

STONE + NATURAL PATTERNS



TRUE TERRAZZO | 005TZ




SCATTERED STONE | 004SS



MAUI MARBLE | 006MM




SCULPTURED STONE | 007SS



GREYSTONE | 024GS

INNOVATIVE PATTERNS



PIRI BLUE STRIPE | 023PBS



CARAMEL CROSSHATCH | 013CH



BRUSHED METAL | 025BM

MINIMUM ORDER QUANTITIES AND OTHER TERMS MAY APPLY. PLEASE CONTACT SALES@VALTOEM.COM FOR ADDITIONAL INFORMATION

IMAGES ARE BASED ON A 2'X2' EXAMPLE - FULL PANELS MAY HAVE SLIGHT DIFFERENCES IN PATTERN AND HUE IN ORDER TO PORTRAY A REALISTIC MATERIAL VIEW. DUE TO LIMITATIONS OF THE PRINTING PROCESS, PATTERNS AND COLORS MAY VARY. THEY ARE A REPRESENTATION OF THE PRODUCT. PLEASE OBTAIN A SAMPLE BEFORE MAKING A FINAL SELECTION AT FRPSAMPLES.COM



DESIGNS *Forest Collection*




SABINE | 30W
REPRESENTATIVE OF FULL PANEL DESIGN




PIKE | 31W




SEQUOIA | 32W



ARAPAHO | 33W



PAYETTE | 34W



OCALA | 35W




SAWTOOTH | 36W




DESIGNS *Heartland Collection*



COLBY | 57HC



WAUKON | 55HC




GUSS | 53HC



SHELBY | 50HC




DWIGHT | 51HC



ESSEX | 54HC



DAVEY | 52HC




SHELBY | 50HC

MINIMUM ORDER QUANTITIES AND OTHER TERMS MAY APPLY. PLEASE CONTACT SALES@VALTOEM.COM FOR ADDITIONAL INFORMATION


IMAGES ARE BASED ON A 2'X2' EXAMPLE - FULL PANELS MAY HAVE SLIGHT DIFFERENCES IN PATTERN AND HUE IN ORDER TO PORTRAY A REALISTIC MATERIAL VIEW. DUE TO LIMITATIONS OF THE PRINTING PROCESS, PATTERNS AND COLORS MAY VARY. THEY ARE A REPRESENTATION OF THE PRODUCT. PLEASE OBTAIN A SAMPLE BEFORE MAKING A FINAL SELECTION AT FRPSAMPLES.COM




DESIGNS *Runway Collection*




GINZA | 70RC




OXFORD | 74RC




D'ORO | 71RC



AVENUES | 72RC




GRACIA | 76RC



GARMENT | 73RC



PALERMO | 75RC



CHAMPS | 77RC






BURLINGTON | 90CW
REPRÉSENTATIF DU DESIGN COMPLET DU PANNEAU



LASALLE | 91CW



STATEN | 92CW



STATEN | 92CW



UNION | 94CW



COLFAX | 95CW



WESTPARK | 96CW



SUMNER | 97CW



FRANKLIN | 98CW



MOVER | 99CW

DES QUANTITÉS MINIMALES DANS LE CADRE D'UNE COMMANDE ET D'AUTRES CONDITIONS PEUVENT S'APPLIQUER. VEUILLEZ ÉCRIRE À SALES@VALTOEM.COM POUR PLUS D'INFORMATIONS

LES IMAGES SONT BASÉES SUR UN ÉCHANTILLON DE 0,6 M X 0,6 M. LES PANNEAUX COMPLETS PEUVENT PRÉSENTER DE LÉGÈRES VARIATIONS DE MOTIF ET DE TEINTE EN VUE DE REFLÉTER LE MATÉRIAU DE MANIÈRE RÉALISTE. EN RAISON DES LIMITES DU PROCESSUS D'IMPRESSION, LES MOTIFS ET LES COULEURS PEUVENT VARIER. ILS CONSTITUENT UNE REPRÉSENTATION DU PRODUIT. VEUILLEZ OBTENIR UN ÉCHANTILLON AVANT DE FAIRE VOTRE CHOIX FINAL SUR FRPSAMPLES.COM



DESIGNS *Collection Pathways*



SIGNALS | 01PW
REPRÉSENTATIF DU DESIGN COMPLET DU PANNEAU



REFLECT | 02PW



LINE | 03PW




CELL | 04PW



STREAM | 05PW



BEAM | 06PW




SOCIAL | 07PW



LINK | 08PW



CURRENTS | 09PW



WAVE | 10PW



CONNECT | 11PW



FOOTPRINT | 12PW



VARIETEX + DESIGNS *Custom Program*

IMAGINE YOUR ARTWORK ON A WALL. VALTO BRINGS YOUR CONCEPT TO REALITY WITH VIBRANT BREATHTAKING DETAILS.

Ask for alterations to one of our existing colors or patterns or create your own unique color or design. Give life to your custom look in any arrangement you choose including logos, artwork, or corporate identity colors. The choices are endless with exceptional image quality and color accuracy.


We made the customization process simple, ensuring you have the product you need, when you need it. Perfect for jobs large and small, Valto can deliver your custom wall coverings needs.



VARIETEX CUSTOM COLOR

What's your favorite color? From the any favorite object to a specific Pantone color chip, Valto utilizes the most modern methods and computerized equipment available for matching and controlling product colors.

Simply provide a small color sample of 2"x2" or provide a Pantone color swatch, the rest is up to us! We will provide you with a FRP sample of your custom color within 2DE (± 2) of your targeted color. Select your fire rating and sandstone or linen finish and then you are ready for you to place your order.



MINIMUM ORDER QUANTITIES AND OTHER TERMS MAY APPLY. PLEASE CONTACT SALES@VALTOEM.COM FOR ADDITIONAL INFORMATION




DESIGNS CUSTOM COLOR

Bring your creative ideas to life with vibrant high-resolution imagery (up to 600 DPI). The choices are endless with exceptional image quality and color accuracy of our scratch resistant coated digital imaging.

Get the product you need, when you need it with our simple customization process. Submit any visual sample available and our team will help your vision become reality. Perfect for jobs large and small, Valto can deliver within tight timelines and lower installed costs than custom-printed HPL or vinyl wall coverings.

DESIGNS offers the ultimate custom wall protection with low minimums and short lead times. Complete your wall assembly with Valto's contemporary aluminum moldings or custom imaged trims to match.



PHOTOGRAPHY



BRANDING



PATTERNS



ILLUSTRATIONS



VARIATIONS




SEAM TREATMENT ACCESSORIES

Valto offers an array of seam treatment options to complete your wall panel installations.

PVC MOLDINGS

STANDARD FOR GLASBORD + WIDE FORMAT FOR KEMPLY

Standard moldings are contractor grade moldings that are perfect for use with FRP panels. Valto division bars feature patterned expansion control guides to assist with proper FRP installation. Available in 10' lengths in GLASBORD and KEMPLY standard colors.



GLASBOND TRIMS

REQUIRED FOR GLASBOND INSTALLATIONS

Complete the GLASBOND installation process with GLASBOND two-piece moldings. They are perfect for use with GLASBOND panels with a self-adhered back plate and a front plate that clicks into place. Profiles include division bar, inside corner, and end caps.



COLORSIL COLOR-MATCHED CAULK

FOR GLASBORD, VARIETEX, + DESIGNS PANELS



By Color Rite Inc., use for professional looking panel installations without the use of moldings. Valto has teamed up with Color Rite to provide materials that compliment Valto wall panels in over 40 colors. Use with Color Rite's Pre-Tooling Mist to install with ease.



SILHOUETTE TRIMS

FOR VARIETEX + DESIGNS PANELS


Silhouette Trims offer a narrow profile to minimize the seam. Valto Silhouette Trims feature patterned expansion control guides to assist with proper FRP installation. Available in 10' lengths in DESIGNS and VARIETEX Classic collection.



BEADED PANEL MOLDINGS

FOR VARIETEX BEADED PANELS

Specially designed beaded division bar to compliment our beaded panels. Available in 10' lengths in cotton white (1130) color.



ALUMINUM TRIMS

FOR VARIETEX + DESIGNS PANELS

Designed for a contrasting and upscale look.
Available in 10' lengths in silver color.



POLYURETHANE SEAM SEALANT

FOR SEAMLESS GLASBORD PANELS

Seam Sealant is an equal-mix, two-component bright white urethane sealant system used to bond and seal a variety of plastics.



STAINLESS TRIMS

STEEL TRIM FOR CORNERS + WINDOW FRAMES


Stainless steel trim pieces are the answer to having a sanitary, durable and clean transition while providing increased impact resistance and longevity to develop a more aesthetically pleasing finish.



SANI-BASE™

SEAMLESS WALL TO FLOOR TRANSITION

Use Sani-Base stainless accessories for innovative moisture mitigation solutions for seamless wall to floor transitions. Our Sani-Base accessories are available in five different profiles to fit your application needs.



INSTALLATION TOOLS

Our wall panels are easy to install with our tools

Installation accessories include our Valto Fast Grab or Valto Advanced Polymer Adhesive, rollers and trowels along with detailed installation guides and videos.

Visit valtoem.com/resources.html for detailed installation information.



since 1954

THE BEST OPTIONS FOR IMPORTANT PLACES



OVER
70
YEARS OF
EXPERTISE

At Valto, we partner with our customers, and through innovation, deliver advanced materials that enhance everyday environments. We succeed through a culture of collaboration, continuous improvement, and excellence. With integrity at our core, we challenge the status quo and pursue innovative approaches that benefit our customers and associates.

With over 70 years of innovative products and services, Valto Engineered Materials is a leading provider of FRP composite panels. Our lightweight composite products deliver unsurpassed strength and durability; and we continue to pioneer next level performance in building materials, recreational vehicles, and transportation.

VALTOfrp.com | 1.800.435.0080 | sales@valtoem.com

The following are trademarks of Valto, Inc. or a related company: Glasbord, Glasbond, Kemlite, Kemply, Surfaseal, Sanigrind, Silhouette Trims and Varietex
Form 6680 | Rev.27 | 02.26 (10380)

