

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.20.2019 Page 1 of 11

#### **TiltWallFixx**

# **SECTION 1: Identification**

#### Product identifier

Product name: TiltWallFixx Product code: 703310050

### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable. Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

## Manufacturer or supplier details

Manufacturer: **United States** 

CTS Cement Manufacturing Corporation 12442 Knott St. Garden Grove, CA 92841 800-929-3030 info@ctscement.com

### Emergency telephone number:

**United States** 

CTS Cement Manufacturing Corporation 1-800-929-3030 (8 AM - 5 PM)

# SECTION 2: Hazard(s) identification

## GHS classification:

Skin irritation, category 1C

Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Carcinogenicity, category 1A

Specific target organ toxicity - repeated exposure, category 2

#### Label elements

# Hazard pictograms:







# Signal word: Danger Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

CTS TiltWallFixx SDS US Issue date: 20-May-2019 Revision date:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 2 of 11

### **TiltWallFixx**

H350 May cause cancer.

H373 May cause damage to Lungs through prolonged or repeated exposure by inhalation.

#### Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash hands/eyes/mouth/skin/clothing thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P233 Keep container tightly closed.

P281 Use personal protective equipment as required.

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P314 Get medical advice/attention if you feel unwell

P308+P313 If exposed or concerned: Get medical advice/attention

P405 Store locked up.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified: None

# SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 65997-15-1	Portland Cement	25 - 50 %
CAS number: 14808-60-7	Quartz (SiO2)	<1%

# Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

#### SECTION 4: First aid measures

# Description of first aid measures

#### General notes:

Not determined or not applicable.

After inhalation:

CTS TiltWallFixx SDS US Revision date: Issue date: 20-May-2019

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 3 of 11

### **TiltWallFixx**

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Take precautions to ensure your own safety

Remove source of exposure or move person to fresh air

Get medical advice if you feel unwell or concerned

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Avoid direct contact and wear chemical protective gloves, if necessary

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing until medical aid is available

Immediately call a POISON CONTROL CENTER or seek medical attention

#### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

#### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

## Notes for the doctor:

Not determined or not applicable.

# **SECTION 5: Firefighting measures**

#### Extinguishing media

## Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Revision date:

Thermal decomposition can lead to release of irritating gases and vapors

Issue date: 20-May-2019

#### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

#### Special precautions:

CTS TiltWallFixx SDS US

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 4 of 11

### **TiltWallFixx**

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

# SECTION 7: Handling and storage

## Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

#### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Revision date:

	Identifier	Permissible concentration
Portland Cement	65997-15-1	1 mg/m3 TWA respirable fraction
Quartz (SiO2)		0.025 mg/m3 TWA respirable fraction
Limestone	1317-65-3	10mg/m3 total dust 3 mg/m3 respirable dust
Portland Cement	65997-15-1	15 mg/3 TWA total dust 5 mg/m3 TWA respirable fraction
Limestone	1317-65-3	15 mg/m3 TWA total dust 5 mg/m3 TWA respirable fraction
Quartz (SiO2)		250 mppcf/%SiO2+5, 10mg/m3/%SiO2+2 0.05 mg/m3 TWA respirable dust
	Quartz (SiO2)  Limestone  Portland Cement  Limestone	Quartz (SiO2)       14808-60-7         Limestone       1317-65-3         Portland Cement       65997-15-1         Limestone       1317-65-3         Quartz (SiO2)       14808-60-7

CTS TiltWallFixx SDS US

Issue date: 20-May-2019

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 5 of 11

### **TiltWallFixx**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	Portland Cement	65997-15-1	10 mg/m3 TWA total dust
			5 mg/m3 TWA respirable dust
	Limestone	1317-65-3	10 mg/m3 TWA total dust
			5 mg/m3 TWA respirable fraction
	Quartz (SiO2)	14808-60-7	0.05 mg/m3 TWA respirable dust

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

# Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

# General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

# SECTION 9: Physical and chemical properties

Revision date:

### Information on basic physical and chemical properties

Appearance	Powder, grey
Odor	Low
Odor threshold	Not available
рН	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not applicable
Flash point (closed cup)	Not available
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not applicable
Vapor density	Not applicable

CTS TiltWallFixx SDS US

Issue date: 20-May-2019

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 6 of 11

# **TiltWallFixx**

Density	Not determined
Relative density	Not determined
Solubilities	Insoluble
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available
Decomposition temperature	Not Determined
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable
Explosive properties	Not available
Oxidizing properties	Not available

### SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

## Chemical stability:

Stable under normal conditions of use and storage.

# Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

#### Incompatible materials:

None known.

# Hazardous decomposition products:

None known.

# SECTION 11: Toxicological information

### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

#### Skin corrosion/irritation

#### Assessment:

Causes skin irritation

Product data: No data available.

Substance data:

CTS TiltWallFixx SDS US Revision date: Issue date: 20-May-2019

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 7 of 11 Initial preparation date: 03.14.2019

# **TiltWallFixx**

### Serious eye damage/irritation

#### Assessment:

Causes serious eye damage

#### Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Assessment:

May cause cancer by inhalation

Name	Species	Result
Silica, crystalline quartz (Respirable)	Not applicable	Component may cause cancer.
Total Silica, crystalline quartz		1 - Group 1: Carcinogenic to humans (Quartz)

# International Agency for Research on Cancer (IARC):

Name	Classification
Silica, crystalline quartz (Respirable)	Group 1 - Carcinogenic to humans

#### National Toxicology Program (NTP):

Name	Classification
Silica, crystalline quartz (Respirable)	Known to be human carcinogens

## Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

### Assessment:

May cause respiratory irritation

# Specific target organ toxicity (repeated exposure)

# Assessment:

May cause damage to organs through prolonged or repeated exposure

#### Product data:

No data available.

#### Substance data:

Name	Result
Silica, crystalline quartz (Respirable)	Component affects the lungs through repeated exposure.

#### Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

# Information on likely routes of exposure:

No data available.

# Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

#### Other information:

No data available.

# SECTION 12: Ecological information

CTS TiltWallFixx Revision date: Issue date: 20-May-2019

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 8 of 11

# **TiltWallFixx**

### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data: No data available.

### Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Persistence and degradability Product data: No data available.

Substance data: No data available.

Bioaccumulative potential Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

### **SECTION 13: Disposal considerations**

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### SECTION 14: Transport information

# United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

## International Maritime Dangerous Goods (IMDG)

Revision date:

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

Issue date: 20-May-2019

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None

CTS TiltWallFixx SDS US

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.14.2019 Page 9 of 11

TiltWallFixx		
	Special precautions for user	None

# SECTION 15: Regulatory information

### **United States regulations**

### Inventory listing (TSCA):

65997-15-1	Cement, Portland	Listed
14808-60-7	Total Silica, crystalline quartz	Listed

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

**SARA Section 302 extremely hazardous substances:** None of the ingredients are listed. None of the ingredients are listed.

SARA Section 313 toxic chemicals: None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed. **RCRA:** None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

#### Massachusetts Right to Know:

65997-15-1	Cement, Portland	Listed
14808-60-7	Silica, crystalline quartz (Respirable)	Listed

#### New Jersey Right to Know:

65997-15-1	Cement, Portland	Listed
14808-60-7	Silica, crystalline quartz (Respirable)	Listed

#### Minnesota Right to Know:

65997-15-1	Cement, Portland	Listed
14808-60-7	Silica, crystalline quartz (Respirable)	Listed

### Pennsylvania Right to Know:

65997-15-1	Cement, Portland	Listed
14808-60-7	Silica, crystalline quartz (Respirable)	Listed

#### California Proposition 65:

**AWARNING:** This product can expose you to chemicals including Silica, crystalline quartz and Fine Sand which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### SECTION 16: Other information

Abbreviations and Acronyms: None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0 HMIS: 3-0-0

Initial preparation date: 05.20.2019

Revision date:

**End of Safety Data Sheet** 

Issue date: 20-May-2019

CTS TiltWallFixx SDS US