acc. to OSHA HCS

Printing date 08/15/2023


Reviewed on 08/15/2023

### **1** Identification

- · Product identifier
- Trade name: <u>KlckStart Concrete Clarity Enhancer</u> KickStart
- · Application of the substance / the mixture Cutting Agent
- · Details of the supplier of the safety data sheet
- · Information department: Technical Services
- Emergency telephone number:
  (800) 633-8253 (United States/Canada)
  +1 (801) 629-0667 International Emergency Number

## 2 Hazard(s) identification

Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- $^{\cdot}$  Hazard-determining components of labeling:
- Alcohols, C9-11 Ethoxylated
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH\*3Health = \*3FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

US -

acc. to OSHA HCS

Printing date 08/15/2023

Trade name: KickStart

Reviewed on 08/15/2023

(Contd. of page 1)

3 Composition/information on ingredients		
<ul> <li>Chemical characterization: Mixtures</li> <li>Description: Mixture of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous additional structure of the substances listed below with nonhazardous structure of the sub</li></ul>	ons.	
· Dangerous components:		
1344-09-8 Silicic acid, sodium salt	≥10-<12%	
112-34-5 2-(2-butoxyethoxy)ethanol	>1.3-1.8%	
68439-46-3 Alcohols, C9-11 Ethoxylated · Non-hazardous ingredients	>1.3-1.8%	
7732-18-5 Potable Water	>80-<90%	

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

US —

acc. to OSHA HCS

Printing date 08/15/2023

Trade name: KickStart

## Protective Action Criteria for Chemicals

· PAC-1:

1344-09-8 Silicic acid, sodium salt: 5.9 mg/m<sup>3</sup>

112-34-5 2-(2-butoxyethoxy)ethanol: 30 ppm · **PAC-2:** 

1344-09-8 Silicic acid, sodium salt: 65 mg/m<sup>3</sup>

112-34-5 2-(2-butoxyethoxy)ethanol: 33 ppm **PAC-3**:

1344-09-8 Silicic acid, sodium salt: 390 mg/m<sup>3</sup>

112-34-5 2-(2-butoxyethoxy)ethanol: 200 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

## Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

112-34-5 2-(2-butoxyethoxy)ethanol

- TLV Long-term value: 10\* ppm
  - \*Inhalable fraction and vapor

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

(Contd. of page 2)

Reviewed on 08/15/2023

acc. to OSHA HCS

Printing date 08/15/2023

Reviewed on 08/15/2023

#### Trade name: KickStart

#### · Protection of hands:

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Liquid Colorless Light Not determined.	
· pH-value at 20 °C (68 °F):	10.7-11.5	
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. 110	
· Flash point:	Not applicable.	
<ul> <li>Flammability (solid, gaseous):</li> </ul>	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> </ul>	1.03-1.04 g/cm³ (8.59535-8.6788 lbs/gal) Not determined. Not determined.	
		(Co

(Contd. on page 5)

acc. to OSHA HCS

Printing date 08/15/2023

Reviewed on 08/15/2023

#### Trade name: KickStart

· Evaporation rate	Not determined.	(Contd. of page 4)
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.	
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>Water:</li> <li>VOC content:</li> </ul>	1.4-1.8 % 81.5-85 % 1.38-1.8 % 18.5-18.7 g/l / 0.15-0.16 lb/gal	
Solids content:	8.7-11.4 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

(Contd. on page 6)

US

acc. to OSHA HCS

Printing date 08/15/2023

Trade name: KickStart

Reviewed on 08/15/2023

(Contd. of page 5)

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

May cause or intensify fire; oxidizer.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Number				
· DOT, IMDG, IATA	not regulated			
<ul> <li>UN proper shipping name</li> </ul>				
· DOT, IMDG, IATA	not regulated			
<ul> <li>Transport hazard class(es)</li> </ul>				
· DOT, ADN, IMDG, IATA				
· Class	not regulated			
· Packing group				
DOT, IMDG, IATA	not regulated			
· Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of				
MARPOL73/78 and the IBC Code	Not applicable.			
· UN "Model Regulation":	not regulated			

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)

- US ----

acc. to OSHA HCS

Printing date 08/15/2023

Sara

#### Trade name: KickStart

 Section 355 (extremely hazardous substances): None of the ingredients is listed. Section 313 (Specific toxic chemical listings): 112-34-5 2-(2-butoxyethoxy)ethanol TSCA (Toxic Substances Control Act): All components have the value ACTIVE. Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling:
- Alcohols, C9-11 Ethoxylated
- · Hazard statements
- Causes severe skin burns and eye damage.
- Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.
- Store locked up.

(Contd. of page 6)

Reviewed on 08/15/2023

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/15/2023

Reviewed on 08/15/2023

Trade name: KickStart

Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)

US -

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Technical Services
- · Contact: Roy Bowman
- · Date of preparation / last revision 08/15/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1