



ON THE JOB
SINCE 1865™



General Information

Minimum order requirement is \$250.

Each product is identified by size and color with a case code number. Please use this number when ordering.

Order Codes

DAP manufacturer's code No: 70798

Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

Customer Service Department

800-DAP-3339

410-675-2100

(8:00 a.m. – 6:00 p.m. Eastern Time)

Mail correspondence and confirming purchase orders to:

DAP Products Inc.

2400 Boston Street, Suite 200

Baltimore, MD 21224

Fax order to: 410-558-1068

E-mail order to: orders@dap.com

International Customer Service

800-323-0645

(8:00 a.m. – 6:00 p.m. Eastern Time)

Technical Customer Service

888-327-8477 or 888-DAP-TIPS

(8:00 a.m. – 6:00 p.m. Eastern Time)

Corporate Office Baltimore

800-543-3840

410-675-2100

Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.

SDS Requests

To obtain an SDS for any DAP product, please visit our website www.dap.com or call 888-DAP-TIPS.

Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to an energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, ea Prerequisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



Retail Product Guide

Table of Contents

DAP® Caulks & Sealants

1–21

Interior/Exterior Sealants	1
Kitchen/Bath Sealants.....	7
Specialty Sealants.....	9
Specialty Sealants - Fire System Sealants.....	12
Interior/Exterior Advanced Sealants & Silicones.....	13
Window/Door Advanced Sealants & Silicones	15
Kitchen/Bath Advanced Sealants & Silicones	16
Specialty Advanced Sealants & Silicones	18
Accessories	21

DAP® Repair Products

22–39

Spackling Compounds.....	22
Joint Compounds.....	27
Plasters & Stuccos	28
Wood Repair Products.....	31
Glazing Compounds.....	35
Concrete & Masonry Products	36
Miscellaneous Products	39

DAP® Construction Adhesives

40–54

Contact Cements	40
Industrial Contact Cements	41
Spray Adhesives	42
Specialty Adhesives	43
DynaGrip® Construction Adhesives.....	45
Cartridge & Canned Construction Adhesives	49
Floor Covering Adhesives.....	50

DAP® Foam Products

55–67

Straw Foams	53
Gun Foams.....	56
1 Component Sealants	58
Adhesives	59
2 Component Kits	60
2 Component Systems	62
Specialty Products	63
Accessories	65


DAP® ALEX PLUS®
All Purpose
Acrylic Latex Caulk
Plus Silicone


Excellent quality, all purpose acrylic latex caulk for sealing a wide variety of interior and exterior surfaces. It contains silicone additives for greater flexibility and adhesion and shrinks less for a durable, 100% waterproof seal. Paintable in just 30 minutes and won't shine through or discolor paint for better paint finish results. Easy to apply and tool, low odor and cleans up with water. Cured caulk is mold and mildew resistant. Interior/exterior use. 40 Year. Exceeds ASTM C834.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18128	5.5 fl oz	WHITE	18128	7.91	12	9.5"x7.25"x4.25"	0.17	1	240
18129	5.5 fl oz	WHITE	18128	4.28	6	9.5"x5.5"x3.5"	0.09	1	468
18722	5.5 fl oz	CLEAR	18722	8.55	6	9.5"x5.5"x3.5"	0.17	1	468
18152	10.1 fl oz	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18103	10.1 fl oz	WHITE	18101	36.25	30	12"x10"x12"	0.83	4	48
18156	10.1 fl oz	CLEAR	18071	9.76	12	8"x6"x12"	0.33	0	108
18072	10.1 fl oz	CLEAR	18071	24.20	30	12"x10"x12"	0.83	0	48
18401	10.1 fl oz	CRYSTAL CLEAR	18401	9.95	12	8"x6"x12"	0.33	5	108
18172	10.1 fl oz	ANTIQUE WHITE	18172	14.97	12	8"x6"x12"	0.33	4	108
18130	10.1 fl oz	ALMOND	18135	14.50	12	8"x6"x12"	0.33	9	108
18118	10.1 fl oz	SLATE GRAY	18110	14.45	12	8"x6"x12"	0.33	6	108
18122	10.1 fl oz	CEDAR TAN	18111	14.40	12	8"x6"x12"	0.33	3	108
18120	10.1 fl oz	BROWN	18112	14.50	12	8"x6"x12"	0.33	0	108
18124	10.1 fl oz	DARK BRONZE	18109	14.50	12	8"x6"x12"	0.33	0	108
18126	10.1 fl oz	BLACK	18107	14.25	12	8"x6"x12"	0.33	6	108

DAP® ALEX PLUS®
All Purpose
Acrylic Latex Caulk
Plus Silicone
Contractor Pack


Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18656	10.1 fl oz	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18660	10.1 fl oz	CLEAR	18071	9.76	12	8"x6"x12"	0.33	0	108

DAP® ALEX PLUS®
All Purpose Easy Caulk
Acrylic Latex Caulk
Plus Silicone


ALEX PLUS® formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED! Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18736	16 oz	WHITE	18725	12.00	9	7.5"x7"x10.75"	0.33	2	140

**DAP® ALEX FAST DRY®
All Purpose
Acrylic Latex Caulk
Plus Silicone**

SPRAY PAINT IMMEDIATELY
Formulated
for Pro Painters

Specifically formulated to meet the demanding needs of Professional Painters and deliver outstanding paint finish results. It can be brush painted 20 minutes after application or spray painted immediately, so the job gets finished faster. This durable, flexible caulk resists cracking, dirt pickup and paint glossing. It applies smoothly and easily, has outstanding adhesion to a wide variety of surfaces and provides a 100% waterproof seal. Low odor and easy water clean-up. Cured caulk is mold and mildew resistant. Interior/exterior use. 50 Year. Exceeds ASTM C834.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18408	5.5 Fl oz	WHITE	11425	4.06	6	9.5"x5.5"x3.5"	0.11	8	468
18436	5.5 Fl oz	WHITE	11425	9.82	15	7.75"x7.37"x10	0.33	8	120
18425	10.1 Fl oz	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108

**DAP® ALEX FAST DRY®
Acrylic Latex Caulk
Plus Silicone
Contractor Pack**

SPRAY PAINT IMMEDIATELY
Formulated
for Pro Painters

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone.




Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18426	10.1 oz	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108

**DAP® ALEX FLEX®
Premium Molding & Trim
Acrylic Latex Sealant**

Specifically formulated for use on molding and trim applications. A premium performance sealant that delivers maximum adhesion and flexibility for a crack proof seal. Paint ready in 30 minutes to finish the job faster. It provides a long lasting, durable seal that will not shine through or discolor paint. Ideal for achieving a professional look with paint projects when sealing around windows, doors, trim, crown molding, chair rails and baseboards. Excellent adhesion to wood, PVC and composite molding. It is easy to apply and tool, low in odor and cleans up with water. Cured sealant is mold and mildew resistant. Interior/exterior use. 60 Year. Meets ASTM C920, Class 12.5.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18542	10.1 fl oz	WHITE	18542	13.64	12	8"x6"x12"	0.33	5	108
11456	10.1 fl oz	ANTIQUE WHITE	11456	13.64	12	8"x6"x12"	0.33	2	108
11455	5.5 fl oz	WHITE	11455	7.23	12	9.5"x7.25"x4.25"	0.17	5	144

**DAP® DYNAFLEX ULTRA™
Advanced Exterior Sealant****ALL WEATHER
PROTECTION**

DAP® DYNAFLEX ULTRA™ Advanced Exterior Sealant for Windows, Doors, Siding & Trim is powered by innovative WEATHER MAX Technology™ for long-lasting, All Weather Protection. It provides exceptional UV resistance against color fading, yellowing, cracking, chalking and crumbling so the sealant stays looking new. Once cured, DYNAFLEX ULTRA™ resists dirt build-up and water absorption for a durable, 100% waterproof seal that stands up to the elements. It has strong multi-material adhesion and stays permanently flexible to endure expansion and contraction caused by sun, heat, cold, wind and rain. It is rain and paint ready in one hour* to save time and provide better productivity. Easy to gun out for less fatigue and smooth tooling for a better finish. Easy water clean up and low odor. Exterior/interior use. Meets ASTM C920, Class 35 (White & Colors), Class 25 (Clear).

*Clear is rain ready in 2 hours.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18211	10.1 fl oz	WHITE	18211	12.00	12	8"x6"x12"	0.33	0	108
18212	10.1 fl oz	CLEAR	18212	10.00	12	8"x6"x12"	0.33	7	108
18213	10.1 fl oz	BEIGE	18213	13.00	12	8"x6"x12"	0.33	4	108
18214	10.1 fl oz	CLAY	18214	13.00	12	8"x6"x12"	0.33	1	108
18215	10.1 fl oz	IRON GRAY	18215	13.00	12	8"x6"x12"	0.33	8	108
18216	10.1 fl oz	DARK BRONZE	18216	13.00	12	8"x6"x12"	0.33	5	108
18217	10.1 fl oz	BROWN	18217	13.00	12	8"x6"x12"	0.33	2	108
18219	10.1 fl oz	LIGHT GRAY	18219	13.00	12	8"x6"x12"	0.33	6	108
18220	10.1 fl oz	BLACK	18220	13.00	12	8"x6"x12"	0.33	2	108
18221	10.1 fl oz	CEDAR TAN	18221	13.00	12	8"x6"x12"	0.33	9	108

**DAP® DYNAFLEX 230®
Premium 100% Waterproof
Indoor/Outdoor
Elastomeric Sealant**

Premium elastomeric "Silicone Tough" latex formulation delivers outstanding performance against the elements. Provides superior flexibility and elongation to seal joints up to 2" wide and endure expansion and contraction without cracking or losing its seal. 100% waterproof and weather proof. Won't crack, crumble or chalk. It has excellent adhesion to a wide range of building materials including wood, MDF, fiber cement, vinyl, aluminum, PVC polystyrene and composite trimboard. Paintable, easy gunning, smooth tooling and water clean-up. Cured sealant is mold and mildew resistant. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18886	5.5 fl oz	WHITE	18285	8.57	15	7.75"x7.37"x10"	0.33	1	120
18860	5.5 fl oz	CLEAR	18357	6.3	15	7.75"x7.37"x10"	0.33	5	120
18275	10.1 fl oz	WHITE	18300	13.00	12	8"x6"x12"	0.33	1	108
18304	10.1 fl oz	CLEAR	18305	10.00	12	8"x6"x12"	0.33	6	108
18288	10.1 fl oz	ALMOND	18306	13.00	12	8"x6"x12"	0.33	3	108
18286	10.1 fl oz	GRAY	18301	13.00	12	8"x6"x12"	0.33	8	108
18416	10.1 fl oz	CLAY	18416	13.00	12	8"x6"x12"	0.33	9	108
18418	10.1 fl oz	BROWN	18302	13.00	12	8"x6"x12"	0.33	5	108
18412	10.1 fl oz	CEDAR TAN	18412	13.00	12	8"x6"x12"	0.33	1	108
18420	10.1 fl oz	DARK BRONZE	18303	13.00	12	8"x6"x12"	0.33	2	108
18280	10.1 fl oz	BLACK	18280	13.00	12	8"x6"x12"	0.33	6	108



DAP® DYNAFLEX 230®
Premium 100% Waterproof
Indoor/Outdoor
Elastomeric Sealant
Contractor Pack



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 6 cartridges of DYNAFLEX 230® Premium Indoor/Outdoor Elastomeric Sealant.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18273	10.1 fl oz	WHITE	18300	6.55	6	6.55"x6.1"x4.2"	0.17	9	183

DAP® EXTREME STRETCH
Premium Crackproof
Elastomeric Sealant



DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant provides urethane acrylic technology for extreme flexibility and strength with long lasting durability. It has over 600% total stretch without cracking or losing adhesion. It is paint ready in just 2 hours and won't shine through, dull, discolor or crack paint. With its strong, multi-material adhesion, it is ideal for a wide variety of applications such as sealing around windows, doors, siding, trim, baseboards, crown molding and more. Easy and smooth application with water clean up and low odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18715	10.1 fl oz	WHITE	18715	11.90	12	8"x6"x12"	0.333	3	108

**DAP® SIMPLE SEAL®
Paint Projects
Easy-to-Use
Home Sealant****No
Caulk Gun
Needed!**

DAP® SIMPLE SEAL® Paint Projects Sealant is an easy way to achieve professional-looking results by sealing gaps and cracks around trim, molding and baseboards prior to painting. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. SIMPLE SEAL® dries fast and is ready to paint in only 30 minutes to save time. Cured sealant is mold and mildew resistant. Low odor. Cleans up easily with water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18774	9 oz	WHITE	18774	6.64	9	7.25"x7.06"x9.56"	0.283	0	140

**DAP® SIMPLE SEAL®
Weatherproofing
Easy-to-Use
Home Sealant****No
Caulk Gun
Needed!**

DAP® SIMPLE SEAL® Weatherproofing Sealant is an easy way to seal out drafts and moisture around windows, doors, baseboards, inside or outside of the home to save energy and improve comfort. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL® to seal out air leaks and moisture to improve the energy efficiency of the home and make it more comfortable. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18773	9 oz	WHITE	18773	6.64	9	7.25"x7.06"x9.56"	0.283	3	140

**DAP® ALEX®
Painter's
Acrylic Latex Caulk**

All purpose acrylic latex painter's caulk that applies smoothly and easily to a wide variety of surfaces. Paintable, low odor and easy water clean-up. Cured caulk is mold and mildew resistant. Interior/exterior use. 25 Year. Meets ASTM C834.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18670	10.1 fl oz	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108
18609	10.1 fl oz	WHITE	18065	35.80	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®
Painter's
Acrylic Latex Caulk
Contractor Pack**

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18618	10.1 fl oz	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108

**DAP® RELY-ON®
Latex Caulk**

Economical latex for general caulking purposes. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18260	10.1 fl oz	WHITE	18250	14.40	12	8"x6"x12"	0.33	9	108

**DAP® KWIK SEAL ULTRA®
Premium Siliconized
Kitchen & Bath Sealant****MILDEW CAN'T GROW
STAINS WON'T STICK
DIRT RINSES OFF**

High performance, advanced siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mold and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odor and cleans up with water.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18901	5.5 fl oz	GLOSS WHITE	18894	6.40	15	7.75"x7.37"x10"	0.33	5	120
18902	5.5 fl oz	CLEAR	18895	6.35	15	7.75"x7.37"x10"	0.33	2	120
18903	5.5 fl oz	GLOSS BISCUIT	18896	6.39	15	7.75"x7.37"x10"	0.33	9	120
18914	5.5 fl oz	GLOSS WHITE	18894	5.24	12	9.75"x7.25"x4.25"	0.17	5	240
18915	5.5 fl oz	CLEAR	18895	5.20	12	9.75"x7.25"x4.25"	0.17	2	240
18916	5.5 fl oz	GLOSS BISCUIT	18896	5.23	12	9.75"x7.25"x4.25"	0.17	9	240
18918	5.5 fl oz	GLOSS WHITE	18894	2.68	6	10"x5.5"x3.75"	0.12	5	468
18919	5.5 fl oz	CLEAR	18895	2.66	6	10"x5.5"x3.75"	0.12	2	468
18920	5.5 fl oz	GLOSS BISCUIT	18896	2.68	6	10"x5.5"x3.75"	0.12	9	468
18897	10.1 fl oz	GLOSS WHITE	18897	9.85	12	8"x6"x12"	0.33	6	108
18898	10.1 fl oz	CLEAR	18898	9.78	12	8"x6"x12"	0.33	3	108
18899	10.1 fl oz	GLOSS BISCUIT	18899	9.83	12	8"x6"x12"	0.33	0	108

**DAP® KWIK SEAL PLUS®
Premium Kitchen & Bath
Adhesive Sealant with
MICROBAN® Antimicrobial
Product Protection**

Premium adhesive sealant with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the sealant. Specially formulated siliconized latex provides excellent adhesion and flexibility for a durable, 100% waterproof seal. Paintable. Low odor and easy water clean-up. Backed by a Crack-Proof Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18872	5.5 fl oz	WHITE	18526	7.64	15	7.75"x7.378"x10"	0.331	5	120
18871	5.5 fl oz	CLEAR	18546	6.45	15	7.75"x7.378"x10"	0.331	3	120
18526	5.5 fl oz	WHITE	18526	5.30	12	9.5"x7.25"x4.25"	0.17	5	240
18546	5.5 fl oz	CLEAR	18546	5.28	12	9.5"x7.25"x4.25"	0.17	3	240
18539	5.5 fl oz	BISCUIT	18539	5.32	12	9.5"x7.25"x4.25"	0.17	5	240
18510	10.1 fl oz	WHITE	18510	12.10	12	8"x6"x12"	0.33	4	108
18516	10.1 fl oz	CLEAR	18516	9.91	12	8"x6"x12"	0.33	6	108
18519	10.1 fl oz	BISCUIT	18519	10.00	12	8"x6"x12"	0.33	7	108

**DAP® KWIK SEAL®
Kitchen & Bath
Adhesive Caulk**

Bonds like a glue and seals like a caulk. Provides a durable, 100% waterproof seal. Cured caulk is mold and mildew resistant. Applies easily and tools smoothly. Excellent adhesion. Paintable. Low odor and easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18873	5.5 fl oz	WHITE	18001	9.74	15	7.75"x7.37"x10"	0.33	7	120
18001	5.5 fl oz	WHITE	18001	7.91	12	9.5"x7.25"x4.25"	0.17	7	240
18008	5.5 fl oz	CLEAR	18008	5.19	12	9.5"x7.25"x4.25"	0.17	6	240
18013	5.5 fl oz	ALMOND	18013	7.52	12	9.5"x7.25"x4.25"	0.17	0	240
18034	5.5 fl oz	WHITE	18001	4.02	6	9.50"x5.5"x3.5"	0.09	7	468
18038	5.5 fl oz	CLEAR	18008	2.66	6	9.50"x5.5"x3.5"	0.09	6	468
18039	5.5 fl oz	ALMOND	18013	3.90	6	9.30"x5.5"x3.5"	0.09	0	468
18032	10.1 fl oz	WHITE	18002	14.17	12	8"x6"x12"	0.33	4	108
18242	10.1 fl oz	CLEAR	18242	9.76	12	8"x6"x12"	0.33	4	108

**DAP® SIMPLE SEAL®
Kitchen & Bath
Easy-to-Use
Home Sealant**

DAP® SIMPLE SEAL® Kitchen & Bath Sealant is an easy way to fill and seal gaps around tubs, sinks, showers, counter tops or anywhere a clean, waterproof seal is needed in kitchens and bathrooms. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL® to seal out water and moisture or replace stained or mildewed caulk. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18772	9 oz	WHITE	18772	6.64	9	7.25"x7.06"x9.56"	0.283	6	140

**DAP® Premium Polyurethane Construction Adhesive Sealant****PRO
GRADE**

One-part, moisture-curing, non-sag elastomeric commercial-grade sealant specifically formulated to provide a long-lasting, durable seal when filling exterior gaps, joints and cracks. This high-performance sealant offers superior adhesion to most substrates and remains flexible to withstand up to 35% joint movement when installed into a properly prepared joint. Exceptional cut and tear resistance. Handles foot and vehicle traffic. Paintable. Interior/exterior use. Meets or exceeds ASTM C920, Type S, Grade NS, Class 35. NSF/ANSI Standard 61. Use T, NT, O, M, I. CAN/CGSB 19.13-M87 and Federal Specification TT-S-00230C, Type II, Class A.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18810	10.1 fl oz	WHITE	18810	14.10	12	8"x6"x13"	0.36	5	132
18814	10.1 fl oz	GRAY	18814	14.50	12	8"x6"x13"	0.36	3	132
18816	10.1 fl oz	BLACK	18816	14.10	12	8"x6"x13"	0.36	7	132

DAP® Concrete & Masonry Filler & Sealant

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18096	10.1 fl oz	GRAY	18021	14.87	12	8"x6"x12"	0.33	5	108

DAP® Roof Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and waterproof seal. Can be used for both wet and dry applications. Will not run, sag or bubble. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18268	10.1 fl oz	BLACK	18270	14.51	12	8"x6"x12"	0.33	7	105



DAP® Gutter & Flashing Advanced VOC-Compliant Exterior Sealant



Advanced polymer formula gutter and flashing sealant delivers superior wet weather and low temperature application with virtually no VOCs (<1%). 100% water and weatherproof. Also adheres to wet or dry surfaces and is 30 minute water ready. Ideal for gutters, drain spouts, lap joints, flashings, roof vents, aluminum siding and other metal joints.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
01801	10.1 fl oz	WHITE	01801	13.00	12	8"x6"x12"	0.33	3	108
01835	10.1 fl oz	MEDIUM GRAY	01835	13.75	12	8"x6"x12"	0.33	8	108

DAP® Gutter & Flashing BUTYL-FLEX® Sealant

Butyl rubber formula provides a durable, flexible and waterproof seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Adheres to wet or dry surfaces. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18182	10.1 fl oz	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 fl oz	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108

DAP® Gutter & Flashing BUTYL-FLEX® VOC-Compliant Adhesive

Butyl rubber-based, lower solvent formula provides a durable, flexible and waterproof bond for gutters, drainspouts, lap joints, flashing, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Adheres to wet or dry surfaces. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27062	10.1 fl oz	WHITE	27062	13.75	12	8"x6"x12"	0.33	6	108

DAP® ULTRA CLEAR Flexible All Purpose Waterproof Sealant



DAP® ULTRA CLEAR™ flexible sealant is a premium all purpose, ultra elastic, ultra clear sealant for sealing & patching a wide variety of surfaces & projects. Use it to seal out air, water & moisture for a durable, 100% waterproof & weatherproof seal. Stays flexible & crack proof even in cold weather. Sealant does not yellow & is clearer than silicone.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18383	5.0 fl oz	CRYSTAL CLEAR	18387	2.20	6	9.5"x5.5"x3.5"	0.09	2	468
18387	5.0 fl oz	CRYSTAL CLEAR	18387	7.00	15	7.75"x7.37"x10"	0.23	2	120
18388	10.1 fl oz	CRYSTAL CLEAR	18388	9.25	12	8"x6"x12"	0.33	9	105

**DAP® Blacktop Asphalt Filler & Sealer**

High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18020	10.1 fl oz	BLACK	18017	14.51	12	8"x6"x12"	0.33	8	108

DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer

Asphalt-based, low solvent formulation for the quick and easy repair of cracks in asphalt surfaces. Perfect for playgrounds, driveways, pavement and parking lots. Provides a durable, waterproof, elastic seal. Repairs are ready for traffic in 24 hours. Textured for a professional looking finish. Resists gas, oil, grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27065	10.1 fl oz	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	105

**DAP® SEAL 'N PEEL®
The Original Solvent Formula
All Season Removable
Weather Stripping Sealant**

Removable Weatherstrip Sealant is formulated for use as a seasonal weatherstripping product. It provides a watertight, weatherproof and fast drying seal against air and moisture, keeping homes warmer in winter, cooler in summer, while also reducing energy bills. Use it to seal drafty windows, seasonally used doors, around air conditioners, vents or fans. Then easily peel it away when no longer needed. Interior/Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18351	10.1 fl oz	CRYSTAL CLEAR	18324	9.27	12	8"x6"x12"	0.33	7	108

**DAP® BLOCKADE®
Fire-Rated
High Performance
Intumescent Acrylic
Latex Sealant**

Meets ASTM E814/UL 1479 Specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red color for easy inspection.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18858	10.1 fl oz	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

**DAP® Fire Stop
Fire-Rated
Silicone Sealant**

Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of $\pm 25\%$ dynamic joint movement.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18806	10.1 fl oz	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

**DAP® High Heat
Fire-Resistant Mortar**

A non-combustible silicate cement for applications in wood frame construction where an ASTM E136 sealant is required. Can also be used for patching and sealing around fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F, sets rock hard when fired. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18854	10 fl oz	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102

**DAP® 3.0™
Window, Door, Trim & Siding
High Performance Sealant**

DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant is ideal for sealing windows, door frames, corner joints, siding, trim, butt joints, baseboards, molding, pipes, ducts and vents. It delivers outstanding performance on fiber cement, vinyl, aluminum and wood. Water and paint ready in 30 minutes to finish the job faster. It can be applied in extreme temperatures: 20°F to 120°F. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof and weatherproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 35.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18360	9.0 fl oz	WHITE	18360	12.15	12	8"x6"x12"	0.33	5	108

**DAP® 3.0™
Crystal Clear
Window, Door, Trim & Siding
High Performance Sealant**

DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant is ideal for sealing windows, door frames, corner joints, siding, trim, butt joints, baseboards, molding, pipes, ducts and vents. It delivers outstanding performance on fiber cement, vinyl, aluminum and wood. The crystal clear color blends in with most building material substrates for a better finished appearance. Water and paint ready in 30 minutes to finish the job faster. It can be applied in extreme temperatures: 20°F to 120°F. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof and weatherproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Code	Size	Color	Code	Weight (lb)	Pack	LxWxH	Volume (cu ft)	UPC Check Digit	Cases per Pallet
18362	9.0 fl oz	CRYSTAL CLEAR	18362	9.90	12	8"x6"x12"	0.33	9	108

**DAP® SILICONE MAX™
Premium All Purpose
100% Silicone**

DAP® SILICONE MAX™ Premium All Purpose 100% Silicone provides maximum silicone performance to seal out air and water in window, door and siding applications. It has +/-50% joint movement for maximum flexibility and adhesion so it withstands contraction and expansion caused by extreme temperature and weather fluctuations without cracking or losing adhesion. Water ready in 30 minutes for a 100% waterproof and weatherproof seal. Shrink and crack proof. Cured sealant is mold & mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 50.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08796	2.8 fl oz	WHITE	08796	2.21	12	5.75"x7.63"x8.00"	0.20	5	200
08792	2.8 fl oz	CLEAR	08792	2.75	12	5.75"x7.63"x8.00"	0.20	7	200
08790	10.1 fl oz	WHITE	08790	11.96	12	8"x6"x12"	0.33	4	108
08791	10.1 fl oz	CLEAR	08791	9.74	12	8"x6"x12"	0.33	0	108
08784	10.1 fl oz	ALMOND	08784	9.74	12	8"x6"x12"	0.33	2	108
08787	10.1 fl oz	GRAY	08787	9.74	12	8"x6"x12"	0.33	3	108
08788	10.1 fl oz	BROWN	08788	9.74	12	8"x6"x12"	0.33	0	108
08789	10.1 fl oz	BLACK	08789	9.74	12	8"x6"x12"	0.33	7	108



DAP® SILICONE PLUS™ Premium Window, Door & Siding 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mold and mildew resistant. Low in odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08780	10.8 fl oz	WHITE	08780	11.96	12	8"x6"x12"	0.33	4	108
08771	10.8 fl oz	CLEAR	08771	9.74	12	8"x6"x12"	0.33	2	108

DAP® Window, Door & Siding 100% Silicone Rubber Sealant

100% silicone rubber sealant is flexible and provides a long-lasting, 100% waterproof and weatherproof seal. Cured sealant is mold and mildew resistant. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00752	2.8 fl oz	WHITE	00683	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
00684	2.8 fl oz	CLEAR	00684	3.50	6	8.44"x4.75"x4.12"	0.10	3	495
08646	9.8 fl oz	WHITE	08646	9.75	12	8"x6"x12"	0.33	3	108
08641	9.8 fl oz	CLEAR	08641	9.75	12	8"x6"x12"	0.33	8	108
08649	9.8 fl oz	ALMOND	08649	10.20	12	8"x6"x12"	0.33	4	108
08643	9.8 fl oz	ALUMINUM	08643	9.50	12	8"x6"x12"	0.33	2	108
08647	9.8 fl oz	BRONZE	08647	9.70	12	8"x6"x12"	0.33	0	108
08642	9.8 fl oz	BLACK	08642	9.70	12	8"x6"x12"	0.33	5	108

**DAP® DYNAFLEX® 800
Advanced All Weather
Sealant**

DAP® DYNAFLEX® 800 Advanced All Weather Sealant is a premium exterior elastomeric sealant developed for professional siding and window installations. It won't shrink or crack to provide a long lasting, flexible seal that prevents water and air intrusion. Can be applied in extreme temperatures: 0°F to 120°F and on wet or damp surfaces. Cures in 24 hours, paintable in 1 hour. Low odor, easy tooling & VOC Compliant. Exterior/interior. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
80800	10.1 fl oz	WHITE	80800	9.25	12	8.10"x 6.25"x13"	0.38	3	108

**DAP® SIDE WINDER®
Advanced Siding & Window
Sealant**

Advanced polymer formula siding and window sealant delivers excellent performance on fiber cement, vinyl, aluminum and wood siding, windows, doors and trim. Elastomeric formula stays flexible to withstand expansion and contraction without cracking, shrinking or losing adhesion. Extreme temperature application: 20°F to 120°F. Adheres to wet or damp surfaces. Primerless adhesion. Low odor, easy tooling and VOC compliant. Sealant cures in 24 hours and is paint ready in 1 hour. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00801	10.1 fl oz	WHITE	00801	13.00	12	8"x6"x12"	0.33	4	108
00813	10.1 fl oz	ALMOND	00813	13.75	12	8"x 6"x12"	0.33	7	108
00810	10.1 fl oz	TAN	00810	13.75	12	8"x 6"x12"	0.33	6	108
00804	10.1 fl oz	CLAY	00804	13.75	12	8"x 6"x12"	0.33	5	108
00823	10.1 fl oz	CEDAR	00823	13.75	12	8"x 6"x12"	0.33	6	108
00807	10.1 fl oz	LIGHT GRAY	00807	13.75	12	8"x 6"x12"	0.33	6	108
00835	10.1 fl oz	MEDIUM GRAY	00835	13.75	12	8"x 6"x12"	0.33	9	108

**DAP® SIDE WINDER®
Crystal Clear
Advanced Siding
& Window Sealant**

Advanced polymer formula siding and window sealant delivers excellent performance on fiber cement, vinyl, aluminum and wood siding, windows, doors and trim. The crystal clear color blends in with most building material substrates for a better finished appearance. Elastomeric formula stays flexible to withstand expansion and contraction without cracking, shrinking or losing adhesion. Extreme temperature application: 20°F to 120°F. Adheres to wet or damp surfaces. Primerless adhesion. Low odor, easy tooling and VOC compliant. Sealant cures in 24 hours and is paint ready in 1 hour. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00816	10.1 fl oz	CRYSTAL CLEAR	00816	9.25	12	8"x 6"x12"	0.33	8	108



DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant



DAP® 3.0™ Kitchen, Bath and Plumbing High Performance Sealant is ideal for sealing tubs, showers, sinks, backsplashes, counter tops and fixtures. It offers 10 year mold resistance and is specially formulated with MICROBAN® Antimicrobial Product Protection to fight the growth of stain and odor-causing mold and mildew on the sealant. Safe for granite and marble. It is water and paint ready in 30 minutes to finish the job faster. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Low in odor and VOC compliant. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00790	9.0 fl oz	GLOSS WHITE	00790	12.80	12	8"x6"x12"	0.33	1	108
00795	9.0 fl oz	CRYSTAL CLEAR	00795	9.90	12	8"x6"x12"	0.33	6	108
00799	9.0 fl oz	GLOSS BISCUIT	00799	12.80	12	8"x6"x12"	0.33	4	108

DAP® SILICONE MAX® Premium Kitchen & Bath 100% Silicone Sealant



DAP® SILICONE MAX® Premium Kitchen & Bath 100% Silicone provides maximum silicone performance to seal out water and moisture in kitchen and bathroom applications. It is backed by a 20 year mold and mildew resistance guarantee and offers maximum flexibility and adhesion for a crack proof, 100% waterproof seal. Water ready in just 30 minutes to save time. VOC compliant. Lifetime Guarantee. NSF certified - making it safe for incidental food contact.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08795	2.8 fl oz	GLOSS WHITE	08795	2.75	12	5.75"x7.63"x7.88"	0.20	8	200
08794	2.8 fl oz	CLEAR	08794	2.75	12	5.75"x7.63"x7.88"	0.20	1	200
08667	10.1 fl oz	GLOSS WHITE	08667	9.17	12	8"x6"x12"	0.33	8	108
08668	10.1 fl oz	CLEAR	08668	9.17	12	8"x6"x12"	0.33	5	108
08793	10.1 fl oz	GLOSS ALMOND	08793	9.17	12	8"x6"x12"	0.33	4	108

DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Cured sealant is mold and mildew resistant. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Low in odor. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08770	10.8 fl oz	WHITE	08770	11.96	12	8"x6"x12"	0.33	5	108
08781	10.8 fl oz	CLEAR	08781	11.96	12	8"x6"x12"	0.33	1	108
08785	10.8 fl oz	ALMOND	08785	11.96	12	8"x6"x12"	0.33	9	108

**DAP® Kitchen & Bath
100% Silicone Rubber
Sealant**

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Cured sealant is mold and mildew resistant. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00750	2.8 fl oz	WHITE	00680	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
00751	2.8 fl oz	CLEAR	00751	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
08640	9.8 fl oz	WHITE	08640	9.75	12	8"x6"x12"	0.33	1	108
08648	9.8 fl oz	CLEAR	08648	9.70	12	8"x6"x12"	0.33	7	108

**DAP® Commercial Kitchen
100% Silicone Sealant**

DAP® Commercial Kitchen Silicone is an NSF certified product suitable for food-zone areas in commercial and industrial kitchens. This 100% silicone product is 100% waterproof and has a wide temperature range of -75°F to 350°F (intermittent temperatures up to 400°F). Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08656	9.8 fl oz	WHITE	08656	9.80	12	8"x6"x12"	0.33	2	108
08658	9.8 fl oz	CLEAR	08658	9.80	12	8"x6"x12"	0.33	6	108
08660	9.8 fl oz	STAINLESS STEEL	08660	9.80	12	8"x6"x12"	0.33	9	108

**DAP® 3.0™
Gutter & Flashing
High Performance Sealant**

DAP® 3.0™ Gutter & Flashing High Performance Sealant is ideal for sealing seams, joints and gaps on gutters, flashing, drain spouts, lap joints, vents and other metal joints. Water and paint ready in 30 minutes. It can be applied to wet or dry surfaces and in extreme temperatures: 20°F to 120°F. The crystal clear color blends in with most building material substrates for a better finished appearance. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18377	9.0 fl oz	CRYSTAL CLEAR	18377	12.15	12	8"x6"x12"	0.33	3	108

**DAP® 3.0™
Self-Leveling
Concrete & Masonry
High Performance Sealant**

DAP® 3.0™ Concrete & Masonry is an advanced self-leveling sealant that requires no tooling, making it ideal for filling cracks and gaps in horizontal surfaces. It can be applied in extreme temperatures: 20°F to 120°F and exposed to water after only 1 hour without washing out or bubbling. Paint ready in 1 hour. Withstands foot and vehicle traffic after fully cured. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18370	9.0 fl oz	GRAY	18370	13.12	12	8"x6"x12"	0.33	4	108

**DAP® SILICONE PLUS™
Premium Concrete
& Masonry
100% Silicone Rubber
Sealant**

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Withstands foot and vehicle traffic after fully cured. Cured sealant is mold and mildew resistant. Low in odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08675	10.8 fl oz	GRAY	08675	11.96	12	8"x6"x12"	0.33	3	108



DAP® HVAC SILICONE 100% RTV Silicone Sealant



DAP® HVAC SILICONE is a high-performance sealant designed especially for HVAC applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from -40 to 475°F. Meets Fed. Spec. TT-S-00230 C Class A, TT-S-001543 A Class A, ASTM C920, Class 25, FDA Reg. No. 21 CFR 177, 2600 when fully cured. Safe for incidental food contact—NSF Certified.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08010	10.3 fl oz	WHITE	08010	9.17	12	8"x6"x12"	0.33	2	108
08011	10.3 fl oz	CLEAR	08011	9.17	12	8"x6"x12"	0.33	9	108
08012	10.3 fl oz	ALUMINUM	08012	9.17	12	8"x6"x12"	0.33	6	108

DAP® HIGH TEMP SILICONE 100% RTV Silicone Sealant



DAP® HIGH TEMP SILICONE is a high-performance sealant designed especially for extreme high temperature applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from 40°F to 550°F (intermittent). Meets Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920, FDA Reg. No. 21 CFR 177, 2600. Safe for incidental food contact.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08013	10.3 fl oz	RED	08013	9.17	12	8"x6"x12"	0.33	3	108



DAP® All Purpose 100% Silicone Adhesive Sealant

Long-lasting, 100% silicone rubber is ideal for quick household repairs and projects. Forms a strong, waterproof seal. Won't shrink or crack. Stays flexible. Safe for incidental food contact. Dishwasher and microwave safe. Also ideal for building or repairing aquariums. Harmless to fresh and saltwater fish when cured.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00755	2.8 fl oz	CLEAR	00688	1.55	6	8.44"x4.75"x4.12"	0.10	1	495

DAP® Auto/Marine 100% RTV Silicone Sealant

Long-lasting, 100% RTV silicone rubber seals and bonds for automotive and marine maintenance and repair applications. Forms a strong waterproof and weatherproof seal. Stays flexible. Won't shrink or crack. Resists vibration, expansion and contraction. Endures sunlight and withstands saltwater.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00756	2.8 fl oz	CLEAR	00694	1.55	6	8.44"x4.75"x4.12"	0.10	2	495

DAP® Gasket 100% RTV Silicone Sealant

Easily forms 100% RTV silicone rubber gaskets for mechanical repair and household use. Forms a durable, waterproof seal. Stays flexible. Won't crack, crumble or dry out. Withstands extreme temperatures and pressure. Unaffected by vibration. Resistant to oil, grease and fuels. Requires no mixing.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00754	2.8 fl oz	BLACK	00686	1.55	6	8.44"x4.75"x4.12"	0.10	7	495

**DAP® CAULK-BE-GONE®
Latex Caulk Remover**

Specially formulated gel softens many types of latex caulks and sealants for easy removal. Fast-acting formula works in as little as two hours. Has a fresh scent and will not harm most surfaces. Interior/ exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18026	5.5 fl oz	GREEN	18025	5.21	12	9.5"x7.25"x4.25"	0.17	3	240

**DAP® PRO Caulk™
8-piece
Caulking Tool Kit**

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound.

The Tool Kit includes:

- (3) Sealing Tools
- Caulk Removal Tool
- (3) Rubberized Caulk Saver Caps
- Extended Reach Nozzle

The tools can be used indoors or out, on just about every caulking and sealing project.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09125	1 ea	BLUE	09125	1.20	4	5.5"x4.75"x11"	0.17	2	224

**DAP CAP™
Caulk Finishing Tool**

Two tools in one. Smooths and finishes bead of caulk or sealant easily for a professional-looking appearance. Works with all types of caulks and sealants. Reseals any cartridge for storage and reuse.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18570	1 ea	YELLOW	18570	0.82	12	10.5"x6"x10.5"	0.29	8	99

**DAP® PLATINUM PATCH™**
Advanced Exterior Filler
(RTU)

Provides exceptional weatherproof protection that prevents discoloration, cracking and crumbling. The tough hydrophobic surface provides a waterproof repair that won't swell, soften, blister or break down and is mold, mildew and algae resistant making it perfect for areas with continuous exposure to the elements. It has strong multi-material adhesion to tough porous and non-porous materials making it ideal for exterior applications such as the installation, finishing or repairing of fiber cement siding, PVC trim board, vinyl siding, metal, composite concrete, brick, wood and more. It creates a strong durable bond that won't crack or lose adhesion over time and is also sandable, paintable, easy water clean-up and low in odor. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18786	7 oz	WHITE	18786	4.47	6	6.36"x6.25"x9.38"	0.22	3	168
18741	1 pt	WHITE	18740	20.36	12	12"x8.25"x8.25"	0.47	5	85
18787	1 qt	WHITE	18787	26.28	12	10.38"x10.38"x10.25"	0.63	0	64

DAP® ALEX FLEX®
Flexible Spackling
(RTU)

Provides a solution to eliminate reoccurring cracks in drywall. Its ready-to-use formula spreads easily for fast, flexible repairs that can be sanded to a smooth finish. This professional-grade formula will not shrink or crack and is perfect for interior or exterior applications.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18742	1 pt	WHITE	18742	21.97	12	12"x8.25"x8.25"	0.47	9	85
18743	1 qt	WHITE	18743	28.15	8	10.38"x10.38"x10.25"	0.64	6	64



DAP® ALEX PLUS® Spackling (RTU)



Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18744	7 oz	WHITE	18744	5.68	6	6.63"x6.25"x9.38"	0.23	3	168
18745	1 pt	WHITE	18745	25.19	12	12"x8.25"x8.25"	0.47	0	85
18746	1 qt	WHITE	18746	32.72	8	10.38"x10.38"x10.25"	0.64	7	64
18747	1 gal	WHITE	18747	32.86	2	16"x8"x8.25"	0.61	4	75

DAP® ALEX PLUS® Spackling Repair Kit



A complete project solution. Repairs holes up to 4" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- Alex Plus® Spackling
- 5" x 5" Fiber Tough Patch
- 4" x 3" 100-grit sand paper
- 2" putty knife



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18795	1 ea – 0.5 pt	WHITE	18795	6.75	6	21.38"x7.25"x8.25"	0.74	5	60



DAP® CRACKSHOT® High Performance Spackling Paste (RTU)

Professional knife-grade spackling paste for easy application and superior paintability. Its creamy texture applies smoothly, dries hard and sands effortlessly, delivering quality results every time. This professional-grade formula will not shrink and will not “flash” paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12374	0.5 pt	WHITE	12374	13.26	12	13.5"x10"x3.75"	0.29	8	120
12378	1 qt	WHITE	12378	25.65	6	15"x10"x5.25"	0.46	6	96
12380	1 gal	WHITE	12380	33.82	2	16"x8"x8.25"	0.61	9	75

DAP® DRYDEX® Dry Time Indicator Spackling (RTU)



Contains patented DRYDEX® Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12337	5.5 oz	WHITE	12346	10.89	15	7.5"x7.38"x10"	0.32	5	120
12328	0.5 pt	WHITE	12328	12.90	12	13.50"x10"x3.75"	0.29	1	154
12330	1 qt	WHITE	12330	24.93	6	15"x10"x5.25"	0.46	4	96
12347	1 gal	WHITE	12347	28.8	2	16"x8"x8.25"	0.61	2	75

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling



A complete project solution. Repairs holes up to 4" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white
- 5" x 5" Fiber Tough Patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12345	1 ea - 0.5 pt	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60



DAP® FAST 'N FINAL® Lightweight Spackling (RTU)



A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12317	2.8 oz	WHITE	12317	1.75	6	8.75"x5.75"x3.75"	0.11	8	340
12140	0.5 pt	WHITE	12140	3.50	12	13.5"x10"x3.75"	0.29	9	154
12141	1 pt	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 qt	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 gal	WHITE	12143	18.25	4	16"x16"x8.25"	1.19	0	30

DAP® ELASTOPATCH® Pro-Grade Elastomeric Patching Compound- Smooth (RTU)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster. It is 50% more flexible than traditional vinyl and acrylic spackling compounds to expand and contract with surface movement and prevent cracks from reappearing. Won't shrink or crack. Provides excellent paintability and won't gloss paint. Smooth finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12276	10.1 oz	WHITE	12276	14.72	12	8"x6"x12"	0.33	5	108
12278	1 qt	WHITE	12278	22.19	6	15"x10"x5.25"	0.46	9	96
12280	1 gal	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

DAP® ELASTOPATCH® Pro-Grade Elastomeric Patching Compound- Textured (RTU)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster. It is 50% more flexible than traditional vinyl and acrylic spackling compounds to expand and contract with surface movement and prevent cracks from reappearing. Won't shrink or crack. Provides excellent paintability and won't gloss paint. Textured finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12286	10.1 oz	OFF WHITE	12286	12.79	12	8"x6"x12"	0.33	4	108
12288	1 qt	OFF WHITE	12288	18.45	6	15"x10"x5.25"	0.46	8	96
12290	1 gal	OFF WHITE	12290	24.22	2	16"x8"x8.25"	0.61	1	75

**DAP® FASTPATCH® 30
Patching Compound
Powder (Dry Mix)**

A high-performance, multi-purpose powder patching compound formulated to set fast and dry hard. It allows you to finish interior repair projects in less time than traditional patching compounds, which can take as long as 1-5 hours to dry. It sets hard in 30 minutes, so you can patch and paint in one day. It's easy to mix, apply and sand. No priming needed before painting. This powerful patch may be filed, drilled, nailed or chiseled and provides exceptional anchoring strength for fasteners. Won't shrink or crack. High compressive strength and provides superior impact resistance for drywall repair.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58550	3.5 lb	WHITE	58550	15.5 lb	4	11.25"x8.25"x10.75"	0.90	9	60

**DAP® Vinyl Spackling
(RTU)**

All-purpose, heavyweight spackling compound for repairing and filling cracks and holes in wallboard, drywall, plaster, wood, brick and stone. It spreads smoothly, sands easily and resists cracking for fast professional repairs. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12130	0.5 pt	WHITE	12130	12.81	12	13.5"x10"x3.75"	0.29	0	154
12132	1 qt	WHITE	12132	24.75	6	15"x10"x5.25"	0.46	4	96
12133	1 ga	WHITE	12133	33.08	2	16"x8"x8.25"	0.61	1	75

**DAP® Wallboard Joint Compound (RTU)**

A pre-mixed, professional grade compound for taping, finishing and texturing interior gypsum wallboard. It can be used to cover and finish gypsum wallboard joints, embed reinforcing tape, metal corner beads, screw or nail holes. It is easy to apply, has minimal shrinkage and sands easily. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10100	3 lb	WHITE	10100	19.50	6	15"x10"x5.25"	0.46	5	96
10102	12 lb	WHITE	10102	51.08	4	16"x16"x8"	1.19	9	30

DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10114	1 gal	WHITE	10114	42.92	4	16"x16"x8.25"	1.22	2	30

DAP® DRYDEX® Lightweight Low Dust Joint Compound (RTU)

Premium, pre-mixed joint compound for the ultra-smooth, high quality finishing of gypsum panel joints, nail head and metal corner beads. Sands effortlessly and produces 70% less airborne dust than other low dust joint compounds for less mess and fast clean-up. Easy handling, lightweight formula goes on PINK and dries WHITE indicating when additional coats can be applied or when it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra-smooth finish. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12385	1 qt	WHITE	12385	23.92	8	10.38"x10.38"x10.25"	0.64	4	75
10120	1 gal	WHITE	10120	21.58	2	16"x8"x8.25"	0.61	3	75

**DAP® All-Purpose Stucco Patch (RTU)**

An easy-to-use patching compound for repairing minor cracks and breaks in stucco. It creates a hard durable patch which when painted, blends evenly with the original stucco. Textured finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10504	1 qt	WHITE	10504	25.20	6	15"x10"x5.25"	0.46	1	96
60590	1 gal	WHITE	60590	66.28	4	16"x16"x8.25"	1.22	9	30

DAP® All-Purpose Stucco Patch (Dry Mix)

Professional-quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10502	25 lb	WHITE	10502	25.16	1	19.5"x10.5"x4"	0.47	7	96

DAP® Plaster Wall Patch (Dry Mix)

Professional-quality formula for repairs in plaster walls and ceilings. Provides longer working time of 2-3 hrs. Easy to mix, use and sand. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10304	25 lb	WHITE	10304	25.25	1	19.5"x10.5"x4"	0.47	7	96

**DAP® WEBPATCH™ 90
Floor Leveler and Patch
(Dry Mix)**

General purpose, gypsum-based floor leveler and patch. Use to patch cracks and holes in drywall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can also be used on walls and ceilings. Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive. Interior use.

NOTE: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10314	4 lb	OFF WHITE	10314	25.32	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 lb	OFF WHITE	63050	25.24	1	19.5"x10.5"x4"	0.47	5	96

**DAP® PRESTO PATCH®
Multi-Purpose
Patching Compound
(Dry Mix)**

All-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58505	4 lb	WHITE	58505	25.20	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 lb	WHITE	58552	25.24	1	19.5"x10.5"x4"	0.47	2	96

**DAP® PRESTO PATCH®
Ready-Mixed Multi-Purpose
Patching Compound
(RTU)**


Ready-to-use, multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry, plaster, wallboard, wood and stucco. This high-performance patching compound has a smooth working consistency and dries quickly. Once dry, it can be drilled, nailed, filed or painted. Saves time - NO MIXING REQUIRED. Smooth finish. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58555	1 gal	OFF WHITE	58555	30.50	2	16"x8"x8.25"	0.61	3	75

**DAP® Plaster of Paris (Dry Mix)**


For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10308	4 lb	WHITE	10308	26.14	6	19.5"x13.5"x7"	1.07	5	42
10310	8 lb	WHITE	10310	34.52	4	16.5"x9"x15.5"	1.33	8	36
10312	25 lb	WHITE	10312	25.24	1	19.5"x10.5"x4"	0.47	2	96
10318	4 lb BOX	WHITE	10318	25.32	6	12.5"x8.5"x8.5"	0.52	4	90

DAP® Plaster of Paris Hobby & Craft (Dry Mix)

Ideal for hobby, molds and casts. Sets hard in 20-30 minutes without shrinking. Has a 7-12 minute working time. It can be painted with any latex-based paint when dry. Great for casting molds. Can be used for patching applications. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
53005	4.4 lb	WHITE	53005	27.72	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Patching Plaster (RTU)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
52084	1 qt	WHITE	52084	23.70	6	15"x10"x5.25"	0.46	4	96



DAP® PLASTIC WOOD® Solvent Professional Wood Filler (RTU)



High-performance, solvent-based wood filler that hardens to give a repair that is 3X stronger*. This professional-grade, heavy-duty wood filler contains real wood fibers so it looks and acts like real wood. It can be sanded, cut, drilled, screwed, planed, varnished, painted or lacquered. It provides strong nail and screw anchoring without splitting. DAP® PLASTIC WOOD® Professional Wood Filler dries fast and hard, and is shrink and crack resistant. For use on furniture, doors, paneling, molding, plywood and other wood surfaces. Available in several popular wood shades, this high-performance wood filler can also be stained to match any wood surface. Interior/ exterior use.

**Than competitive product*



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
21506	1 pt	NATURAL	21506	14.00	12	14"x10.37"x4.5"	0.38	1	117
21502	4 oz	NATURAL	21502	3.95	12	7.5"x5.25"x4.25"	0.10	3	378
21400	4 oz	LIGHT OAK	21400	3.95	12	7.5"x5.25"x4.25"	0.10	2	378
21404	4 oz	PINE	21404	3.95	12	7.5"x5.25"x4.25"	0.10	0	378
21408	4 oz	GOLDEN OAK	21408	3.95	12	7.5"x5.25"x4.25"	0.10	8	378
21412	4 oz	WHITE	21412	3.95	12	7.5"x5.25"x4.25"	0.10	5	378
21434	4 oz	WALNUT	21434	3.95	12	7.5"x5.25"x4.25"	0.10	7	378
21500	1.87 oz	NATURAL	21500	2.46	12	5"x5.5"x6.5"	0.10	9	336
21510	1.87 oz	NATURAL	21510	1.30	6	7"x4.4"x9.3"	0.18	8	208

DAP® PLASTIC WOOD-X™ All Purpose Wood Filler with DryDex® Dry Time Indicator

GOES ON PINK DRIES

NATURAL

High quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain. Formulated to create a surface that looks and acts like real wood. It can be used to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and molded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. For interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00540	5.5 oz	NATURAL	00540	4.59	12	8.5"x6"x6"	0.17	2	312
00541	0.5 pt	NATURAL	00541	3.46	6	8.75"x4.25"x5"	0.11	9	280
00542	16 oz	NATURAL	00542	8.75	8	9"x8.75"x5"	0.22	6	140
00543	1 qt	NATURAL	00543	8.51	4	12"x6"x6"	0.25	3	126



DAP® PLASTIC WOOD-X™ Wood Repair Kit with DryDex® Dry Time Indicator

GOES ON PINK DRIES

NATURAL

A complete wood repair project solution. High-quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain.

Includes all the necessary tools:

- PLASTIC WOOD-X™ DRYDEX® Spackling- Goes on pink, dries natural
- 2" Putty Knife
- Dual-Grit (60/100) Sanding Block



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00595	1 ea-0.5 pt	NATURAL	00596	4.8	6	21.38"x7.25"x8.25"	0.74	2	312

DAP® PLASTIC WOOD® Latex All Purpose Wood Filler (RTU)

3X
Stronger*

High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair that is 3X stronger than competitive product. It can be used to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and molded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00525	1 qt	NATURAL	00525	8.51	4	12"x6"x6"	0.23	9	171
00529	1 pt	NATURAL	00527	8.75	8	9"x8.75"x5"	0.23	3	140
08135	0.5 pt	NATURAL	08135	3.46	6	8.75"x4.25"x5"	0.11	2	280
00580	3 oz	NATURAL	00580	1.87	6	14.5"x3.75"x6.75"	0.17	8	180
00581	6 oz	NATURAL	00581	3.17	6	17"x3.75"x7.75"	0.17	5	156
00582	6 oz	GOLDEN OAK	00582	3.17	6	17"x3.75"x7.75"	0.17	2	156
00583	6 oz	RED OAK	00583	3.17	6	17"x3.75"x7.75"	0.17	9	156
00584	6 oz	WALNUT	00584	3.17	6	17"x3.75"x7.75"	0.17	6	156
00585	6 oz	WHITE	00585	3.17	6	17"x3.75"x7.75"	0.17	3	156

**DAP® PLASTIC WOOD®
Wood Putty
(RTU)**

An easy-to use, non-hardening wood putty ideal for filling small holes and minor defects in interior wood surfaces after assembly and finishing. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Colors can be blended for custom color matching. Available in 12 popular tones to match most finished wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
21245	3.7 oz	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21247	3.7 oz	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21250	3.7 oz	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21251	3.7 oz	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	630
21255	3.7 oz	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21262	3.7 oz	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	630
21266	3.7 oz	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	630
21268	3.7 oz	RED MAHOGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21270	3.7 oz	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	630
21272	3.7 oz	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	630
21274	3.7 oz	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21276	3.7 oz	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	630

**DAP® BLEND STICK®
Value Packs**

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces. Its unique teardrop shape makes it easier to use than other blending products. It is ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets. It will not shrink, stain or discolor and is available in 3 value packs, featuring 4 colors in each pack, to match most wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
04080	1 ea	LIGHT WOODS	04080	1.50	12	7.75"x4"x6.75"	0.12	9	360
04083	1 ea	RED WOODS	04083	1.50	12	7.75"x4"x6.75"	0.12	0	360
04085	1 ea	DARK WOODS	04085	1.50	12	7.75"x4"x6.75"	0.12	4	360

**DAP® PLASTIC WOOD®
Wood Finish Repair Kit™**

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling. Also included are four colored blending sticks and application tools to repair minor defects in any finished wood surface. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
97500	1 ea	MULTICOLOR	97500	2.00	6	8.87"x3.87"x4.75"	0.09	2	280

**DAP® Painter's Putty '53'®
(RTU)**

Smooth, easy-working putty designed for the special needs of professional painters. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze wood sashes. Resists oil bleeding. Exceptional paintability. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12240	0.5 pt	WHITE	12240	13.18	12	13.5"x10"x3.75"	0.29	6	154
12242	1 pt	WHITE	12242	25.94	12	15.5"x12"x4.75"	0.51	0	80
12244	1 qt	WHITE	12244	25.50	6	15"x10"x5.25"	0.46	4	96



DAP® '33'® Window Glazing (RTU)



Ready-to-use, paintable window glazing for use on wood, metal and aluminum sashes. Forms an airtight, watertight seal. Resists sagging, cracking and shrinking. Excellent weather resistance. Knife-grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12120	0.5 pt	WHITE	12120	14.98	12	13.5"x10.5"x3.75"	0.29	1	154
12121	1 pt	WHITE	12121	29.54	12	15.5"x12"x4.75"	0.51	8	80
12122	1 qt	WHITE	12122	29.10	6	15"x10"x5.25"	0.46	5	96
12019	1 ga	WHITE	12019	38.42	2	16"x8"x8.25"	0.61	8	75
12124	3.5 ga	WHITE	12124	66.74	1	12"x12"x10.75"	0.90	9	36

DAP® Latex Window Glazing (RTU)



Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12108	10.1 oz	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

DAP® '1012'® Window Glazing (RTU)



Professional-quality glazing compound for face glazing metal sashes. No painting required. Knife-grade. Meets Federal Specifications TT-G-410E, CID-A-A-373A, ASTM C669. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12056	3.5 gal	ALUMINUM GRAY	12056	66.50	1	12"x12"x10.25"	0.85	3	36
12059	1 gal	ALUMINUM GRAY	12059	37.62	2	16"x8"x8.25"	0.61	4	75

**DAP® Concrete Floor Leveler (Dry Mix)**

General purpose, concrete-based floor leveling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10414	5 lb	GRAY	10414	31.20	6	12.5"x8.5"x8.5"	0.52	3	90
10416	25 lb	GRAY	10416	25.18	1	19.5"x10.5"x4"	0.47	7	96

DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch. An economical product for the repair of cracks, chips and breaks in concrete and masonry. It adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces. Crack-resistant formula. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10466	5 lb	GRAY	10466	31.20	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 lb	GRAY	10468	43.18	4	16.5"x8.5"x12"	0.97	6	30

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
35082	1 pt	WHITE	35082	7.50	6	8"x5.5"x8"	0.20	3	152
35090	1 gal	WHITE	35090	34.50	4	13"x13"x13"	1.27	8	27



DAP® Concrete Bonding Additive

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02131	1 qt	WHITE	02131	28.00	12	14.12"x11.87"x10.75"	1.04	0	33
02132	1 gal	WHITE	02132	36.00	4	13"x13"x13"	1.27	7	27

DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
59184	1 qt	LIGHT GRAY	59184	24.00	6	15"x10"x5.25"	0.46	4	96
59190	1 gal	LIGHT GRAY	59190	63.50	4	16"x16"x8.25"	1.22	5	30

DAP® Liquid Cement Crack Filler (RTU)

Easy-to-use, ready-mixed product for the repair of cracks in concrete. Repairs are ready for traffic in 30-45 minutes. It is self-leveling and dries gray to match most existing concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
37584	1 qt	GRAY	37584	22.00	6	10.75"x7.5"x10.5"	0.49	0	84

**DAP® Ready-Mixed Concrete Patch (RTU)**

A high-strength patching compound for repairing cracks or breaks in concrete and mortar joints. It can also be used to patch and spot level interior or exterior concrete and masonry surfaces. It dries to a durable hard finish. Provides a non-shrinking patch. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
31084	1 qt	LIGHT GRAY	31084	25.05	6	15"x10"x5.25"	0.46	1	96
31090	1 gal	LIGHT GRAY	31090	65.88	4	16"x16"x8.25"	1.22	2	30

DAP® QUICK PLUG® Hydraulic & Anchoring Cement (Dry Mix)

A versatile, high-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete and masonry surfaces. It creates a watertight seal in 3-5 minutes, even while water is flowing. It works both above and below ground level. Also great as fast-setting anchoring cement to permanently anchor fence and railing posts, bolts, machinery and fixtures into concrete and masonry surfaces. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
14084	2.5 lb	GRAY	14084	15.80	6	12.25"x7.25"x4"	0.21	4	180
14086	5 lb	GRAY	14086	31.20	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 lb	GRAY	14090	43.18	4	16.5"x16.5"x8.25"	1.30	5	30

**DAP® Wall Repair Patch**

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish. Patches are self-adhesive so there's no pre-pasting required, and they are repositionable. The no-rust mesh aluminum backing provides a sturdy surface while allowing more air circulation for quicker drying time. The patch is strong enough to repair wall holes, yet cuts easily with scissors to match the size of the hole.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09146	6"x6"	WHITE/METALLIC	09146	3.20	12	8.37"x5.25"x7.75"	0.20	7	225

DAP® Presto Patch® Drywall Plug

DAP® Presto Patch® is a simple, structural and invisible solution for permanently and easily repairing holes in drywall. Product includes one precut drywall circle with oversized taping paper attached, a foam template and step-by-step instructions.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09151	1/2"x4"	WHITE	09151	1.5	6	8"x4.25"x9.25"	0.18	9	192



DAP® WELDWOOD® The Original Contact Cement



Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00271	1 pt	TAN	00271	13.75	12	14"x10.5"x4.25"	0.36	5	130
00272	1 qt	TAN	00272	12.67	6	13.5"x9"x5"	0.35	2	144
00273	1 gal	TAN	00273	31.67	4	13.5"x13.5"x8"	0.84	9	45

DAP® WELDWOOD® Contact Cement

Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy applicator included in 1 oz. bottle.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00102	1 oz	TAN	00102	2.50	12	7"x7"x4.5"	0.13	2	240
00107	3 oz	TAN	00105	5.55	12	6.25"x6.75"x6.25"	0.11	3	336

DAP® WELDWOOD® Gel Formula Contact Cement

WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25312	1 qt	TAN	25312	13.00	6	13.5"x8.75"x5.13"	0.35	4	144

DAP® WELDWOOD® Nonflammable Contact Cement

High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 60-70 minutes. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25332	1 qt	NATURAL	25332	15.75	6	13.5"x8.75"x5.25"	0.36	2	144
25336	1 gal	NATURAL	25336	39.25	4	13.5"x13.5"x8"	0.84	0	45



Extremely Flammable—Brush Grade

DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. DAP® 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00094	5 gal	NATURAL	1	36.75

DAP® 2056 Professional Brush Grade Contact Adhesive

A medium viscosity formulation which meets the requirements of many applications. A general

purpose contact adhesive, DAP® 2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00241	5 gal	NATURAL	1	35.00

Extremely Flammable—Spray Grade

DAP® Landau Top & Trim High Heat Resistant Contact Cement

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00233	1 gal	NATURAL	4	29.50
00234	5 gal	NATURAL	1	36.00
00235	55 gal	NATURAL	1	404.00
00237	5 gal	RED	1	36.00

DAP® 0306/0307 High Heat Resistant Contact Adhesive

This industry standard, used with confidence for years, meets the

requirements of a wide range of applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lb)
00095	5 gal	NATURAL		1	37.00
00097	5 gal	RED		1	37.00
04051	55 gal	NATURAL	O.H.*	1	414.00
04054	55 gal	RED	O.H.*	1	424.00

Description			Solids (percent)	Viscosity, cPs	Density, lb/gal.	Color(s)	Sq. Ft. Coverage (2-3 g dry)	Shelf Life	VOC Less H-0/ Exempt g/L	Sizes (Gallons)
Brush Grade (Flammable Solvent)										
0308	Premium	HHR*	24	900-1200	6.8	NATURAL	309	1 yr	592/475	5-55
2056	Prof.	HHR*	20	550-800	6.7	NATURAL	253	1 yr	606/490	5-55
Spray Grade (Flammable Solvent)										
0307	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	5-55
0306	Std.	HHR*	19	130-200	6.6	NATURAL	237	1 yr	621/499	5-55
LANDAU	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	1-5-55
						NATURAL				

*(T.H.) Tight Head *(O.H.) Open Head *(HHR) High Heat Resistance

For more detailed information, request the technical data sheet for any of our products by calling 1-888-327-8477 or visit our website at dap.com

**DAP® WELDWOOD®
Contact Cement Spray
Adhesive**

DAP® WELDWOOD® Contact Cement Spray Adhesive is a high-strength, high-temperature-resistant formulation that bonds laminate, veneer, upholstery, kickplates, trim, wood, metal, plastic & more. It is ideal for use on trim work, door panels, decorative laminates, upholstery work, and many other demanding applications.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00122	16 oz	CLEAR	00122	9.00	6	9.25"x6.25"x9.5"	0.56	0	128

**DAP® WELDWOOD®
High Strength
Spray Adhesive**

DAP® WELDWOOD® High Strength Spray Adhesive wide web spray formula is a high-strength, high-temperature and water resistant formulation that bonds laminate, veneer, upholstery, particle board, wood, metal, plastic & more. Ideal for demanding applications including trim and upholstery work and laminates. Long open time.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00121	16 oz	CLEAR	00121	17.00	12	12"x9.25"x9.75"	0.63	3	80

**DAP® WELDWOOD®
Multi-Purpose
Spray Adhesive**

DAP® WELDWOOD® Multi-Purpose Spray Adhesive is a mist spray formula that can be used for the temporary or permanent bonding of lightweight materials including foil, paper, foam, metal, cardboard, plastic & more. Fast tack. Ideal for hobby and craft applications. VOC compliant.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00118	16 oz	CLEAR	00118	17.00	12	12"x9.25"x9.75"	0.63	3	80



DAP® RapidFuse® All-Purpose Adhesive

RapidFuse® All-Purpose Adhesive provides a fast-setting, professional-strength, clear bond that's 40% stronger than polyurethane glues* without the expanding foam or dripping glue mess. Bonds Virtually Everything including plastic, wood, rubber, metal, ceramics, glass, fabric, stone, tile & more. Sets in 30 seconds. 2X more durable than regular Super Glue. Water resistant formula ideal for both Interior and Exterior Use.

*40% Stronger than polyurethane glues based on averaging strength on ABS plastic, polycarbonate, white oak, rubber, and steel. 2X more durable than traditional cyanoacrylates.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00155	.85 oz	CLEAR	00155	1.38	6	6.75"x4.38"x7"	0.119	8	324
00158	(2) 3g TUBES	CLEAR	00158	1	12	6.75"x4"x8"	0.125	9	275
00173	16g Brush	CLEAR	00173	1 lb	6	6.75"x4.38"x7"	0.12	2	336

DAP® RapidFuse® Fast Curing Wood Adhesive

RapidFuse® Wood Adhesive creates a professional-strength, durable bond that fully cures in just 30 minutes for full return to service – ready to plane, sand and stain. Repositionable for up to 3 minutes. Works on all wood types, no activator required. Water resistant formula won't swell, crack or damage wood. Cures to a clear bond that can be sanded, stained or painted. Ideal for interior or exterior use. Easily bonds to other surfaces like ABS, melamine, particle board, rubber, steel, PVC, glass, stone, and more.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00156	.85 oz	CLEAR	00156	1.38	6	6.75"x4.38"x7"	0.119	5	324
00157	4 oz	CLEAR	00157	3.33	6	8.75"x5.31"x9.25"	0.249	2	170

**DAP® WELDWOOD®
Original Wood Glue**

Professional quality aliphatic resin wood and multi-purpose glue that provides a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00490	8 oz	YELLOW	00490	17.50	24	13"x10"x7.5"	0.56	0	56
00491	1 pt	YELLOW	00491	15.90	12	12.25"x8.5"x9.25"	0.56	7	72
00492	1 qt	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.96	4	40
00493	1 gal	YELLOW	00493	37.50	4	13"x12.5"x11.5"	1.08	1	27
00494	5 gal	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 gal	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

**DAP® BLUESTIK®
Reusable Adhesive Putty**

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Packaged in a new, resealable bag that keeps product clean and fresh for optimal adhesion and reuse. Won't dry out. Non-toxic. Conforms to ASTM D4236.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
01201	1 oz	BLUE	01201	1.25	12	6"x4.25"x4.5"	0.07	1	528

**DAP® WELDWOOD®
Plastic Resin Glue**

Powdered, urea-formaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00203	1 lb	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 lb	TAN	00204	21.50	4	16"x16"x8"	1.18	3	30
00208	300 lb	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4

**DAP® DYNAGRIP®
Heavy Duty
Construction Adhesive**

DYNAGRIP® HEAVY DUTY is a premium grade, high strength construction adhesive ideal for heavier construction jobs. DYNAGRIP® HEAVY DUTY adhesive delivers powerful instant grab and a strong permanent bond for heavier remodeling jobs. This exterior grade adhesive delivers strong adhesion on common building materials, ideal for interior or exterior jobs.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27508	6 oz	OFF-WHITE	27508	5.99	12	9.75"x7.5"x9.5"	0.40	9	100
27509	9 oz	OFF-WHITE	27509	12.07	12	8"x6"x12"	0.33	6	108
27510	28 oz	OFF-WHITE	27510	32.53	12	10.5"x8"x17"	0.83	2	60

**DAP® DYNAGRIP®
Heavy Duty Max
Construction Adhesive**

DYNAGRIP® HEAVY DUTY MAX is a premium hybrid adhesive that delivers up to 5x faster bond strength, than competitive polyurethane based heavy duty adhesives, for heavier applications where bond strength and speed are critical. This easy to gun moisture curing adhesive can be applied in a wide range of temperatures for heavier interior or exterior jobs. Offering powerful adhesion to porous & non-porous building materials where traditional adhesives struggle such as, wet surfaces, PVC, glass, marble, and metal, this is a versatile high performance adhesive for tackling the toughest jobs.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27511	9 oz	WHITE	27511	14.86	12	8"x6"x12"	0.33	9	108
27512	28 oz	WHITE	27512	42.00	12	10.5"x8"x17"	0.83	6	60

**DAP® DYNAGRIP®
All-Purpose
Construction Adhesive**

DYNAGRIP® ALL PURPOSE construction adhesive is a premium grade adhesive ideal for paneling, interior remodeling, and other interior projects. DYNAGRIP® ALL PURPOSE adhesive delivers a strong permanent bond and excellent adhesion on common building materials. Offering an easy water clean up and excellent instant grab, this adhesive delivers the perfect combination of convenience and performance for interior projects.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27500	6 oz	OFF-WHITE	27500	6.57	12	9.75"x7.5"x9.5"	0.40	3	100
27501	9 oz	OFF-WHITE	27501	13.58	12	8"x6"x12"	0.33	0	108
27502	28 oz	OFF-WHITE	27502	35.78	12	10.5"x8"x17"	0.83	7	60

**DAP® DYNAGRIP®
Subfloor
Construction Adhesive**

DYNAGRIP® SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® SUBFLOOR is an easy to gun adhesive that delivers a strong durable bond.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27514	10.3 oz	LIGHT TAN	27514	12.73	12	8"x6"x12"	0.33	0	108
27515	28 oz	LIGHT TAN	27515	33.47	12	10.5"x8"x17"	0.82	7	60

**DAP® DYNAGRIP®
Advanced Subfloor
Construction Adhesive**

DYNAGRIP® ADVANCED SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® ADVANCED SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen and treated lumber. This solvent based formula won't freeze and is easy to gun down to 0°F.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27516	10.3 oz	LIGHT TAN	27516	11	12	8"x6"x12"	0.33	4	108
27042	28 oz	LIGHT TAN	27042	33.16	12	10.5"x8"x17"	0.83	8	60

**DAP® DYNAGRIP®
4000 Subfloor
Construction Adhesive**

NEW LOOK
SAME GREAT ADHESIVE AS
4000® SUBFLOOR & DECK ADHESIVE

DYNAGRIP® 4000 SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This easy to gun solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. 4000 SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen & treated lumber.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27517	10.3 oz	TAN	27517	10.59	12	8"x6"x12"	0.33	1	108
25117	28 oz	TAN	25117	28.66	12	10.5"x8"x17"	0.83	5	60

**DAP® DYNAGRIP®
Drywall
Construction Adhesive**

DYNAGRIP® DRYWALL construction adhesive is a premium grade adhesive specifically formulated for drywall installation. This VOC compliant, instant grab adhesive prevents nail pops and helps limit air and sound movement between walls. DYNAGRIP® DRYWALL is an easy to gun adhesive that delivers a strong permanent bond.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27518	28 oz	WHITE	27518	37	12	10.5"x8"x17"	0.83	8	60

**DAP® DYNAGRIP®
Foamboard
Construction Adhesive**

DYNAGRIP® FOAMBOARD construction adhesive is a premium grade adhesive specifically formulated for insulation foam paneling installation. This VOC compliant adhesive provides excellent adhesion to foam panels and a variety of construction materials. DYNAGRIP® FOAMBOARD is an instant grab adhesive that provides a strong permanent bond and will not etch or burn through foam panels.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27519	10.3 oz	WHITE	27519	13.25	12	8"x6"x12"	0.33	5	108

**DAP® DYNAGRIP®
Wood-Panel-Trim
Construction Adhesive**

DYNAGRIP® WOOD, PANEL, TRIM construction adhesive is a premium grade, high strength adhesive. This VOC compliant adhesive is specifically formulated for decorative panel and molding installation. DYNAGRIP® WOOD, PANEL, TRIM is an instant grab adhesive that delivers a precise vertical hold on wood, foam, and PVC trim ideal for decorative interior projects.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27520	10.3 oz	WHITE	27520	14	12	8"x6"x12"	0.33	1	108

**DAP® DYNAGRIP®
Tub Surround
Construction Adhesive**

DYNAGRIP® TUB SURROUND construction adhesive is a premium grade, high strength adhesive specifically formulated for tub surround installation. This premium adhesive is safe for use on all tub surround materials and dries clear for an ideal finish. DYNAGRIP® TUB SURROUND is an instant grab adhesive that is moisture, steam, water, and heat resistance once fully cured.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27521	10.3 oz	WHITE	27521	12.50	12	8"x6"x12"	0.33	8	108

**DAP® DYNAGRIP®
Mirror-Marble-Granite
Construction Adhesive**

DYNAGRIP® MIRROR, MARBLE, GRANITE is a premium grade hybrid adhesive specifically formulated for mirror and countertop installation. This premium hybrid adhesive provides a permanent vertical hold in one-hour ideal for mirror installation. This VOC compliant adhesive is easy to gun and will not stain or damage mirrors, countertops or finished surfaces. DYNAGRIP® MIRROR, MARBLE, GRANITE is a high strength adhesive that delivers exceptional adhesion on porous/non-porous construction materials.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27522	9 oz	WHITE	27522	14.86	12	8"x6"x12"	0.33	5	108



DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25082	10.3 oz	GRAY	25082	26.58	24	12"x8"x12"	0.67	6	54
25084	28 oz	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	60
25098	10.3 oz	GRAY	25082	12.75	12	8"x6"x12"	0.33	6	108

DAP® BEATS THE NAIL®
All-Purpose Trowelable
Construction Adhesive

An all-purpose, trowelable construction adhesive for bonding bath panel, tub enclosure and other types of wall panels to drywall, hardboard, plywood, plaster, masonry and other structurally-sound surfaces. It may be used to repair loose ceramic tiles, sink tops, backsplashes and moldings or to install Fiberglass Reinforced Panels (FRP). It provides a water and moisture-proof barrier between wall and panel. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25488	1 gal	TAN	25488	44.25	4	13.5"x13.5"x8"	0.84	6	45

DAP® SmartBond®
Subfloor Gun-Grade
Construction Adhesive

DAP® SmartBond® Subfloor Construction Adhesive is a dynamic polyurethane adhesive foaming gel that is faster and easier to use than traditional cartridge adhesives. Jobs become more efficient as a single can of SmartBond provides 8X the coverage of traditional 28 oz. cartridge adhesives, meaning you can do more with less.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00042	20 oz	TAN	00042	9.2	6	5.5"x8"x9.25"	0.24	1	200

**DAP® WELDWOOD®
Multi-Purpose
Floor Adhesive**

High-strength, trowel-grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00141	1 qt	OFF WHITE	00141	16.75	6	15.25"x10.25"x5"	0.45	1	84
00142	1 gal	OFF WHITE	00142	43.25	4	15.5"x15.5"x7.75"	1.08	8	30
00144	4 gal	OFF WHITE	00144	43.00	1	12"x12"x14"	1.17	2	36

**DAP® WELDWOOD®
Sheet Flooring Adhesive**

Trowel-grade, latex-based, water-resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25176	1 qt	OFF WHITE	25176	16.75	6	15.25"x10.25"x5"	0.45	2	84
25178	1 gal	OFF WHITE	25178	43.25	4	15.5"x15.5"x7.75"	1.08	6	30

**DAP® WELDWOOD®
Wood Floor Adhesive**

High-solids, trowel-grade, water-based synthetic adhesive developed specifically for installation of pre-finished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25133	1 gal	OFF WHITE	25133	48.00	4	15.5"x15.5"x7.75"	1.08	5	30
25136	4 gal	OFF WHITE	25136	47.75	1	12"x12"x14"	1.17	6	36

**DAP® WELDWOOD®
Multi-Purpose Ceramic
Tile Adhesive**

High-strength, trowel-grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25190	1 qt	WHITE	25190	21.50	6	15.25"x10.25"x5"	0.45	8	84
25192	1 gal	WHITE	25192	56.25	4	15.5"x15.5"x7.75"	1.08	2	30

**DAP® WELDWOOD®
Cove Base Adhesive**

Trowel-grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC content, nonflammable and easy water clean-up. Available in cartridge and trowel-grade formats. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25032	10.3 oz	OFF WHITE	10934	13.25	12	8"x6"x12"	0.33	6	108
25053	1 qt	OFF WHITE	25053	19.50	6	15.25"x10.25"x5"	0.45	6	84
25054	1 gal	OFF WHITE	25054	51.25	4	15.5"x15.5"x7.75"	1.08	3	30

**DAP® WELDWOOD®
Carpet Adhesive**

High-strength, trowel-grade, latex-based adhesive designed for the installation of most interior carpets. Water resistant when dry. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00185	1 qt	TAN	00185	16.75	6	15.25"x10.25"x5"	0.45	5	84
00186	1 gal	TAN	00186	43.25	4	15.5"x15.5"x7.75"	1.08	2	30

**DAP® WELDWOOD®
All Weather Outdoor
Carpet Adhesive**

High-strength, trowel-grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. Weatherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00442	1 qt	TAN	00442	18.00	6	13.5"x9"x5"	0.35	9	144
00443	1 gal	TAN	00443	44.00	4	13.5"x13.5"x8"	0.84	6	45

**DAP® WELDWOOD®
Floor Tile Adhesive**

Trowel-grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, low VOC content, non-flammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00136	1 qt	CLEAR	00136	14.50	6	15.25"x10.25"x5"	0.45	7	84
00137	1 gal	CLEAR	00137	37.75	4	15.5"x15.5"x7.75"	1.08	4	30
00139	4 gal	CLEAR	00139	37.50	1	12"x12"x14"	1.17	8	36

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. Nonflammable, fast-setting and water resistant. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
60480	1 gal	WHITE	60480	53.75	4	15.5"x15.5"x7.75"	1.08	3	30
60481	4 gal	WHITE	60481	53.75	1	12"x12"x14"	1.17	0	36

**DAPtex® PLUS
Multi-Purpose
Latex Insulating
Foam Sealant**

Latex-based formula that seals out drafts, eliminates energy loss and prevents pest infiltration.

- Seals, insulates, weatherproofs
- Improved durability, flexibility and water resistance
- Safe for all windows & doors
- Easy water clean-up



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18836	12 oz	WHITE	18836	13.14	12	10.75"x8.25"x8.5"	0.44	5	90

**DAP® Touch 'n Foam®
HomeSeal™
Minimum Expanding
Foam Sealant**

Fills and seals smaller gaps and openings.
Exclusive All-Seasons cure 30°–120°F (-1°–49°C)

- Water resistant
- Interior/exterior use
- Meets ASTM E84, Class A Fire Rated
- Off-white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 00082 0	12 oz	7565000082	12.90	12	11.5"x8.75"x9.25"	0.54	3	108

**DAP® Touch 'n Foam®
No Warp®
Window & Door
Foam Sealant**

Low pressure formula won't bow window frames or door jambs.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire Rated
- Bright white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 04000 0	12 oz	7565004000	12.90	12	11.5"x8.75"x9.25"	0.54	3	108

**DAP® Touch 'n Foam®
MaxFill™
Triple Expanding
Foam Sealant**

Three times the expansion rate to fill gaps greater than 1 inch.

- Weather resistant bond seals out drafts
- Blocks insects and other pests
- Meets ASTM E84; Class A Fire Rated
- Interior/exterior use
- UL-Listed
- Off-white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 00043 1	12 oz	7565000043	12.90	12	11.5"x8.75"x9.25"	0.54	1	108
1 00 75650 00032 5	20 oz	7565000032	20.10	12	11.25"x8.50"x12.50"	0.71	8	72

**DAP® Touch 'n Foam®
Mouse Shield®
Foam Sealant & Blocker**

Mouse Shield® is specially treated to protect the foam from attack by mice, birds, bats and tree squirrels. It also blocks ants, roaches, spiders and bees.

- Safe to use and contains no lingering odor
- Air seals and insulates to save on energy costs
- Tack-free in 15 minutes and dries in 4 hours
- For interior use only
- Paintable/Sandable



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 12506 6	12 oz	7565012506	6.5	6	8.63"x5.88"x9.13"	0.27	0	216

**DAP® Touch 'n Foam®
FireBreak®
Flame Resistant
Foam Sealant**

The only approved fire block to pass the UL 94 V-0 burn test.

- Meets ASTM E814 and UL 1715
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Meets ASTM E84/UL 723; Class A Fire Rated
- Easy-to-identify orange color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
3 00 75650 10012 8	12 oz	7565010012	13.00	12	11.5"x8.75"x9.25"	0.54	7	108



**DAP® Touch 'n Foam®
Landscape
Exterior Filler
Adhesive**

Black, UV-resistant foam that's safe for plant and water life.

- Directs flow in and around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- Carbon black color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
3 00 75650 40440 0	12 oz	7565040440	13.00	12	11.5"x8.75"x9.25"	0.54	9	108

**DAP® Touch 'n Foam®
Professional
All-Purpose
Gun Foam Sealant**

Versatile, Type V residential fire block sealant with greater control for large and small gaps.

- Meets ASTM E814, E84, and UL 1715
- Class A Fire-Rated
- Exterior/interior use
- Bright orange foam for inspections



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 02420 8	24 oz	7565002420	23.40	12	11.25"x8.50"x11.5"	0.64	1	72

**DAP® Touch 'n Foam®
Professional
Window & Door
Gun Foam Sealant**

Bright white, low pressure sealant that exerts virtually no force on window frames and door jambs. Outperforms fiberglass.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire-Rated
- Class A Fire-Rated
- Bright white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 02010 1	20 oz	7565002010	20.30	12	11.25"x8.50"x11.5"	0.64	4	72

**DAP® Touch 'n Foam®
Professional
Landscaping
Gun Foam Sealant**

Black, UV resistant foam that's ideal for landscaping projects, including retaining walls, ponds and waterfalls.

- Safe for plants and fish
- Directs flow in and around water gardens
- Fills knotholes in trees to seal out pests
- Carbon black color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 02450 5	24 oz	7565002450	23.40	12	11.25"x8.50"x11.50"	0.64	8	72

**DAP® Touch 'n Seal®
Gun Foam II
Fireblock Sealant**

Type V residential fire block sealant with distinctive orange color.

- ICC-ES ESR-1926
- Class A fire resistance
- Bright orange foam for inspections



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 00121 6	24 oz	7565000121	23.38	12	11.25"x8.50"x11.5"	0.64	9	72

**DAP® Touch 'n Seal®
All Seasons
Low Temperature
Gun Foam**

Suitable for use at temperatures as low as 20°F.

- Type V residential fire block
- Low curing pressure – can be used to seal windows and doors
- ICC-ES ESR-1926
- Meets AAMA 812-04
- Class A fire resistance
- Off-white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 00044 8	24 oz	7565000044	23.38	12	11.25"x8.50"x11.5"	0.64	1	72

**DAP® Touch 'n Seal®
No Warp
Window & Door
Gun Foam**

Low expansion and pressure during cure for sealing windows and doors.

- Meets AAMA 812-04
- ICC-ES ESR-1926 approved
- Class A fire resistance
- Bright white color



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 29712 1	24 oz	7565029712	20.39	12	11.25"x8.50"x11.5"	0.64	4	72

**DAP® Touch 'n Seal®
Quick Cure
1 Component Sealant**

Portable for larger jobs; cylinder comes with 10 ft hose and applicator.

- Residential fire block sealant
- ICC-ES ESR-1926 approved
- Class A fire resistance
- Available in reduced Expansion (RX) and High Yield (HY) formulas



Case Code	Formula	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
0 00 75650 00062 5	HY	10 lb	7565000062	16.56	1	7.75"x7.75"x14.75"	0.51	5	90
0 00 75650 00064 9	HY	16 lb	7565000064	25.04	1	10.0"x10.0"x17.25"	1.00	9	50
0 00 75650 00063 2	RX	10 lb	7565000063	16.56	1	7.75"x7.75"x14.75"	0.51	2	90
0 00 75650 00065 6	RX	16 lb	7565000065	25.04	1	10.0"x10.0"x17.25"	1.00	6	50

**DAP® Touch 'n Seal®
Quick Cure
1 Component Sealant**

Maximum expanding straw foam for sealing gaps & cracks.

- Residential fire block sealant
- ICC-ES ESR-1926 approved
- Class A fire resistance
- Reusable



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 00057 8	12 oz	7565000057	12.95	12	11.5"x8.5"x9"	0.50	8	108
1 00 75650 10058 5	24 oz	7565000058	23.45	12	11"x8.75"x11.5"	0.64	5	72

**DAP® AirStop®
Elastomeric Air Sealant**

AirStop is designed to be an easy-to-apply sealant for areas of potential leaks in the building envelope.

- Helps achieve the air leakage requirements of the International Energy Conservation Code (IECC)
- Bridges and penetrates gaps for a tight air seal
- Remains flexible after curing for a lasting seal
- Material contains no solvents
- Easy clean-up with water
- Ready-to-use formula requires no mixing
- Available in 27 lb pail and 20 fl oz sausage



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 51005 3	20 oz	7565051005	13.17	12	13.5"x8.25"x6.75"	0.43	3	78
1 00 75650 50005 4	27 lb	7565051005	30.00	1	12.5"x12.5"x14.8"	1.34	4	36

**DAP® Touch 'n Seal®
Heavy Duty
Construction Adhesive**

An all-weather, 1-component, ready-to-use foam that quickly condenses into a high-strength gel adhesive.

- Use fewer fasteners and helps prevent against nail pops
- Bridges minor gaps on irregular surfaces
- Adheres to most common building materials
- Prevents drywall ceilings from sagging
- Conforms to ASTM C557 and D6464 – standard for drywall adhesion to wooden studs
- Independent, 3rd party verification from PFS



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 60330 4	24 oz	7565060330	11.67	6	8.5"x5.75"x11.5"	0.32	4	144

**DAP® Touch 'n Seal®
Black Foam
Polyurethane Foam
Sealant and Adhesive**

UV-resistant gun foam specially formulated to blend in with landscaping, RV, automotive, HVAC and other applications.

- Use to bond stones for landscaping and waterfall/pond applications
- Formulated to resist discoloration in exterior applications
- Air Sealing for RV/automotive applications
- Black color blends in with black piping and auto undercarriages



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 29813 5	24 oz	7565029813	23.38	12	11"x8.75"x11.5"	0.64	5	72



DAP® Touch 'n Foam® Professional System 15 Spray Foam Insulation Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves and detailed instructions.

- Yields up to 15 bd ft
- Use for hole repairs and touch ups
- Class A Fire-Rated
- Class III Vapor Retarder @ 2"
- R-5.5 per inch



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565002506	System 15	21.27	6	13.25"x12"x12.75"	1.17	48

DAP® Touch 'n Foam® Professional System 200 Spray Foam Insulation Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Yields up to 200 bd ft
- Ideal for sealing basement sill plates and rim/band joists.
- Class A Fire-Rated
- Class II Vapor Retarder @ 2"
- R-6.2 per inch



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565062200	System 200	41.56	1	15.25"x10"x15.25"	1.34	36

DAP® Touch 'n Foam® Professional System 600 Spray Foam Insulation Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Yields up to 600 bd ft
- Perfect for insulating stud wall cavities (up to 2" thick) and crawl spaces.
- Class A Fire-Rated
- Class II Vapor Retarder @ 2"
- R-6.2 per inch



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565062600	System 600	114.00	1	12.5"x12.5"x18.75"	1.69	32



Touch 'n Seal foam kits are 2-component low-pressure spray-applied or pour-in-place polyurethane foam systems for air sealing and insulating residential, commercial, industrial and agricultural structures. The components are mixed and applied with the patented applicator to produce rapid-cure polyurethane foam insulation.

DAP® Touch 'n Seal® Foam Kit 15 Spray Foam Insulation Kit

- Ready-to-use – contain everything needed
- Portable
- ASTM E84 Class A fire resistance
- Reduces energy loss by as much as 40%
- Reduces sound transmission
- Does not shrink or settle
- High R-value
- Yields up to 15 board feet



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565020015	15 FR	5.5	27.24	12	11.5"x8.75"x9.25"	1.17	24

DAP® Touch 'n Seal® Foam Kit 200 Spray Foam Insulation Kit

- Ready-to-use – contain everything needed
- Portable
- Easy to carry using Rip 'n Go handle
- Yields up to 200 Board Feet
- ASTM E84 Class A fire resistance
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565000054 (Standard)	200 FR	5.5	40.32	1	15.25"x10"x15.25"	1.34	36
7565001200 (ICC)	200 FR	6.2	40.32	1	15.25"x10"x15.25"	1.34	36
7565022120 (Slow Rise 120)	200 FR	5.2	40.32	1	15.25"x10"x15.25"	1.34	36

DAP® Touch 'n Seal® Foam Kit 600 Spray Foam Insulation Kit

- Ready-to-use – contain everything needed
- Portable
- Yields up to 600 Board Feet
- ASTM E84 Class A fire resistance
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb) (both boxes)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565000056 (Standard)	600 FR	5.5	107.00	1	12.5"x12.5"x16.55"	1.49	32
7565021600 (ICC)	600 FR	6.2	110.51	1	12.5"x12.5"x16.55"	1.49	32
7565026120 (Slow Rise)	600 FR	5.2	112.00	1	12.5"x12.5"x16.55"	1.49	32



DAP® Touch 'n Seal® Refillable Systems

- Returnable cylinders
- Best for OEM operations
- Low investment
- 1.75 PCF Refills in Standard, ICC, and Slow Rise, available in 3 sizes:
17 gallon, 60 gallon, 120 gallon



Product Description	Standard	ICC	Slow Rise	Canister Size	Board Ft Coverage	Dimensions LxWxH	Weight (lb)
RF-17	7565051000	7565010000	7565020120	17 gal	1,980	15" x 15" x 34"	>300
RF-60	7565060000	7565066000	7565061120	60 gal	6,840	24" x 24" x 46"	>1000
RF-120	7565051200	7565013000	7565014120	120 gal	11,400	30" x 30" x 57"	>2250

DAP® Touch 'n Seal® CPDS – Constant Pressure Dispensing System

- Ideal for mid-sized projects such as room additions, attics, rim joists, and crawl spaces
- Offers the convenience of Foam Kits with higher output and efficiency
- Application rate is adjustable and consistent
- Self-contained system does not require any additional equipment
- Disposable cylinders are easy to handle and change
- 100' hose; foam applicator; on/off valves – fully assembled
- 2 replacement check valves
- Conical nozzles (25 pack)
- Fan nozzles (25 pack)
- Extra foam applicator with 12" hose
- Protective cover
- Forced air heating unit
- Extra pressure supply hoses (2)
- Wrenches – 9/16" & adjustable
- Operation manual & instructional DVD



Code	(lb)	LxWxH
7565000150	175.0	26"x33"x49"

DAP® Touch 'n Seal® CPDS – Constant Pressure Dispensing Kit

- Perfect for insulating stud wall cavities (up to 2" thick) and crawl spaces.
- Class A Fire-Rated
- ASTM E84 Class A fire resistance
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Bd Ft Coverage	Cases per Pallet
7565050120 (Low Density)	CP-1200 FR	4.1	132.83	1	12.5"x12.5"x22"	1.98	1200	32
7565000750 (ICC)	CP-750 FR	6.2	155.72	1	12.5"x12.5"x22"	1.98	750	32
7565007520 (Slow Rise 120)	CP-750 SR 120	5.2	136.88	1	12.5"x12.5"x22"	1.98	750	32

**DAP® Touch 'n Seal®
Storm Bond®
Roof Tile Adhesive**MIAMI-DADE COUNTY
APPROVED

Storm Bond is a one-component spray foam roof tile adhesive that is available in 23 lb cylinders and 24 oz straw foam cans.

- Aerosol can and cylinder are easy to carry
- Great for spot repairs on roof
- Makes cut tile at valleys easier to install
- No ozone depleting chemicals
- Miami-Dade County and Florida Building Code approved



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565029470	24 oz	23.34	12	11.5"x8.5"x12.5"	0.70	72
7565017170	23 lb	31.41	1	10"x10"x17.25"	0.99	50

**DAP® Touch 'n Seal®
Storm Bond® 2
2 Component
Roof Tile Adhesive**MIAMI-DADE COUNTY
APPROVED

Storm Bond 2 is a fast-curing, ultra-strong, two-component adhesive that virtually eliminates the need for nail and screw penetrations in the roof.

- Superior bonding strength
- May be walked on within minutes
- Reduces tile breakage during installation
- Miami-Dade County and Florida Building Code approved
- Yields up to 400 tiles*

*Based on a 30 mg Medium Patty



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565071200	SB 200	41.00	1	15.25"x10"x15.25"	1.34	36

**DAP® Touch 'n Seal®
Storm Bond® 2
2 Component
Roof Tile Adhesive**MIAMI-DADE COUNTY
APPROVED

Storm Bond 2 is a fast-curing, ultra-strong, two-component adhesive that virtually eliminates the need for nail and screw penetrations in the roof.

- Superior bonding strength
- May be walked on within minutes
- Reduces tile breakage during installation
- Miami-Dade County and Florida Building Code approved
- Yields up to 1,295 tiles*

*Based on a 30 mg Medium Patty



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565017000	SB 600	113	1	12.5"x12.5"x16.5"	1.49	32

**DAP® Touch 'n Seal®
Mine Foam
Ventilation Control
System**

MSHA listed ventilation control sealant for stoppings and overcasts.

- Seal air leaks in and around metal, wood and concrete stoppings, overcasts, electrical and plumbing chases
- Fill voids and provides sound and thermal insulation
- Patch and repair existing stoppings and ventilation control structures
- Control water run-off



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565000055	200 FR	39.6	1	15.2"x10"x15.25"	1.34	36

**DAP® Touch 'n Seal®
Mine Block Mortar
Mine Stopping Adhesive**

MSHA listed sealant for bonding mine ventilation blocks.

- Cures and adheres to block within 30 minutes
- Underground coal mine ventilation control adhesive
- Standard 6" wide or larger hollow core or solid concrete block: Suitability Number MSHA-ST25/0
- 6" x 12" x 24" or larger AAC lightweight block: Suitability Number MSHA-ST30/0



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565017160	20 lb	29.59	1	10"x10"x17.5"	1.01	50

**DAP® Touch 'n Seal®
Rib & Roof
Air & Moisture Control
System**

Controls scaling and spalling of coal from ribs and roofs of underground mines.

- Yields up to 1500 sq ft @ 3/8" thickness
- Stops spalling
- Does not require pumps, water, compressors or supplied air
- Stops air leaks in old seals and on stopping ribs
- Reduces dust
- ASTM E84 Class A Fire Resistance:
- Reusable applicator with 30 ft hose
- No offensive odor during use or after cured
- Bright, reflective beige color



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565022600	600 FR	82.9	1	12.5"x12.5"x18.5"	1.67	32

**DAP® Touch 'n Seal®
Sharpshooter-X
Gun Foam
Applicator**

- Adjustable output for precise control of bead size
- Coated non-stick basket
- Reusable



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565010608	1.07	1	14.25"x6"x2.25"	3.36	2	144

**DAP® Touch 'n Seal®
Sharpshooter-D
Gun Foam
Applicator**

- Adjustable output for precise control of bead size
- Economical, disposable



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565000172	4.03	6	15"x7.5"x13.25"	0.86	8	60

**DAP® Touch 'n Seal®
Poly-Clean
Foam Cleaner**

Cleans foam in and around gun applicators.

- Attaches to applicator to flush barrel
- Removes uncured foam from tools
- Reusable dispensing
- Zero VOC formula



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
1 00 75650 12000 9	12 oz	7565012000	12.99	12	11.5"x8.5"x9"	0.50	2	108

**DAP® Touch 'n Seal®
Long Barrel
Gun Foam
Applicator**

- Adjustable output for precise control of bead size
- Coated non-stick basket
- 28" and 46" sizes



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit
7565010028	28"	2.19	1	28.25"x9.5"x2.25"	0.34	8

**DAP® Touch 'n Seal®
Bottom Load
Applicator**

- Adjustable output for precise control of bead size
- Economical, disposable
- For use with one-component cylinders



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit
7565010629	7"	0.85	1	14.88"x6.5"x2.25"	0.12	7



DAP Products Inc.

2400 Boston Street, Suite 200
Baltimore, MD 21224
(800) 543-3840
www.dap.com

'33'®, '1012'®, 4000®, Alex®, Alex Fast Dry®, Alex Flex®, Alex Plus®, Beats The Nail®, the Black Band®, Blend Stick®, Blockade®, Bondex®, Butyl-Flex®, DAP Corporate Logo®, DynaGrip®, Caulk-Be-Gone®, CrackShot®, CONTACT STIK®, DAP®, DAPtex® Plus, DryDex®, Dynaflex 230®, Elastopatch®, Fast 'N Final®, Fast Patch®, FireBreak®, Kwik Foam®, Kwik Seal®, Kwik Seal Plus®, Kwik Seal Ultra®, Mouse Shield®, No Warp®, Patch Stick®, Painter's Putty '53'®, Partial Putty Knife®, Plastic Wood®, Presto Patch®, RapidFuse®, Rely-On®, Seal 'N Peel®, SIDE Winder®, SmartBond®, Storm Bond®, Touch 'n Foam®, Touch 'n Seal®, the Putty-Knife Logo®, Weldwood®

3.0™, BlueStik™, DAP CAP™, Dynaflex Ultra™, HomeSeal™, MaxFill™, ON THE JOB SINCE 1865™, Primer 920™, Weather Max Technology™ and Wood Finish Repair Kit™ are trademarks of DAP Brands Company.

Webpatch™ 90 is a trademark of Bostik Findley Inc., Wauwatosa, WI.

Pro Caulk is a trademark of National Express Inc.

MICROBAN® and the MICROBAN symbol are registered trademarks of the Microban Products Company, Huntersville, NC.